



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C07H 21/04, C07K 14/705, C12N 15/09, 15/63, C12Q 1/68		A1	(11) International Publication Number: WO 99/43696
			(43) International Publication Date: 2 September 1999 (02.09.99)
(21) International Application Number: PCT/US99/03826 (22) International Filing Date: 22 February 1999 (22.02.99) (30) Priority Data: 60/076,687 25 February 1998 (25.02.98) US 60/095,836 7 August 1998 (07.08.98) US 60/116,448 19 January 1999 (19.01.99) US (71) Applicant: AXYS PHARMACEUTICALS, INC. [US/US]; 180 Kimball Way, South San Francisco, CA 94080 (US). (72) Inventors: MILLER, Andrew, P.; 2131 Old Stone Mill Drive, Cranbury, NJ 08512 (US). CURRAN, Mark, Edward; 685 Poinsettia Park North, Encinitas, CA 92024 (US). HU, Ping; 3980 Via Holgura, San Diego, CA 92130 (US). RUTTER, Marc; 4559 Campus Avenue #1, San Diego, CA 92116 (US). WANG, Jian-Ying; 7478 Park Village Road, San Diego, CA 92129 (US). (74) Agent: SHERWOOD, Pamela, J.; Bozicevic, Field & Francis LLP, Suite 200, 285 Hamilton Avenue, Palo Alto, CA 94301 (US).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>	
(54) Title: HUMAN POTASSIUM CHANNEL GENES			
(57) Abstract			
<p>Methods for isolating <i>K+Hnov</i> genes are provided. The <i>K+Hnov</i> nucleic acid compositions find use in identifying homologous or related proteins and the DNA sequences encoding such proteins; in producing compositions that modulate the expression or function of the protein; and in studying associated physiological pathways. In addition, modulation of the gene activity <i>in vivo</i> is used for prophylactic and therapeutic purposes, such as identification of cell type based on expression, and the like.</p>			

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

HUMAN POTASSIUM CHANNEL GENES

INTRODUCTION

Background

5 Ion channels are multi-subunit, membrane bound proteins critical for maintenance of cellular homeostasis in nearly all cell types. Channels are involved in a myriad of processes including modulation of action potentials, regulation of cardiac myocyte excitability, heart rate, vascular tone, neuronal signaling, activation and proliferation of T-cells, and insulin secretion from
10 pancreatic islet cells. In humans, ion channels comprise extended gene families with hundreds, or perhaps thousands, of both closely related and highly divergent family members. The majority of known channels regulate the passage of sodium (Na^+), chloride (Cl^-), calcium (Ca^{++}) and potassium (K^+) ions across the cellular membrane.

15 Given their importance in maintaining normal cellular physiology, it is not surprising that ion channels have been shown to play a role in heritable human disease. Indeed, ion channel defects are involved in predisposition to epilepsy, cardiac arrhythmia (long QT syndrome), hypertension (Bartter's syndrome), cystic fibrosis, (defects in the CFTR chloride channel), several skeletal muscle disorders
20 (hyperkalemic periodic paralysis, paramyotonia congenita, episodic ataxia) and congenital neural deafness (Jervell-Lange-Nielson syndrome), amongst others.

The potassium channel gene family is believed to be the largest and most diverse ion channel family. K^+ channels have critical roles in multiple cell types and pathways, and are the focus of significant investigation. Four human
25 conditions, episodic ataxia with myokymia, long QT syndrome, epilepsy and Bartter's syndrome have been shown to be caused by defective K^+ ion channels. As the K^+ channel family is very diverse, and given that these proteins are critical components of virtually all cells, it is likely that abnormal K^+ channels will be involved in the etiology of additional renal, cardiovascular and central nervous
30 system disorders of interest to the medical and pharmaceutical community.

The K^+ channel superfamily can be broadly classified into groups, based upon the number of transmembrane domain (TMD) segments in the mature

protein. The minK (IsK) gene contains a single TMD, and although not a channel by itself, minK associates with different K⁺ channel subunits, such as KvLQT1 and HERG to modify the activity of these channels. The inward rectifying K⁺ channels (GIRK, IRK, CIR, ROMK) contain 2 TMD domains and a highly conserved pore domain. Twik-1 is a member of the newly emerging 4TMD K⁺ channel subset. Twik-like channels (leak channels) are involved in maintaining the steady-state K⁺ potentials across membranes and therefore the resting potential of the cell near the equilibrium potential for potassium (Duprat *et al.* (1997) EMBO J 16(17):5464-5471). These proteins are particularly intriguing targets for therapeutic regulation.

10 The 6TMD, or Shaker-like channels, presently comprise the largest subset of known K⁺ channels. The slopoke (slo) related channels, or Ca⁺⁺ regulated channels apparently have either 10 TMD, or 6 TMD with 4 additional hydrophobic domains.

Four transmembrane domain, tandem pore domain K⁺ channels (4T/2P channels) represent a new family of potassium selective ion channels involved in the control of background membrane conductances. In mammals, five channels fitting the 4T/2P architecture have been described: TWIK, TREK, TASK-1, TASK-2 and TRAAK. The 4T/2P channels all have distinct characteristics, but are all thought to be involved in maintaining the steady-state K⁺ potentials across membranes and therefore the resting potential of the cell near the equilibrium potential for potassium (Duprat *et al.* (1997) EMBO J 16(17):5464-5471). These proteins are particularly intriguing targets for therapeutic regulation. Within this group, TWIK-1, TREK-1 and TASK-1 and TASK-2 are widely distributed in many different tissues, while TRAAK is present exclusively in brain, spinal cord and retina. The 4T/2P channels have different physiologic properties; TREK-1 channels, are outwardly rectifying (Fink *et al.* (1996) EMBO J 15(24):6854-62), while TWIK-1 channels, are inwardly rectifying (Lesage *et al.* (1996) EMBO J 15(5):1004-11. TASK channels are regulated by changes in PH while TRAAK channels are stimulated by arachidonic acid (Reyes *et al.* (1998) JBC 273(47):30863-30869).

30

The degree of sequence homology between different K⁺ channel genes is substantial. At the amino acid level, there is about 40% similarity between

different human genes, with distinct regions having higher homology, specifically the pore domain. It has been estimated that the K⁺ channel gene family contains approximately 10²-10³ individual genes. Despite the large number of potential genes, an analysis of public sequence databases and the scientific literature
5 demonstrates that only a small number, approximately 20-30, have been identified. This analysis suggests that many of these important genes remain to be identified.

Potassium channels are involved in multiple different processes and are important regulators of homeostasis in nearly all cell types. Their relevance to
10 basic cellular physiology and role in many human diseases suggests that pharmacological agents could be designed to specific channel subtypes and these compounds then applied to a large market (Bulman, D.E. (1997) Hum Mol Genet 6:1679-1685; Ackerman, M.J. and Clapham D.E. (1997) NEJM 336:1575-1586, Curran, M.E. (1998) Current Opinion in Biotechnology 9:565-572). The
15 variety of therapeutic agents that modulate K⁺ channel activity reflects the diversity of physiological roles and importance of K⁺ channels in cellular function. A difficulty encountered in therapeutic use of therapeutic agents that modify K⁺ channel activity is that the presently available compounds tend to be non-specific and elicit both positive and negative responses, thereby reducing clinical efficacy.
20 To facilitate development of specific compounds it is desirable to have further characterize novel K⁺ channels for use in *in vitro* and *in vivo* assays.

Relevant Literature

A large body of literature exists in the general area of potassium channels.
25 A review of the literature may be found in the series of books, "The Ion Channel Factsbook", volumes 1-4, by Edward C. Conley and William J. Brammar, Academic Press. An overview is provided of: extracellular ligand-gated ion channels (ISBN: 0121844501), intracellular ligand-gated channels (ISBN: 012184451X), inward rectifier and intercellular channels (ISBN: 0121844528),
30 and voltage gated channels (ISBN: 0121844536). Hille, B. (1992) "Ionic Channels of Excitable Membranes", 2nd Ed. Sunderland MA: Sinauer Associates, also reviews potassium channels.

Jan and Jan (1997) Annu. Rev. Neurosci. **20**:91-123 review cloned potassium channels from eukaryotes and prokaryotes. Ackerman and Clapham (1997) N. Engl. J. Med. **336**:1575-1586 discuss the basic science of ion channels in connection with clinical disease. Bulman (1997) Hum. Mol. Genet. **6**:1679-
5 1685 describe some phenotypic variation in ion channel disorders.

Stephan *et al.* (1994) Neurology **44**:1915-1920 describe a pedigree segregating a myotonia with muscular hypertrophy and hyperirritability as an autosomal dominant trait (rippling muscle disease, Ricker *et al.* (1989) Arch. Neurol. **46**:405-408). Electromyography demonstrated that mechanical stimulation
10 provoked electrically silent contractions. The responsible gene was localized to the distal end of the long arm of chromosome 1, in a 12-cM region near D1S235.

Type II pseudohypoaldosteronism is the designation used for a syndrome of chronic mineralocorticoid-resistant hyperkalemia with hypertension. The primary abnormality in type II PHA is thought to be a specific defect of the renal
15 secretory mechanism for potassium, which limits the kaliuretic response to, but not the sodium and chloride reabsorptive effect of, mineralocorticoid. By analysis of linkage in families with autosomal dominant transmission, Mansfield *et al.* (1997) Nature Genet. **16**:202-205 demonstrated locus heterogeneity of the trait, with linkage of the PHA2 gene to 1q31-q42 and 17p11-q21.

20 Sequences of four transmembrane, two pore potassium channels have been previously described. Reyes *et al.* (1998) J Biol Chem **273**(47):30863-30869 discloses a pH sensitive channel. As with the related TASK-1 and TRAAK channels, the outward rectification is lost at high external K⁺ concentration. The TRAAK channel is described by Fink *et al.* (1998) EMBO J **17**(12):3297-308. A
25 cardiac two-pore channel is described in Kim *et al.* (1998) Circ Res **82**(4):513-8. An open rectifier potassium channel with two pore domains in tandem and having a postsynaptic density protein binding sequence at the C terminal was cloned by Leonoudakis *et al.* (1998) J Neurosci **18**(3):868-77.

The electrophysiological properties of Task channels are of interest,
30 (Duprat *et al.* (1997) EMBO J **16**:5464-71). TASK currents are K⁺-selective, instantaneous and non-inactivating. They show an outward rectification when external [K⁺] is low, which is not observed for high [K⁺]_{out}, suggesting a lack of

intrinsic voltage sensitivity. The absence of activation and inactivation kinetics as well as voltage independence are characteristic of conductances referred to as leak or background conductances. TASK is very sensitive to variations of extracellular pH in a narrow physiological range, a property probably essential for its physiological function, and suggests that small pH variations may serve a communication role in the nervous system.

SUMMARY OF THE INVENTION

Isolated nucleotide compositions and sequences are provided for *K+Hnov* genes. The *K+Hnov* nucleic acid compositions find use in identifying homologous or related genes; in producing compositions that modulate the expression or function of its encoded proteins; for gene therapy; mapping functional regions of the proteins; and in studying associated physiological pathways. In addition, modulation of the gene activity *in vivo* is used for prophylactic and therapeutic purposes, such as treatment of potassium channel defects, identification of cell type based on expression, and the like.

DESCRIPTION OF THE SPECIFIC EMBODIMENTS

Nucleic acid compositions encoding *K+Hnov* polypeptides are provided. They are used in identifying homologous or related genes; in producing compositions that modulate the expression or function of the encoded proteins; for gene therapy; mapping functional regions of the proteins; and in studying associated physiological pathways. The *K+Hnov* gene products are members of the potassium channel gene family, and have high degrees of homology to known potassium channels. The encoded polypeptides may be alpha subunits, which form the functional channel, or accessory subunits that act to modulate the channel activity.

CHARACTERIZATION OF *K+HNOV*

The sequence data predict that the provided *K+Hnov* genes encode potassium channels. Table 1 summarizes the DNA sequences, corresponding SEQ ID NOs, chromosomal locations, and polymorphisms. The provided

sequences may encode a predicted K⁺ channel, e.g. voltage gated, inward rectifier, etc.; or a modulatory subunit.

Electrophysiologic characterization of ion channels is an important part of understanding channel function. Full length ion channel cDNAs may be combined with proper vectors to form expression constructs of each individual channel. Functional analyses of expressed channels can be performed in heterologous systems, or by expression in mammalian cell lines. For expression analyses in heterologous systems such as *Xenopus* oocytes, synthetic mRNA is made through *in vitro* transcription of each channel construct. mRNA is then injected, singly or in combination with interacting channel subunit mRNAs, into prepared oocytes and the cells allowed to express the channel for several days. Oocytes expressing the channel of interest are then analyzed by whole cell voltage clamp and patch clamp techniques.

To determine the properties of each channel when expressed in mammalian cells expression vectors specific to this type of analyses may be constructed and the resultant construct used to transform the target cells (for example human embryonic kidney (HEK) cells). Both stable and transiently expressing lines may be studied using whole cell voltage clamp and patch clamp techniques. Data obtained from EP studies includes, but is not limited to: current profiles elicited by depolarization and hyperpolarization, current-voltage (I-V) relationships, voltage dependence of activation, biophysical kinetics of channel activation, deactivation, and inactivation, reversal potential, ion selectivity, gating properties and sensitivity to channel antagonists and agonists.

Heterologous or mammalian cell lines expressing the novel channels can be used to characterize small molecules and drugs which interact with the channel. The same experiments can be used to assay for novel compounds which interact with the expressed channels.

In many cases the functional ion channel formed by K⁺ channel polypeptides will be heteromultimers. Heteromultimers are known to form between different voltage gated, outward rectifying potassium channel α subunits, generally comprising four subunits, and frequently associated with auxiliary, β subunits. Typically such α subunits share a six-transmembrane domain structure (S1-S6),

with one highly positively charged domain (S4) and a pore region situated between S5 and S6. Examples of such subunits are K+Hnov4, K+Hnov9, and K+Hnov12. Channels are also formed by multimerization of subunits of the two transmembrane and one pore architecture. It is predicted that two subunits of
5 K+Hnov49 or K+Hnov59 will be required to form a functional channel.

Heteromultimers of greatest interest are those that form between subunits expressed in the same tissues, and are a combination of subunits from the same species. In addition, the formation of multimers between the subject polypeptides and subunits that form functional channels are of particular interest. The resulting
10 channel may have decreased or increased conductance relative to a homomultimer, and may be altered in response to beta subunits or other modulatory molecules.

Known voltage gated K⁺ channel α subunits include Kv1.1-1.8 (Gutman *et al.* (1993) *Sem. Neurosci.* 5:101-106); Kv2.1-2.2; Kv3.1-3.4; Kv4.1-4.3; Kv5.1; Kv6.1; Kv7.1; Kv8.1; Kv9.1-9.2. The subunits capable of forming ion inducing
15 channels include all of those in the Kv1 through Kv4; and Kv7 families. The Kv5.1, Kv6.1, Kv8.1 and Kv9.1-9.2 subunits may be electrically silent, but functional in modifying the properties in heteromultimers.

TABLE 1

Name	cDNA SEQ	Protein SEQ	Polymorphisms	Chromosome Position	Channel Type
K+Hnov1	SEQ ID NO:1	SEQ ID NO:2	Alternative poly(A) tail: 1236, 2395	2q37	ATP-sensitive inward rectifying
K+Hnov4	SEQ ID NO:3	SEQ ID NO:4	A312C T335C A377G T344C A401G CA410-411GG (Ala/Thr)	unknown	Voltage gated K+ channel
K+Hnov6	SEQ ID NO:5	SEQ ID NO:6		2p23	Delayed rectifying K+ channel
K+Hnov9	SEQ ID NO:7	SEQ ID NO:8	Alternative poly(A) tail: 2304	8q23	Voltage gated K+ channel
K+Hnov12	SEQ ID NO:9	SEQ ID NO:10	C321T (Pro/Leu) A375G (Glu/Gly) C407T (Leu/Phe)	Xp21	Voltage gated K+ channel
K+Hnov15	SEQ ID NO:11	SEQ ID NO:12	Alternative poly(A) tail: 1427 A689G (Gly/Arg)	13q14	modulatory subunit
K+Hnov27	SEQ ID NO:13	SEQ ID NO:14	T365A (Ile/Asn)	18q12	modulatory subunit
K+Hnov2	SEQ ID NO:15	SEQ ID NO:16	N/A	N/A	4 transmembrane domain, 2 pore domain K+ channel

K+Hnov 11	SEQ ID NO:17	SEQ ID NO:18	N/A	N/A	Human ortholog of murine gene, 6 transmembrane domains, voltage gated, delayed rectifier K ⁺ channel
K+Hnov 14	SEQ ID NO:19	SEQ ID NO:20	C3168T	12q14	6 transmembrane domain, voltage gated K ⁺ channel
K+Hnov28	SEQ ID NO:21-24	SEQ ID NO:25	4 alternative 5' splices	3q29	Modulatory subunit
K+Hnov42	SEQ ID NO:26	SEQ ID NO:27	G1162A; T1460A; T2496A	8q11	Homology to K ⁺ channel protein of <i>C. elegans</i>
K+Hnov44	SEQ ID NO:28-29	SEQ ID NO:30	N/A	22p13	beta-subunit
K+Hnov49	SEQ ID NO:80	SEQ ID NO:81	(ATCT) _n repeats in the 3' UTR sequence, starting at position 2186	1q41	4T/2P channel; linked to the disease loci for rippling muscle disease 1 (RMD1), and type II pseudohypoadosteronism
K+Hnov59	SEQ ID NO:82	SEQ ID NO:83	N/A	chr19	4T/2P channel

K+HNOV NUCLEIC ACID COMPOSITIONS

As used herein, the term "K+Hnov" is generically used to refer to any one of the provided genetic sequences listed in Table 1. Where a specific K+Hnov sequence is intended, the numerical designation, e.g. K49 or K59, will be added.

5 Nucleic acids encoding *K+Hnov* potassium channels may be cDNA or genomic DNA or a fragment thereof. The term "*K+Hnov* gene" shall be intended to mean the open reading frame encoding any of the provided *K+Hnov* polypeptides, introns, as well as adjacent 5' and 3' non-coding nucleotide sequences involved in the regulation of expression, up to about 20 kb beyond the coding region, but
10 possibly further in either direction. The gene may be introduced into an appropriate vector for extrachromosomal maintenance or for integration into a host genome.

The term "cDNA" as used herein is intended to include all nucleic acids that share the arrangement of sequence elements found in native mature mRNA
15 species, where sequence elements are exons and 3' and 5' non-coding regions. Normally mRNA species have contiguous exons, with the intervening introns, when present, removed by nuclear RNA splicing, to create a continuous open reading frame encoding a K+Hnov protein.

A genomic sequence of interest comprises the nucleic acid present
20 between the initiation codon and the stop codon, as defined in the listed sequences, including all of the introns that are normally present in a native chromosome. It may further include the 3' and 5' untranslated regions found in the mature mRNA. It may further include specific transcriptional and translational regulatory sequences, such as promoters, enhancers, etc., including about 1 kb,
25 but possibly more, of flanking genomic DNA at either the 5' or 3' end of the transcribed region. The genomic DNA may be isolated as a fragment of 100 kbp or smaller; and substantially free of flanking chromosomal sequence. The genomic DNA flanking the coding region, either 3' or 5', or internal regulatory sequences as sometimes found in introns, contains sequences required for
30 proper tissue and stage specific expression.

The sequence of the 5' flanking region may be utilized for promoter elements, including enhancer binding sites, that provide for developmental regulation in tissues where *K+Hnov* genes are expressed. The tissue specific expression is useful for determining the pattern of expression, and for providing
5 promoters that mimic the native pattern of expression. Naturally occurring polymorphisms in the promoter regions are useful for determining natural variations in expression, particularly those that may be associated with disease.

Alternatively, mutations may be introduced into the promoter regions to determine the effect of altering expression in experimentally defined systems.
10 Methods for the identification of specific DNA motifs involved in the binding of transcriptional factors are known in the art, e.g. sequence similarity to known binding motifs, gel retardation studies, etc. For examples, see Blackwell *et al.* (1995) Mol Med 1: 194-205; Mortlock *et al.* (1996) Genome Res. 6: 327-33; and Joulin and Richard-Foy (1995) Eur J Biochem 232: 620-626.

15 The regulatory sequences may be used to identify *cis* acting sequences required for transcriptional or translational regulation of *K+Hnov* expression, especially in different tissues or stages of development, and to identify *cis* acting sequences and *trans* acting factors that regulate or mediate *K+Hnov* expression. Such transcription or translational control regions may be operably linked to a
20 *K+Hnov* gene in order to promote expression of wild type or altered *K+Hnov* or other proteins of interest in cultured cells, or in embryonic, fetal or adult tissues, and for gene therapy.

The nucleic acid compositions of the subject invention may encode all or a part of the subject polypeptides. Double or single stranded fragments may be
25 obtained of the DNA sequence by chemically synthesizing oligonucleotides in accordance with conventional methods, by restriction enzyme digestion, by PCR amplification, etc. For the most part, DNA fragments will be of at least 15 nt, usually at least 18 nt or 25 nt, and may be at least about 50 nt. Such small DNA fragments are useful as primers for PCR, hybridization screening probes, etc.
30 Larger DNA fragments, *i.e.* greater than 100 nt are useful for production of the encoded polypeptide. For use in amplification reactions, such as PCR, a pair of

primers will be used. The exact composition of the primer sequences is not critical to the invention, but for most applications the primers will hybridize to the subject sequence under stringent conditions, as known in the art. It is preferable to choose a pair of primers that will generate an amplification product of at least
5 about 50 nt, preferably at least about 100 nt. Algorithms for the selection of primer sequences are generally known, and are available in commercial software packages. Amplification primers hybridize to complementary strands of DNA, and will prime towards each other.

The *K+Hnov* genes are isolated and obtained in substantial purity,
10 generally as other than an intact chromosome. Usually, the DNA will be obtained substantially free of other nucleic acid sequences that do not include a *K+Hnov* sequence or fragment thereof, generally being at least about 50%, usually at least about 90% pure and are typically "recombinant", i.e. flanked by one or more nucleotides with which it is not normally associated on a naturally occurring
15 chromosome.

The DNA may also be used to identify expression of the gene in a biological specimen. The manner in which one probes cells for the presence of particular nucleotide sequences, as genomic DNA or RNA, is well established in the literature and does not require elaboration here. DNA or mRNA is isolated
20 from a cell sample. The mRNA may be amplified by RT-PCR, using reverse transcriptase to form a complementary DNA strand, followed by polymerase chain reaction amplification using primers specific for the subject DNA sequences. Alternatively, the mRNA sample is separated by gel electrophoresis, transferred to a suitable support, e.g. nitrocellulose, nylon, etc., and then probed with a
25 fragment of the subject DNA as a probe. Other techniques, such as oligonucleotide ligation assays, *in situ* hybridizations, and hybridization to DNA probes arrayed on a solid chip may also find use. Detection of mRNA hybridizing to the subject sequence is indicative of *K+Hnov* gene expression in the sample.

The sequence of a *K+Hnov* gene, including flanking promoter regions and
30 coding regions, may be mutated in various ways known in the art to generate targeted changes in promoter strength, sequence of the encoded protein, etc.

The DNA sequence or protein product of such a mutation will usually be substantially similar to the sequences provided herein, *i.e.* will differ by at least one nucleotide or amino acid, respectively, and may differ by at least two but not more than about ten nucleotides or amino acids. The sequence changes may be substitutions, insertions or deletions. Deletions may further include larger changes, such as deletions of a domain or exon. Other modifications of interest include epitope tagging, *e.g.* with the FLAG system, HA, *etc.* For studies of subcellular localization, fusion proteins with green fluorescent proteins (GFP) may be used.

Techniques for *in vitro* mutagenesis of cloned genes are known. Examples of protocols for site specific mutagenesis may be found in Gustin *et al.*, *Biotechniques* 14:22 (1993); Barany, *Gene* 37:111-23 (1985); Colicelli *et al.*, *Mol Gen Genet* 199:537-9 (1985); and Prentki *et al.*, *Gene* 29:303-13 (1984). Methods for site specific mutagenesis can be found in Sambrook *et al.*, *Molecular Cloning: A Laboratory Manual*, CSH Press 1989, pp. 15.3-15.108; Weiner *et al.*, *Gene* 126:35-41 (1993); Sayers *et al.*, *Biotechniques* 13:592-6 (1992); Jones and Winistorfer, *Biotechniques* 12:528-30 (1992); Barton *et al.*, *Nucleic Acids Res* 18:7349-55 (1990); Marotti and Tomich, *Gene Anal Tech* 6:67-70 (1989); and Zhu, *Anal Biochem* 177:120-4 (1989). Such mutated genes may be used to study structure-function relationships of K+Hnov, or to alter properties of the protein that affect its function or regulation.

Homologs and orthologs of K+Hnov genes are identified by any of a number of methods. A fragment of the provided cDNA may be used as a hybridization probe against a cDNA library from the target organism of interest, where low stringency conditions are used. The probe may be a large fragment, or one or more short degenerate primers. Nucleic acids having sequence similarity are detected by hybridization under low stringency conditions, for example, at 50°C and 6XSSC (0.9 M sodium chloride/0.09 M sodium citrate) and remain bound when subjected to washing at 55°C in 1XSSC (0.15 M sodium chloride/0.015 M sodium citrate). Sequence identity may be determined by hybridization under stringent conditions, for example, at 50°C or higher and

0.1XSSC (15 mM sodium chloride/0.15 mM sodium citrate). Nucleic acids having a region of substantial identity to the provided K+Hnov sequences, e.g. allelic variants, genetically altered versions of the gene, *etc.*, bind to the provided K+Hnov sequences under stringent hybridization conditions. By using probes, particularly labeled probes of DNA sequences, one can isolate homologous or related genes. The source of homologous genes may be any species, e.g. primate species, particularly human; rodents, such as rats and mice, canines, felines, bovines, ovines, equines, yeast, nematodes, *etc.*

Between mammalian species, e.g. human and mouse, homologs have substantial sequence similarity, *i.e.* at least 75% sequence identity between nucleotide sequences, in some cases 80 or 90% sequence identity, and may be as high as 95% sequence identity between closely related species. Sequence similarity is calculated based on a reference sequence, which may be a subset of a larger sequence, such as a conserved motif, coding region, flanking region, *etc.* A reference sequence will usually be at least about 18 nt long, more usually at least about 30 nt long, and may extend to the complete sequence that is being compared. Algorithms for sequence analysis are known in the art, such as BLAST, described in Altschul et al. (1990), J. Mol. Biol. 215:403-10. In general, variants of the invention have a sequence identity greater than at least about 65%, preferably at least about 75%, more preferably at least about 85%, and may be greater than at least about 90% or more as determined by the Smith-Waterman homology search algorithm as implemented in MPSRCH program (Oxford Molecular). Exemplary search parameters for use with the MPSRCH program in order to identify sequences of a desired sequence identity are as follows: gap open penalty: 12; and gap extension penalty: 1.

K+HNOV POLYPEPTIDES

The subject nucleic acid sequences may be employed for producing all or portions of K+Hnov polypeptides. For expression, an expression cassette may be employed. The expression vector will provide a transcriptional and translational initiation region, which may be inducible or constitutive, where the coding region

is operably linked under the transcriptional control of the transcriptional initiation region, and a transcriptional and translational termination region. These control regions may be native to a *K+Hnov* gene, or may be derived from exogenous sources.

5 The peptide may be expressed in prokaryotes or eukaryotes in accordance with conventional ways, depending upon the purpose for expression. For large scale production of the protein, a unicellular organism, such as *E. coli*, *B. subtilis*, *S. cerevisiae*, insect cells in combination with baculovirus vectors, or cells of a higher organism such as vertebrates, particularly mammals, e.g. COS 7 cells,
10 may be used as the expression host cells. In some situations, it is desirable to express the *K+Hnov* gene in eukaryotic cells, where the K+Hnov protein will benefit from native folding and post-translational modifications. Small peptides can also be synthesized in the laboratory. Peptides that are subsets of the complete *K+Hnov* sequence may be used to identify and investigate parts of the
15 protein important for function, or to raise antibodies directed against these regions.

 Fragments of interest include the transmembrane and pore domains, the signal sequences, regions of interaction between subunits, etc. Such domains will usually include at least about 20 amino acids of the provided sequence, more
20 usually at least about 50 amino acids, and may include 100 amino acids or more, up to the complete domain. Binding contacts may be comprised of non-contiguous sequences, which are brought into proximity by the tertiary structure of the protein. The sequence of such fragments may be modified through manipulation of the coding sequence, as described above. Truncations may be
25 performed at the carboxy or amino terminus of the fragment, e.g. to determine the minimum sequence required for biological activity.

 With the availability of the protein or fragments thereof in large amounts, by employing an expression host, the protein may be isolated and purified in accordance with conventional ways. A lysate may be prepared of the expression
30 host and the lysate purified using HPLC, exclusion chromatography, gel electrophoresis, affinity chromatography, or other purification technique. The

purified protein will generally be at least about 80% pure, preferably at least about 90% pure, and may be up to and including 100% pure. Pure is intended to mean free of other proteins, as well as cellular debris.

5 The expressed K+Hnov polypeptides are useful for the production of antibodies, where short fragments provide for antibodies specific for the particular polypeptide, and larger fragments or the entire protein allow for the production of antibodies over the surface of the polypeptide. Antibodies may be raised to the wild-type or variant forms of K+Hnov. Antibodies may be raised to isolated peptides corresponding to specific domains, e.g. the pore domain and the
10 transmembrane domain, or to the native protein.

Antibodies are prepared in accordance with conventional ways, where the expressed polypeptide or protein is used as an immunogen, by itself or conjugated to known immunogenic carriers, e.g. KLH, pre-S HBsAg, other viral or eukaryotic proteins, or the like. Various adjuvants may be employed, with a
15 series of injections, as appropriate. For monoclonal antibodies, after one or more booster injections, the spleen is isolated, the lymphocytes immortalized by cell fusion, and then screened for high affinity antibody binding. The immortalized cells, i.e. hybridomas, producing the desired antibodies may then be expanded. For further description, see Monoclonal Antibodies: A Laboratory Manual, Harlow
20 and Lane eds., Cold Spring Harbor Laboratories, Cold Spring Harbor, New York, 1988. If desired, the mRNA encoding the heavy and light chains may be isolated and mutagenized by cloning in *E. coli*, and the heavy and light chains mixed to further enhance the affinity of the antibody. Alternatives to *in vivo* immunization as a method of raising antibodies include binding to phage "display" libraries,
25 usually in conjunction with *in vitro* affinity maturation.

K+HNOV GENOTYPING

The subject nucleic acid and/or polypeptide compositions may be used to genotyping and other analysis for the presence of polymorphisms in the
30 sequence, or variation in the expression of the subject genes. Genotyping may be performed to determine whether a particular polymorphisms is associated with

a disease state or genetic predisposition to a disease state, particularly diseases associated with defects in excitatory properties of cells, e.g. cardiac, muscle, renal and neural cells. Disease of interest include rippling muscle disease, and type II psuedohypoaldosteronism.

5 Clinical disorders associated with K⁺ channel defects include long-QT syndrome; a congenital disorder affecting 1 in 10,000-15,000. Affected individuals have a prolonged QT interval in the electrocardiogram due to a delayed repolarization of the ventricle. Genetic linkage analyses identified two loci for long QT syndrome, LQT1, in 11p15.5 and LQT2, in 7q35-36. Positional
10 cloning techniques identified the novel K⁺ channel KvLQT1 on chromosome 11 while candidate gene analysis identified causative mutations in the HERG K⁺ channel for LQT2.

The weaver mouse exhibits several abnormal neurological symptoms, including severe ataxia, loss of granule cell neurons in the cerebellum and
15 dopaminergic cells in the substantia nigra, as well as seizures and male infertility. A G-protein-coupled K⁺ channel having a mutation in the conserved pore domain has been determined to cause the disease. The pancreatic-islet β -cell ATP-sensitive K⁺ channel (KATP) is composed of two subunits, the sulfonylurea receptor (SUR) and the inward rectifier K⁺ channel Kir6.2. Mutations in both SUR
20 and Kir6.2 have been identified in patients with persistent hyperinsulinemic hypoglycemia of infancy, which is caused by unregulated secretion of insulin.

Genotyping may also be performed for pharmacogenetic analysis to assess the association between an individual's genotype and that individual's ability to react to a therapeutic agent. Differences in target sensitivity can lead to
25 toxicity or therapeutic failure. Relationships between polymorphisms in channel expression or specificity can be used to optimize therapeutic dose administration.

Genetic polymorphisms are identified in the K⁺Hnov gene (examples are listed in table 1), e.g. the repeat variation in the 3' UTR of K49. Nucleic acids comprising the polymorphic sequences are used to screen patients for altered
30 reactivity and adverse side effects in response to drugs that act on K⁺ channels.

K+Hnov genotyping is performed by DNA or RNA sequence and/or hybridization analysis of any convenient sample from a patient, e.g. biopsy material, blood sample, scrapings from cheek, etc. A nucleic acid sample from an individual is analyzed for the presence of polymorphisms in K+Hnov, particularly those that affect the activity, responsiveness or expression of K+Hnov. Specific sequences of interest include any polymorphism that leads to changes in basal expression in one or more tissues, to changes in the modulation of K+Hnov expression, or alterations in K+Hnov specificity and/or activity.

The effect of a polymorphism in K+Hnov gene sequence on the response to a particular agent may be determined by *in vitro* or *in vivo* assays. Such assays may include monitoring during clinical trials, testing on genetically defined cell lines, etc. The response of an individual to the agent can then be predicted by determining the K+Hnov genotype with respect to the polymorphism. Where there is a differential distribution of a polymorphism by racial background, guidelines for drug administration can be generally tailored to a particular ethnic group.

Biochemical studies may be performed to determine whether a sequence polymorphism in a *K+Hnov* coding region or control regions is associated with disease, for example the association of K+Hnov 9 with idiopathic generalized epilepsy. Disease associated polymorphisms may include deletion or truncation of the gene, mutations that alter expression level, that affect the electrical activity of the channel, etc.

A number of methods are available for analyzing nucleic acids for the presence of a specific sequence. Where large amounts of DNA are available, genomic DNA is used directly. Alternatively, the region of interest is cloned into a suitable vector and grown in sufficient quantity for analysis. The nucleic acid may be amplified by conventional techniques, such as the polymerase chain reaction (PCR), to provide sufficient amounts for analysis. The use of the polymerase chain reaction is described in Saiki *et al.* (1985) Science 239:487, and a review of current techniques may be found in Sambrook *et al.* Molecular Cloning: A Laboratory Manual, CSH Press 1989, pp.14.2-14.33. Amplification may be used

to determine whether a polymorphism is present, by using a primer that is specific for the polymorphism. Alternatively, various methods are known in the art that utilize oligonucleotide ligation as a means of detecting polymorphisms, for examples see Riley *et al.* (1990) N.A.R. 18:2887-2890; and Delahunty *et al.* (1996) Am. J. Hum. Genet. 58:1239-1246.

A detectable label may be included in an amplification reaction. Suitable labels include fluorochromes, e.g. fluorescein isothiocyanate (FITC), rhodamine, Texas Red, phycoerythrin, allophycocyanin, 6-carboxyfluorescein (6-FAM), 2',7'-dimethoxy-4',5'- dichloro-6-carboxyfluorescein (JOE), 6-carboxy-X-rhodamine (ROX), 6-carboxy-2',4',7',4,7- hexachlorofluorescein (HEX), 5-carboxyfluorescein (5-FAM) or N,N,N',N'-tetramethyl-6- carboxyrhodamine (TAMRA), radioactive labels, e.g. 32P, 35S, 3H; etc. The label may be a two stage system, where the amplified DNA is conjugated to biotin, haptens, etc. having a high affinity binding partner, e.g. avidin, specific antibodies, etc., where the binding partner is conjugated to a detectable label. The label may be conjugated to one or both of the primers. Alternatively, the pool of nucleotides used in the amplification is labeled, so as to incorporate the label into the amplification product.

The sample nucleic acid, e.g. amplified or cloned fragment, is analyzed by one of a number of methods known in the art. The nucleic acid may be sequenced by dideoxy or other methods. Hybridization with the variant sequence may also be used to determine its presence, by Southern blots, dot blots, etc. The hybridization pattern of a control and variant sequence to an array of oligonucleotide probes immobilised on a solid support, as described in U.S. 5,445,934, or in WO95/35505, may also be used as a means of detecting the presence of variant sequences. Single strand conformational polymorphism (SSCP) analysis, denaturing gradient gel electrophoresis (DGGE), mismatch cleavage detection, and heteroduplex analysis in gel matrices are used to detect conformational changes created by DNA sequence variation as alterations in electrophoretic mobility. Alternatively, where a polymorphism creates or destroys a recognition site for a restriction endonuclease (restriction fragment length polymorphism, RFLP), the sample is digested with that endonuclease, and the

products size fractionated to determine whether the fragment was digested. Fractionation is performed by gel or capillary electrophoresis, particularly acrylamide or agarose gels.

In one embodiment of the invention, an array of oligonucleotides are provided, where discrete positions on the array are complementary to one or more of the provided sequences, e.g. oligonucleotides of at least 12 nt, frequently 20 nt, or larger, and including the sequence flanking a polymorphic position in a K⁺Hnov sequence; coding sequences for different K⁺Hnov channels, panels of ion channels comprising one or more of the provided K⁺ channels; etc. Such an array may comprise a series of oligonucleotides, each of which can specifically hybridize to a different polymorphism. For examples of arrays, see Hacia *et al.* (1996) Nature Genetics 14:441-447; Lockhart *et al.* (1996) Nature Biotechnol. 14:1675-1680; and De Risi *et al.* (1996) Nature Genetics 14:457-460.

Screening for polymorphisms in K⁺Hnov may be based on the functional or antigenic characteristics of the protein. Protein truncation assays are useful in detecting deletions that may affect the biological activity of the protein. Various immunoassays designed to detect polymorphisms in K⁺Hnov proteins may be used in screening. Where many diverse genetic mutations lead to a particular disease phenotype, functional protein assays have proven to be effective screening tools. The activity of the encoded K⁺Hnov protein as a potassium channel may be determined by comparison with the wild-type protein.

Antibodies specific for a K⁺Hnov may be used in staining or in immunoassays. Samples, as used herein, include biological fluids such as semen, blood, cerebrospinal fluid, tears, saliva, lymph, dialysis fluid and the like; organ or tissue culture derived fluids; and fluids extracted from physiological tissues. Also included in the term are derivatives and fractions of such fluids. The cells may be dissociated, in the case of solid tissues, or tissue sections may be analyzed. Alternatively a lysate of the cells may be prepared.

Diagnosis may be performed by a number of methods to determine the absence or presence or altered amounts of normal or abnormal K⁺Hnov polypeptides in patient cells. For example, detection may utilize staining of cells

or histological sections, performed in accordance with conventional methods. The antibodies of interest are added to the cell sample, and incubated for a period of time sufficient to allow binding to the epitope, usually at least about 10 minutes. The antibody may be labeled with radioisotopes, enzymes, fluorescers, chemiluminescers, or other labels for direct detection. Alternatively, a second stage antibody or reagent is used to amplify the signal. Such reagents are well known in the art. For example, the primary antibody may be conjugated to biotin, with horseradish peroxidase-conjugated avidin added as a second stage reagent. Alternatively, the secondary antibody conjugated to a fluorescent compound, e.g. fluorescein, rhodamine, Texas red, etc. Final detection uses a substrate that undergoes a color change in the presence of the peroxidase. The absence or presence of antibody binding may be determined by various methods, including flow cytometry of dissociated cells, microscopy, radiography, scintillation counting, etc.

15

MODULATION OF GENE EXPRESSION

The K+Hnov genes, gene fragments, or the encoded protein or protein fragments are useful in gene therapy to treat disorders associated with K+Hnov defects. Expression vectors may be used to introduce the K+Hnov gene into a cell. Such vectors generally have convenient restriction sites located near the promoter sequence to provide for the insertion of nucleic acid sequences. Transcription cassettes may be prepared comprising a transcription initiation region, the target gene or fragment thereof, and a transcriptional termination region. The transcription cassettes may be introduced into a variety of vectors, e.g. plasmid; retrovirus, e.g. lentivirus; adenovirus; and the like, where the vectors are able to transiently or stably be maintained in the cells, usually for a period of at least about one day, more usually for a period of at least about several days to several weeks.

The gene or K+Hnov protein may be introduced into tissues or host cells by any number of routes, including viral infection, microinjection, or fusion of vesicles. Jet injection may also be used for intramuscular administration, as

described by Furth *et al.* (1992) Anal Biochem **205**:365-368. The DNA may be coated onto gold microparticles, and delivered intradermally by a particle bombardment device, or "gene gun" as described in the literature (see, for example, Tang *et al.* (1992) Nature **356**:152-154), where gold microprojectiles are coated with the K+Hnov or DNA, then bombarded into skin cells.

Antisense molecules can be used to down-regulate expression of K+Hnov in cells. The anti-sense reagent may be antisense oligonucleotides (ODN), particularly synthetic ODN having chemical modifications from native nucleic acids, or nucleic acid constructs that express such anti-sense molecules as RNA.

10 The antisense sequence is complementary to the mRNA of the targeted gene, and inhibits expression of the targeted gene products. Antisense molecules inhibit gene expression through various mechanisms, e.g. by reducing the amount of mRNA available for translation, through activation of RNase H, or steric hindrance. One or a combination of antisense molecules may be administered,

15 where a combination may comprise multiple different sequences.

Antisense molecules may be produced by expression of all or a part of the target gene sequence in an appropriate vector, where the transcriptional initiation is oriented such that an antisense strand is produced as an RNA molecule. Alternatively, the antisense molecule is a synthetic oligonucleotide. Antisense

20 oligonucleotides will generally be at least about 7, usually at least about 12, more usually at least about 20 nucleotides in length, and not more than about 500, usually not more than about 50, more usually not more than about 35 nucleotides in length, where the length is governed by efficiency of inhibition, specificity, including absence of cross-reactivity, and the like. It has been found that short

25 oligonucleotides, of from 7 to 8 bases in length, can be strong and selective inhibitors of gene expression (see Wagner *et al.* (1996) Nature Biotechnology **14**:840-844).

A specific region or regions of the endogenous sense strand mRNA sequence is chosen to be complemented by the antisense sequence. Selection

30 of a specific sequence for the oligonucleotide may use an empirical method, where several candidate sequences are assayed for inhibition of expression of

the target gene in an *in vitro* or animal model. A combination of sequences may also be used, where several regions of the mRNA sequence are selected for antisense complementation.

Antisense oligonucleotides may be chemically synthesized by methods known in the art (see Wagner *et al.* (1993) *supra.* and Milligan *et al.*, *supra.*) Preferred oligonucleotides are chemically modified from the native phosphodiester structure, in order to increase their intracellular stability and binding affinity. A number of such modifications have been described in the literature, which alter the chemistry of the backbone, sugars or heterocyclic bases.

Among useful changes in the backbone chemistry are phosphorothioates; phosphorodithioates, where both of the non-bridging oxygens are substituted with sulfur; phosphoroamidites; alkyl phosphotriesters and boranophosphates. Achiral phosphate derivatives include 3'-O'-5'-S-phosphorothioate, 3'-S-5'-O-phosphorothioate, 3'-CH₂-5'-O-phosphonate and 3'-NH-5'-O-phosphoroamidate. Peptide nucleic acids replace the entire ribose phosphodiester backbone with a peptide linkage. Sugar modifications are also used to enhance stability and affinity. The α -anomer of deoxyribose may be used, where the base is inverted with respect to the natural β -anomer. The 2'-OH of the ribose sugar may be altered to form 2'-O-methyl or 2'-O-allyl sugars, which provides resistance to degradation without comprising affinity. Modification of the heterocyclic bases must maintain proper base pairing. Some useful substitutions include deoxyuridine for deoxythymidine; 5-methyl-2'-deoxycytidine and 5-bromo-2'-deoxycytidine for deoxycytidine. 5-propynyl-2'-deoxyuridine and 5-propynyl-2'-deoxycytidine have been shown to increase affinity and biological activity when substituted for deoxythymidine and deoxycytidine, respectively.

As an alternative to anti-sense inhibitors, catalytic nucleic acid compounds, e.g. ribozymes, anti-sense conjugates, *etc.* may be used to inhibit gene expression. Ribozymes may be synthesized *in vitro* and administered to the patient, or may be encoded on an expression vector, from which the ribozyme is synthesized in the targeted cell (for example, see International patent application

WO 9523225, and Beigelman et al. (1995) Nucl. Acids Res 23:4434-42).
Examples of oligonucleotides with catalytic activity are described in WO 9506764.
Conjugates of anti-sense ODN with a metal complex, e.g. terpyridylCu(II), capable
of mediating mRNA hydrolysis are described in Bashkin et al. (1995) Appl
5 Biochem Biotechnol 54:43-56.

GENETICALLY ALTERED CELL OR ANIMAL MODELS FOR K+Hnov FUNCTION

The subject nucleic acids can be used to generate transgenic animals or
site specific gene modifications in cell lines. Transgenic animals may be made
10 through homologous recombination, where the normal *K+Hnov* locus is altered.
Alternatively, a nucleic acid construct is randomly integrated into the genome.
Vectors for stable integration include plasmids, retroviruses and other animal
viruses, YACs, and the like.

The modified cells or animals are useful in the study of *K+Hnov* function
15 and regulation. For example, a series of small deletions and/or substitutions may
be made in the *K+Hnov* gene to determine the role of different transmembrane
domains in forming multimeric structures, ion channels, etc. Of interest are the
use of *K+Hnov* to construct transgenic animal models for epilepsy and other
neurological defects, where expression of K+Hnov is specifically reduced or
20 absent. Specific constructs of interest include anti-sense *K+Hnov*, which will
block K+Hnov expression, expression of dominant negative K+Hnov mutations,
etc. One may also provide for expression of the *K+Hnov* gene or variants thereof
in cells or tissues where it is not normally expressed or at abnormal times of
development.

25 DNA constructs for homologous recombination will comprise at least a
portion of the *K+Hnov* gene with the desired genetic modification, and will include
regions of homology to the target locus. DNA constructs for random integration
need not include regions of homology to mediate recombination. Conveniently,
markers for positive and negative selection are included. Methods for generating
30 cells having targeted gene modifications through homologous recombination are

known in the art. For various techniques for transfecting mammalian cells, see Keown *et al.* (1990) Methods in Enzymology **185**:527-537.

- For embryonic stem (ES) cells, an ES cell line may be employed, or embryonic cells may be obtained freshly from a host, *e.g.* mouse, rat, guinea pig, *etc.* Such cells are grown on an appropriate fibroblast-feeder layer or grown in the presence of leukemia inhibiting factor (LIF). When ES or embryonic cells have been transformed, they may be used to produce transgenic animals. After transformation, the cells are plated onto a feeder layer in an appropriate medium. Cells containing the construct may be detected by employing a selective medium.
- 10 After sufficient time for colonies to grow, they are picked and analyzed for the occurrence of homologous recombination or integration of the construct. Those colonies that are positive may then be used for embryo manipulation and blastocyst injection. Blastocysts are obtained from 4 to 6 week old superovulated females. The ES cells are trypsinized, and the modified cells are injected into the
- 15 blastocoel of the blastocyst. After injection, the blastocysts are returned to each uterine horn of pseudopregnant females. Females are then allowed to go to term and the resulting offspring screened for the construct. By providing for a different phenotype of the blastocyst and the genetically modified cells, chimeric progeny can be readily detected.
- 20 The chimeric animals are screened for the presence of the modified gene and males and females having the modification are mated to produce homozygous progeny. If the gene alterations cause lethality at some point in development, tissues or organs can be maintained as allogeneic or congenic grafts or transplants, or in *in vitro* culture. The transgenic animals may be any
- 25 non-human mammal, such as laboratory animals, domestic animals, *etc.* The transgenic animals may be used in functional studies, drug screening, *etc.*, *e.g.* to determine the effect of a candidate drug on Ras or related gene activation, oncogenesis, *etc.*

TESTING OF K⁺HNOV FUNCTION and RESPONSES

Potassium channels such as K⁺Hnov polypeptides are involved in multiple biologically important processes. Pharmacological agents designed to affect only specific channel subtypes are of particular interest. Presently available
5 compounds tend to be non-specific and elicit both positive and negative responses, thereby reducing clinical efficacy.

The subject polypeptides may be used in *in vitro* and *in vivo* models to test the specificity of novel compounds, and of analogs and derivatives of compounds known to act on potassium channels. Numerous pharmacological agents have
10 profound affects on K⁺ channel activity. As examples, Sotalol (BETAPACE) is a class III antiarrhythmic drug that prolongs cardiac action potentials by inhibiting delayed rectifier K⁺ channels. Sulfonylurea drugs, such as Glipizide (GLUCOTROL) and Tolazamide (TOLAMIDE) function as antidiabetic drugs by blocking ATP-sensitive K⁺ channels present in pancreatic islet cells, thereby
15 regulating insulin secretion. Diazoxide (HYPERSTAT IV) is an antihypertensive drug that activates ATP-sensitive K⁺ channels, resulting in the relaxation of vascular smooth muscle. There are several other examples of drugs that have antidiabetic, antihypertensive, or antiarrhythmic activities. A number of drugs that activate K⁺ channels that have been proposed as coronary vasodilators for the
20 treatment of both vasospastic and chronic stable angina.

The availability of multiple K⁺ channel subunits allows *in vitro* reconstruction of functional channels, which may comprise different alpha and beta subunits. The individual components may be modified by sequence deletion, substitution, *etc.* to determine the functional role of specific domains.

25 Drug screening may be performed using an *in vitro* model, a genetically altered cell or animal, or purified K⁺Hnov protein, either as monomers, homomultimers or hetermultimers. One can identify ligands or substrates that bind to, modulate or mimic the action of K⁺Hnov. Drug screening identifies agents that provide a replacement for K⁺Hnov function in abnormal cells. Of
30 particular interest are screening assays for agents that have a low toxicity for human cells. A wide variety of assays may be used for this purpose, including

monitoring cellular excitation and conductance, labeled *in vitro* protein-protein binding assays, electrophoretic mobility shift assays, immunoassays for protein binding, and the like. The purified protein may also be used for determination of three-dimensional crystal structure, which can be used for modeling
5 intermolecular interactions.

The term "agent" as used herein describes any molecule, e.g. protein or pharmaceutical, with the capability of altering or mimicking the physiological function of *K+Hnov* polypeptide. Generally a plurality of assay mixtures are run in parallel with different agent concentrations to obtain a differential response to the
10 various concentrations. Typically, one of these concentrations serves as a negative control, i.e. at zero concentration or below the level of detection.

Candidate agents encompass numerous chemical classes, though typically they are organic molecules, preferably small organic compounds having a molecular weight of more than 50 and less than about 2,500 daltons. Candidate
15 agents comprise functional groups necessary for structural interaction with proteins, particularly hydrogen bonding, and typically include at least an amine, carbonyl, hydroxyl or carboxyl group, preferably at least two of the functional chemical groups. The candidate agents often comprise cyclical carbon or heterocyclic structures and/or aromatic or polyaromatic structures substituted with
20 one or more of the above functional groups. Candidate agents are also found among biomolecules including peptides, saccharides, fatty acids, steroids, purines, pyrimidines, derivatives, structural analogs or combinations thereof.

Candidate agents are obtained from a wide variety of sources including libraries of synthetic or natural compounds. For example, numerous means are
25 available for random and directed synthesis of a wide variety of organic compounds and biomolecules, including expression of randomized oligonucleotides and oligopeptides. Alternatively, libraries of natural compounds in the form of bacterial, fungal, plant and animal extracts are available or readily produced. Additionally, natural or synthetically produced libraries and compounds
30 are readily modified through conventional chemical, physical and biochemical means, and may be used to produce combinatorial libraries. Known

pharmacological agents may be subjected to directed or random chemical modifications, such as acylation, alkylation, esterification, amidification, *etc.* to produce structural analogs.

Where the screening assay is a binding assay, one or more of the
5 molecules may be joined to a label, where the label can directly or indirectly provide a detectable signal. Various labels include radioisotopes, fluorescers, chemiluminescers, enzymes, specific binding molecules, particles, *e.g.* magnetic particles, and the like. Specific binding molecules include pairs, such as biotin and streptavidin, digoxin and antidigoxin *etc.* For the specific binding members,
10 the complementary member would normally be labeled with a molecule that provides for detection, in accordance with known procedures.

A variety of other reagents may be included in the screening assay. These include reagents like salts, neutral proteins, *e.g.* albumin, detergents, *etc.* that are used to facilitate optimal protein-protein binding and/or reduce non-specific or
15 background interactions. Reagents that improve the efficiency of the assay, such as protease inhibitors, nuclease inhibitors, anti-microbial agents, *etc.* may be used. The mixture of components are added in any order that provides for the requisite binding. Incubations are performed at any suitable temperature, typically between 4 and 40°C. Incubation periods are selected for optimum
20 activity, but may also be optimized to facilitate rapid high-throughput screening. Typically between 0.1 and 1 hours will be sufficient.

The compounds having the desired pharmacological activity may be administered in a physiologically acceptable carrier to a host in a variety of ways, orally, topically, parenterally *e.g.* subcutaneously, intraperitoneally, by viral
25 infection, intravascularly, *etc.* Depending upon the manner of introduction, the compounds may be formulated in a variety of ways. The concentration of therapeutically active compound in the formulation may vary from about 0.1-100 wt.%. The pharmaceutical compositions can be prepared in various forms, such as granules, tablets, pills, suppositories, capsules, suspensions,
30 salves, lotions and the like. Pharmaceutical grade organic or inorganic carriers and/or diluents suitable for oral and topical use can be used to make up

compositions containing the therapeutically-active compounds. Diluents known to the art include aqueous media, vegetable and animal oils and fats. Stabilizing agents, wetting and emulsifying agents, salts for varying the osmotic pressure or buffers for securing an adequate pH value, and skin penetration enhancers can
5 be used as auxiliary agents.

It is to be understood that this invention is not limited to the particular methodology, protocols, cell lines, animal species or genera, and reagents described, as such may vary. It is also to be understood that the terminology
10 used herein is for the purpose of describing particular embodiments only, and is not intended to limit the scope of the present invention which will be limited only by the appended claims.

As used herein the singular forms "a", "and", and "the" include plural referents unless the context clearly dictates otherwise. Thus, for example,
15 reference to "a cell" includes a plurality of such cells and reference to "the cell" includes reference to one or more cells and equivalents thereof known to those skilled in the art, and so forth. All technical and scientific terms used herein have the same meaning as commonly understood to one of ordinary skill in the art to which this invention belongs unless clearly indicated otherwise.

20 It must be noted that as used herein and in the appended claims, the singular forms "a", "and", and "the" include plural referents unless the context clearly dictates otherwise. Thus, for example, reference to "a complex" includes a plurality of such complexes and reference to "the formulation" includes reference to one or more formulations and equivalents thereof known to those skilled in the
25 art, and so forth.

All publications mentioned herein are incorporated herein by reference for the purpose of describing and disclosing, for example, the methods and methodologies that are described in the publications which might be used in connection with the presently described invention. The publications discussed
30 above and throughout the text are provided solely for their disclosure prior to the filing date of the present application. Nothing herein is to be construed as an

admission that the inventors are not entitled to antedate such disclosure by virtue of prior invention.

EXPERIMENTAL

5 The following examples are put forth so as to provide those of ordinary skill in the art with a complete disclosure and description of how to make and use the subject invention, and are not intended to limit the scope of what is regarded as the invention. Efforts have been made to ensure accuracy with respect to the numbers used (e.g. amounts, temperature, concentrations, *etc.*) but some
10 experimental errors and deviations should be allowed for. Unless otherwise indicated, parts are parts by weight, molecular weight is average molecular weight, temperature is in degrees centigrade; and pressure is at or near atmospheric.

15 Methods

Two different types of sequence searches were performed. The first centered on the most highly conserved region of the K⁺ channel family, the pore domain. The pore is composed of 15-17 amino acids and can be divided into subfamilies based on the number of transmembrane segments present in the
20 channel. Eleven variant peptide sequences corresponding to the pore domain were used in TBLASTN searches against the EST division of Genbank. Significant matches were identified, and classified into 2 categories: identical to known human K⁺ channels and related to known K⁺ channels. The pore sequences are shown in Table 2.

TABLE 2

SEQ ID NO	Genbank #	
49	L02751	TGGTGGGCTGTGGTGACCATGACAACTGTGGGCTATGGGGACATG
50	M60451	TGGTGGGCAGTGGTCACCATGACCACGTGGGCTACGGGGACATG
51	L02752	TGGTGGGCAGTCGTCTCCATGACAACTGTAGGCTATGGAGACATG
52	M55515	TGGTGGGCAGTGGTAAACCATGACAACAGTGGGTTACGGCGATATG
53	Z11585	TGGTGGGCTGTGGTCACCATGACGACCCCTGGGCTATGGAGACATG
54	U40990	TGGTGGGGGTGGTCAAGTCAAGTCAACCATCGGCTATGGGGACAAG
55	I26643	TGGTGGGCAGTGGTCACCATGACCACGGTTGGCTATGGGGACATG
56	M96747	TGGTGGGCCGTGGTCACCATGACGACCCCTGGGCTATGGAGACATG
57	M84678	TGGTGGGCTGTGGTCACCATGACGACACTGGGCTACGGAGACATG
58	M55514	TGGTGGGCTGTGGTGACCATGACAACTGTGGGCTATGGGGACATG
59	X83582	TTCTGTTCTCCATTGAGACCGAAGAACCACTTGGGTATGGCTTCCG
60	S78684	TTTTATTCTCAATAGAGACAGAAACCACTTGGTTATGGCTACCG
61	U22413	TTCTCTTCTCCATTGAGACCCAGACAACCATAGGCTATGGTTTCAG
62	U24056	TTCTGTTCTCGGTGGAGACGCGAGACGACCATCGGCTATGGGTTCCG
63	U52155	TTCTCTTCTCCCTTGAATCCCAACCACTTGGCTATGGCTTCCG
64	D87281	TTCTCTTTTCCCTGGAATCCAGACAACCACTTGGCTATGGAGTCCG
65	D50582	TTCTTTTCTCCATTGAGGTCCAAGTGACTATTGGCTTTGGGGGGCG
66	D50315	TTCTCTTCTCCATTGAAGTTCAAGTTACCACTTGGGTTTGGAGGGAG
67	U04270	GCGCTCTACTTCACCTTCAGCAGGCCTCACCAGTGTGGGCTTCGGCAAC

The unique pore peptides sequences are shown in Table 3.

TABLE 3

SEQ ID NO	Amino acid sequence
68	WWAVVSMTTVGYGDM
69	WWAVVTMTTLGYGDM
70	WWGVVTVTTIGYGDK
71	WWAVVTMTTVGYGDM
72	FLFSIEVQVTIGFGG
73	FLFSLESQTTIGYGV
74	FLFSIETETTIGYGY
75	FLFSIETQTTIGYGF
76	FLFSVETQTTIGYGF
77	FLFSLESQTTIGYGF
78	FLFSIETETTIGYGF
79	ALYFTFSSLTSVGFGN

- 5 The second set of experiments was based on a complex, reiterative process. Annotated protein and DNA sequences were obtained from GenBank for all known K⁺ channels from all species. The TBLASTN and BLASTN programs were used to identify homologous ESTs, which were then analyzed using the BLASTX and BLASTN algorithms to identify ESTs which were related to K⁺ channels yet not identical to any
- 10 known human K⁺ channel gene.

Novel human K⁺ channels were defined as those that had clear homology to known K⁺ channels from any species and were not present as identities or near identities to any human-derived sequences in any division of Genbank.

- 15 *Isolation of full length cDNA sequence.* EST clones were picked from the IMAGE consortium cDNA library and end-sequenced with vector primers. Gap closure was achieved either by primer walking or transposon sequencing. GeneTrapper (Life

Technologies) was used to isolate larger cDNA clones according to the provided protocol. RACE was used to extend the sequences as necessary using standard protocols.

Sequences were assembled in Sequencher (Gene Codes). The presence of open reading frames was assessed as well as potential start codons. Potential polymorphisms were detected as sequence variants between multiple independent clones. Sequence homologies were detected using the BLAST algorithms.

The completed gene sequences and predicted amino acid sequences are provided as SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21-24, 26 and 28-29. Polymorphisms, chromosome locations and family assignments are shown in Table 1.

ESTs that had top human hits with >95% identity over 100 amino acids were discarded. This was based upon the inventors' experience that these sequences were usually identical to the starting probe sequences, with the differences due to sequence error. The remaining BLASTN and BLASTX outputs for each EST were examined manually, i.e., ESTs were removed from the analysis if the inventors determined that the variation from the known related probe sequence was a result of poor database sequence. Poor database sequence was usually identified as a number of 'N' nucleotides in the database sequence for a BLASTN search and as a base deletion or insertion in the database sequence, resulting in a peptide frameshift, for a BLASTX output. ESTs for which the highest scoring match was to non-related sequences were also discarded at this stage. The EST sequences that correspond to each clone are shown in Table 4.

Table 4

Genbank Accession#	K+Hnov	clone ID	Trace	IMAGE Plate Coordinates	Read 5'/3'
N39619	K+Hnov2	277113	yy51h05.s1	611p10	3'
N46767	K+Hnov2	277113	yy51h05.r1	611p10	5'
R19352	K+Hnov11	33144	yg24f12.r1	155o24	5'
R44628	K+Hnov11	33144	yg24f12.s1	155o24	3'

R35526	K+Hnov14	37299	yg64e08.r1	165o15	5'
R73353	K+Hnov14	157854	yl10e04.r1	251g07	5'
AA397616	K+Hnov14	728558	zt79c08.r1	1787j15	5'
AA286692	K+Hnov28	700757	zs48h03.r1	1715d6	5'
AA150494	K+Hnov42	491748	zl08e07.s1	1170o13	3'
AA156697	K+Hnov42	491748	zl08e07.r1	1170o13	5'
AA191752	K+Hnov42	626699	zp82d06.r1	1522f12	5'
AA216446	K+Hnov42	626699	zp82d06.s1	1522f12	3'
AA430591	K+Hnov42	773611	zw51f10.r1	1904o20	5'
AA236930	K+Hnov44	683888	zs01a05.s1	1671e9	3'
AA236968	K+Hnov44	683888	zs01a05.r1	1671e9	5'

EXAMPLE 2: CHROMOSOMAL LOCALIZATION

Two primers were designed in the 3'-untranslated regions of each gene sequence to amplify a product across the Stanford G3 radiation hybrid map, or the
 5 Whitehead GB4 panel. The PCR data were submitted for automatic two-point analysis. Mapping data were correlated with cytoband information and comparisons with the OMIM human gene map data base were made. The following primers were made:

- K+Hnov1 on GB4
 10 (SEQ ID NO:31) F: 5' TATCCACATCAATGGACAAAGC 3'
 (SEQ ID NO:32) R: 5' TGCATAACTGGCTGGGTGTA 3'
 Results: 1.71 cR from D2S331, Cytogenetic location of 2q37
- K+Hnov2 on G3
 15 F: 5' GTCAGGTGACCGAGTTCA 3'
 R: 5' GCTCCATCTCCAGATTCTTC 3'
 Results: 0.0 cR from SHGC-1320, Cytogenetic location of 11q12
- K+Hnov6 on GB4
 20 (SEQ ID NO:33) F: 5' TGACATCACTGGATGAACTTGA 3'
 (SEQ ID NO:34) R: 5' TGCCTGCAAAGTTTGAACAT 3'
 Results: 5.23 cR from WI-5509, Cytogenetic location of 2p23
- K+Hnov9 on GB4
 25 (SEQ ID NO:35) F: 5' TGACATCACTGGATGAACTTGA 3'
 (SEQ ID NO:36) R: 5' TGCCTGCAAAGTTTGAACAT 3'

Results: 1.21 cR from AFM200VC7, Cytogenetic location of 8q23

K+Hnov11 on GB4

(SEQ ID NO:37) F: 5' ACCTGGTGGTATGGAAGCAT 3'

5 (SEQ ID NO:38) R: 5' TTTCTCCTGGCCTCTACCC 3'

Results: 2.43 cR from WI-6756, Cytogenetic location of 8q23

K+Hnov12 on G3

(SEQ ID NO:39) F: 5' TCCCTCTTGGGTGACCTTC 3'

10 (SEQ ID NO:40) R: 5' ATCTTTGTCAGCCACCAGCT 3'

Results: 7.45 cR from SHGC-32925, Cytogenetic location of Xp21

K+Hnov14 on GB4

(SEQ ID NO:41) F: 5' AGGTGTGCTGCCATCTGCTGTTTCG3'

15 (SEQ ID NO:42) R: 5' AGCCTATCCTCTCTGAGAGTCAGG

Results: 7.69 cR from WI-7107, Cytogenetic location of 12q14

K+Hnov28 on GB4

(SEQ ID NO:43) F: 5' AAGCAGAGTACTCATGATGCC 3'

20 (SEQ ID NO:44) R: 5' TCTGGTAGACAGTACAGTGG 3'

Results: 35.38 cR from WI-9695, Cytogenetic location of 3q29

K+Hnov42 on G3

(SEQ ID NO:45) F: 5' CATTTGGCTGGTCCAAGATG 3'

25 (SEQ ID NO:46) R: 5' AGTCATTGGTAGGGAGGTAC 3'

Results: 7.45 cR from SHGC-32925, Cytogenetic location of Xp21

K+Hnov44 on G3

(SEQ ID NO:47) F: 5' CATGCTTCTACAGTCCAGCC 3'

30 (SEQ ID NO:48) R: 5' GGTCTCAGTTGCAGAAATC 3'

Results: 7.45 cR from SHGC-32925, Cytogenetic location of Xp21

Map positions for K+Hnov15 and K+Hnov27 were obtained from public databases.

K+Hnov2 and K+Hnov4 have not been mapped.

35

EXAMPLE 3: EXPRESSION ANALYSIS

RT-PCR was utilized to characterize the expression pattern of the novel ion channels. This approach used RNA from 30 different tissues to generate first strand cDNA. Total RNA was purchased (Clontech, Invitrogen) and used to synthesize first strand cDNA using M-MLV reverse transcriptase and the supplied buffer (Gibco-BRL).
40 The 20 µl reaction contained 5 µg total RNA, 100 ng of random primers, 10 mM DTT.

0.5 mM each dNTP, and an RNase inhibitor (Gibco-BRL). Identical reactions were set up without reverse transcriptase to control for DNA contamination in the RNA samples. The synthesis reaction proceeded for 1 hour at 37°C followed by 10 minutes at 95°C. These cDNAs, along with control cDNA synthesis reactions without reverse transcriptase, were diluted 1:5 and 2 µl of each sample were arrayed into 96-well trays, dried, and resuspended in PCR buffer prior to PCR amplification. The cDNAs were tested with primers with defined expression patterns to verify the presence of amplifiable cDNA from each tissue. Gene-specific primers were used to amplify the cDNAs in 20 µl PCR reactions with standard conditions, 2.5 mM MgCl₂, Taq Gold, and an appropriate annealing temperature.

This approach provides for relatively high-throughput analysis of gene expression in a large set of tissues in a cost-efficient manner and provides qualitative analysis of gene expression only. Modifications can be employed, such as the use of internal control primers, limited cycling parameters, and dilution series to convert this to a quantitative experiment.

Table 3

[illegible]

A "+" indicates expression in the tissue, a "-" indicates no expression, and blank square indicates no data for that sample.

K+Hnov49 on Whitehead GB4 RH mapping panel:

Primer 1 (SEQ ID NO:5): 5' - CATAGCCATAGGTGAGGACT - 3'

Primer 2: (SEQ ID N:6) 5' - GAGAGGAAAACAGTCTGGGC - 3'

5 Results: Cytogenetic location 1q41, 4.6cR from framework marker D1S217

K+Hnov59 on Whitehead GB4 RH mapping panel

Primer 1 (SEQ ID NO:7): 5' - GGACATCGAACTAAGACCTG - 3'

Primer 2 (SEQ ID NO:8): 5' - TCCCATGCCATTGAGATCTG - 3'

10 Results: Cytogenetic location 19q13.2, 8.34cR from framework marker D19S425

EXPRESSION ANALYSIS OF K+HNOV49

15 A probe was created from a fragment corresponding to nucleotides 50 to 1284 of SEQ ID NO:83 (K+Hnov49) and purified DNA fragment was labeled with [³²P]dCTP (Amersham) by the random primer method. Adult human Multiple Tissue Northern (MTM™) Blots (Clontech) were hybridized with the [³²P]-labeled fragment in ExpressHyb™ solution (Clontech) for four hours, washed to a final stringency of 0.1xSSC, 0.1% SDS at 65°C and subjected to autoradiography for 24 hours.

20 Analysis revealed that K+Hnov49 is expressed as an approximately 4.2kb mRNA. Expression levels of K+Hnov49 are high in brain and liver and low in kidney tissues. No mRNA was detectable on these Northern blots for heart, skeletal muscle, colon, thymus, spleen, small intestine, placenta, lung or peripheral blood leukocytes indicating either a very low level of expression or that
25 it is not expressed in these tissues. Expression analysis was also carried out by RT-PCR across an extended series of tissues. The results of these analyses are shown in Table 4. Primer pairs used for amplification of K+Hnov49 and 59 are the same as those used for RH mapping as indicated above.

Table 4

	Adipose	Adrenal Gland	Bladder	Brain	Cerebellum	Cervix	Colon	Esophagus	Fetal Brain	Fetal Liver	Heart	HeLa Cell	Kidney	Liver	Lung	Mammary Gland	Pancreas	Placenta	Prostate	Rectum	Salivary Gland	Skeletal Muscle	Skin	Small Intestine	Spleen	Stomach	Testis	Thymus	Trachea	Uterus
#49	+	+	+	+	+	+	-	+	+	-	+	+	+	-	+	+	+	-	+	-	+	+	-	+	-	+	+	+	-	-
#59	-	-	-	-	-	+	-	+	-	+	+	-	-	+	+	+	+	-	+	+	+	-	-	+	+	+	+	+	+	+

WHAT IS CLAIMED IS:

1. An isolated nucleic acid encoding a mammalian K+Hnov protein.
2. An isolated nucleic acid according to Claim 1, wherein said K+Hnov
5 protein has the amino acid sequence of SEQ ID NO:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 25, 27, 30, 81 or 83.
3. An isolated nucleic acid according to Claim 1, wherein said K+Hnov
10 protein has an amino acid sequence that is substantially identical to the amino acid sequence of SEQ ID NO:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 25, 27, 30, 81 or 83.
4. An isolated nucleic acid according to Claim 1 wherein the nucleotide
15 sequence of said nucleic acid is SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 22, 23, 24, 26, 28, 29, 80 or 82.
5. An isolated nucleic acid that hybridizes under stringent conditions to a nucleic acid sequence of claim 4.
- 20 6. An expression cassette comprising a transcriptional initiation region functional in an expression host, a nucleic acid having a sequence of the isolated nucleic acid according to Claim 1 under the transcriptional regulation of said transcriptional initiation region, and a transcriptional termination region functional in said expression host.
- 25 7. A cell comprising an expression cassette according to Claim 6 as part of an extrachromosomal element or integrated into the genome of a host cell as a result of introduction of said expression cassette into said host cell, and the cellular progeny of said host cell.

30

8. A method for producing mammalian K+Hnov protein, said method comprising:

growing a cell according to Claim 7, whereby said mammalian K+Hnov protein is expressed; and

5 isolating said K+Hnov protein free of other proteins.

9. A purified polypeptide composition comprising at least 50 weight % of the protein present as a K+Hnov protein or a fragment thereof.

10 10. A monoclonal antibody binding specifically to a K+Hnov protein.

11. A non-human transgenic animal model for K+Hnov gene function wherein said transgenic animal comprises an introduced alteration in a K+Hnov gene.

15

12. The animal model of claim 11, wherein said animal is heterozygous for said introduced alteration.

13. The animal model of claim 12, wherein said animal is homozygous
20 for said introduced alteration.

14. The animal model of claim 12, wherein said introduced alteration is a knockout of endogenous K+Hnov gene expression.

SEQUENCE LISTING

<110> Miller, Andrew
Curran, Mark
Buckler, Alan

<120> Novel Human Potassium Channels

<130> SEQ-15PCT

<150> 60/076,687

<151> 1998-02-25

<150> 60/095,836

<151> 1998-08-07

<150> 60/116,448

<151> 1999-01-19

<160> 87

<170> FastSEQ for Windows Version 3.0

<210> 1

<211> 2932

<212> DNA

<213> H. sapiens

<220>

<221> CDS

<222> (103)...(1180)

<223> K+Hnov1

<400> 1

```

attaaaaatta tctgatcaaa aaggcagact ctgtaaattt ccttaagacc taccttgcca      60
taaaggctga cccagcaaaa gaactgagaa atacagcctg ag atg gac agc agt      114
                                     Met Asp Ser Ser
                                     1

aat tgc aaa gtt att gct cct ctc cta agt caa aga tac cgg agg atg      162
Asn Cys Lys Val Ile Ala Pro Leu Leu Ser Gln Arg Tyr Arg Arg Met
 5          10          15          20

gtc acc aag gat ggc cac agc aca ctt caa atg gat ggc gct caa aga      210
Val Thr Lys Asp Gly His Ser Thr Leu Gln Met Asp Gly Ala Gln Arg
          25          30          35

ggc ctt gca tat ctt cga gat gct tgg gga atc cta atg gac atg cgc      258
Gly Leu Ala Tyr Leu Arg Asp Ala Trp Gly Ile Leu Met Asp Met Arg
          40          45          50

tgg cgt tgg atg atg ttg gtc ttt tct gct tct ttt gtt gtc cac tgg      306
Trp Arg Trp Met Met Leu Val Phe Ser Ala Ser Phe Val Val His Trp
          55          60          65

ctt gtc ttt gca gtg ctc tgg tat gtt ctg gct gag atg aat ggt gat      354
Leu Val Phe Ala Val Leu Trp Tyr Val Leu Ala Glu Met Asn Gly Asp
          70          75          80

```


ctg gaa cta gat cat gat gcc cca cct gaa aac cac act atc tgt gtc	402
Leu Glu Leu Asp His Asp Ala Pro Pro Glu Asn His Thr Ile Cys Val	
85 90 95 100	
aag tat atc acc agt ttc aca gct gca ttc tcc ttc tcc ctg gag aca	450
Lys Tyr Ile Thr Ser Phe Thr Ala Ala Phe Ser Phe Ser Leu Glu Thr	
105 110 115	
caa ctc aca att ggt tat ggt acc atg ttc ccc agt ggt gac tgt cca	498
Gln Leu Thr Ile Gly Tyr Gly Thr Met Phe Pro Ser Gly Asp Cys Pro	
120 125 130	
agt gca atc gcc tta ctt gcc ata caa atg ctc cta ggc ctc atg cta	546
Ser Ala Ile Ala Leu Leu Ala Ile Gln Met Leu Leu Gly Leu Met Leu	
135 140 145	
gag gct ttt atc aca ggt gct ttt gtg gcg aag att gcc cgg cca aaa	594
Glu Ala Phe Ile Thr Gly Ala Phe Val Ala Lys Ile Ala Arg Pro Lys	
150 155 160	
aat cga gct ttt tca att cgc ttt act gac aca gca gta gta gct cac	642
Asn Arg Ala Phe Ser Ile Arg Phe Thr Asp Thr Ala Val Val Ala His	
165 170 175 180	
atg gat ggc aaa cct aat ctt atc ttc caa gtg gcc aac acc cga cct	690
Met Asp Gly Lys Pro Asn Leu Ile Phe Gln Val Ala Asn Thr Arg Pro	
185 190 195	
agc cct cta acc agt gtc cgg gtc tca gct gta ctc tat cag gaa aga	738
Ser Pro Leu Thr Ser Val Arg Val Ser Ala Val Leu Tyr Gln Glu Arg	
200 205 210	
gaa aat ggc aaa ctc tac cag acc agt gtg gat ttc cac ctt gat ggc	786
Glu Asn Gly Lys Leu Tyr Gln Thr Ser Val Asp Phe His Leu Asp Gly	
215 220 225	
atc agt tct gac gaa tgt cca ttc ttc atc ttt cca cta acg tac tat	834
Ile Ser Ser Asp Glu Cys Pro Phe Phe Ile Phe Pro Leu Thr Tyr Tyr	
230 235 240	
cac tcc att aca cca tca agt cct ctg gct act ctg ctc cag cat gaa	882
His Ser Ile Thr Pro Ser Ser Pro Leu Ala Thr Leu Leu Gln His Glu	
245 250 255 260	
aat cct tct cac ttt gaa tta gtt gta ttc ctt tca gca atg cag gag	930
Asn Pro Ser His Phe Glu Leu Val Val Phe Leu Ser Ala Met Gln Glu	
265 270 275	
ggc act gga gaa ata tgc caa agg agg aca tcc tac cta ccg tct gaa	978
Gly Thr Gly Glu Ile Cys Gln Arg Arg Thr Ser Tyr Leu Pro Ser Glu	
280 285 290	
atc atg tta cat cac tgt ttt gca tct ctg ttg acc cga ggt tcc aaa	1026
Ile Met Leu His His Cys Phe Ala Ser Leu Leu Thr Arg Gly Ser Lys	
295 300 305	
ggc gaa tat caa atc aag atg gag aat ttt gac aag act gtc cct gaa	1074
Gly Glu Tyr Gln Ile Lys Met Glu Asn Phe Asp Lys Thr Val Pro Glu	
310 315 320	
ttt cca act cct ctg gtt tct aaa agc cca aac agg act gac ctg gat	1122

Phe Pro Thr Pro Leu Val Ser Lys Ser Pro Asn Arg Thr Asp Leu Asp
 325 330 335 340
 atc cac atc aat gga caa agc att gac aat ttt cag atc tct gaa aca 1170
 Ile His Ile Asn Gly Gln Ser Ile Asp Asn Phe Gln Ile Ser Glu Thr
 345 350 355
 gga ctg aca g aataagaatt atccattttt taatgtatta aatacaccca 1220
 Gly Leu Thr
 gccagttatg cagctacttt ttctttactg tatctcatgt tttctttttt caatgctaata 1280
 tatagctctc tacatcacgg taatcatgcc tatgcctaca taagaatggc tgagctaaca 1340
 atacacattc tggaaacata acactctaca ttacaaagtt tggtacctgc tgaaatcaat 1400
 gtaactcaac ttgacagaca cttatacaga aatgttgctg gtgaatttat aagaatgtgg 1460
 tatgatacta gtaatgaagg caaaatggac agtgaagttt aacacaactg aactctaaga 1520
 aatcaacca ttaatctctc attttcatct gcaaattgaa gcaacagttt agtttcaaac 1580
 ctagctccct ggggtgaatg acgacttcac tatacttagt gaatactcct taagagctgg 1640
 gatttttttc aagacaacaa agatcattca tttggttctt tactatga aacttgagta 1700
 agtattacct ccttaatttt taacaactaa gaacaaaaat taacgagaaa aacaacaaag 1760
 tacagattta tacataaacc taaaagcatt tgaacatgac acccgaacac atacatatat 1820
 gttcacttat ttgtggcaga aggtgatcag ataagctcca gcccaaatgg aacctgtggg 1880
 gtgggtattt gcattgcaag gagacgcaaa attttatttt aaaactgtcc tccataataa 1940
 tcaaacgggtg attcatctaa atgacttcta gcaacctaa gtaaaaacatt cccctcctat 2000
 gtatgattca ttgatcata taaaacatca tgatggctct aattcataaa taaaaaata 2060
 tatttaagtc ttatagata taaagcttta cttagatata acttgagtga gtagggaaaa 2120
 aaatctacag tagataaagc aaaagataat taggcaacaa agcattttca aactcaaatt 2180
 cctgtttcca acttcaaata gtttttcta taaacacaaa atcagtgttt attcaccagt 2240
 aggaggttg actagatgaa ctctattatt tctttctaaa tctaatagtc tataaaaatt 2300
 atgtttctc tgttttttat ttatctatg ctaaaatgag ccttttcct tatgtccagt 2360
 ttaagatgat catttgcatg attttcattt caataaaaaa aagagaaact gtccttaaaa 2420
 caaaacaaaa accaaaaaag tcaccctatc aggtttcaaa cagatttggtg gctgttcttt 2480
 tctgaaattt cccttattca ggtttctgtg ggaaaaatga aagattaacc ttccccactg 2540
 gtgatgacct aggcaggaat catctcttga aataaatact agctgagtaa aggcaagcag 2600
 gtgtgaagag cagggtcag cagcaagtca catttttcta ctatttgacc aaaaggaaaa 2660
 gaaaataaag aagaactctg gagtgggtcta agactgataa tagcagaaga atacaagaa 2720
 cacagaaact taattattgt gaacttttgc tgtttgaaaa tcttagacat tcattcttaa 2780
 gtagaaatca gaccaacaga ttttcccaac ccaagactat tgtaacacat aaagacagca 2840
 agaattctta ttctataat aaattaacaa gattcaccta accttgaaa ataaagtagt 2900
 attgaagact taaaaaaaaa aaaaaaaaaa aa 2932

<210> 2
 <211> 359
 <212> PRT
 <213> H. sapiens

<400> 2
 Met Asp Ser Ser Asn Cys Lys Val Ile Ala Pro Leu Leu Ser Gln Arg
 1 5 10 15
 Tyr Arg Arg Met Val Thr Lys Asp Gly His Ser Thr Leu Gln Met Asp
 20 25 30
 Gly Ala Gln Arg Gly Leu Ala Tyr Leu Arg Asp Ala Trp Gly Ile Leu
 35 40 45
 Met Asp Met Arg Trp Arg Trp Met Met Leu Val Phe Ser Ala Ser Phe
 50 55 60
 Val Val His Trp Leu Val Phe Ala Val Leu Trp Tyr Val Leu Ala Glu
 65 70 75 80
 Met Asn Gly Asp Leu Glu Leu Asp His Asp Ala Pro Pro Glu Asn His
 85 90 95
 Thr Ile Cys Val Lys Tyr Ile Thr Ser Phe Thr Ala Ala Phe Ser Phe
 100 105 110

Ser Leu Glu Thr Gln Leu Thr Ile Gly Tyr Gly Thr Met Phe Pro Ser
 115 120 125
 Gly Asp Cys Pro Ser Ala Ile Ala Leu Leu Ala Ile Gln Met Leu Leu
 130 135 140
 Gly Leu Met Leu Glu Ala Phe Ile Thr Gly Ala Phe Val Ala Lys Ile
 145 150 155 160
 Ala Arg Pro Lys Asn Arg Ala Phe Ser Ile Arg Phe Thr Asp Thr Ala
 165 170 175
 Val Val Ala His Met Asp Gly Lys Pro Asn Leu Ile Phe Gln Val Ala
 180 185 190
 Asn Thr Arg Pro Ser Pro Leu Thr Ser Val Arg Val Ser Ala Val Leu
 195 200 205
 Tyr Gln Glu Arg Glu Asn Gly Lys Leu Tyr Gln Thr Ser Val Asp Phe
 210 215 220
 His Leu Asp Gly Ile Ser Ser Asp Glu Cys Pro Phe Phe Ile Phe Pro
 225 230 235 240
 Leu Thr Tyr Tyr His Ser Ile Thr Pro Ser Ser Pro Leu Ala Thr Leu
 245 250 255
 Leu Gln His Glu Asn Pro Ser His Phe Glu Leu Val Val Phe Leu Ser
 260 265 270
 Ala Met Gln Glu Gly Thr Gly Glu Ile Cys Gln Arg Arg Thr Ser Tyr
 275 280 285
 Leu Pro Ser Glu Ile Met Leu His His Cys Phe Ala Ser Leu Leu Thr
 290 295 300
 Arg Gly Ser Lys Gly Glu Tyr Gln Ile Lys Met Glu Asn Phe Asp Lys
 305 310 315 320
 Thr Val Pro Glu Phe Pro Thr Pro Leu Val Ser Lys Ser Pro Asn Arg
 325 330 335
 Thr Asp Leu Asp Ile His Ile Asn Gly Gln Ser Ile Asp Asn Phe Gln
 340 345 350
 Ile Ser Glu Thr Gly Leu Thr
 355

<210> 3
 <211> 1927
 <212> DNA
 <213> H. sapiens

<220>
 <221> CDS
 <222> (105)...(1908)
 <223> K+Hnov4

<400> 3

ggagccccgc agcgcttctt atgatcagct cgggtgtgtgt ctctctctac cgcggggcgca 60
 agtcggggaa caagcctccg tccaaaacat gtctgaagga ggag atg gcc aag ggc 116
 Met Ala Lys Gly
 1
 gag gcg tcg gag aag atc atc atc aac gtg ggc ggc acg cga cat gag 164
 Glu Ala Ser Glu Lys Ile Ile Ile Asn Val Gly Gly Thr Arg His Glu
 5 10 15 20
 acc tac cgc agc acc ctg cgc acc cta ccg gga acc cgc ctc gcc tgg 212
 Thr Tyr Arg Ser Thr Leu Arg Thr Leu Pro Gly Thr Arg Leu Ala Trp
 25 30 35
 ctg gcc gac ccc gac ggc ggg ggc cgg ccc gag acc gat ggc ggc ggt 260
 Leu Ala Asp Pro Asp Gly Gly Gly Arg Pro Glu Thr Asp Gly Gly Gly
 40 45 50

gtg ggt agc agc ggc agc agc ggc ggc ggg ggc tgc gag ttc ttc ttc	308
Val Gly Ser Ser Gly Ser Ser Gly Gly Gly Gly Cys Glu Phe Phe Phe	
55 60 65	
gac agg cac ccg ggc gtc ttc gcc tac gtg ctc aac tac tac cgc acc	356
Asp Arg His Pro Gly Val Phe Ala Tyr Val Leu Asn Tyr Tyr Arg Thr	
70 75 80	
ggc aag ctg cac tgc ccc gca gac gtg tgc ggg ccg ctc ttc gag gag	404
Gly Lys Leu His Cys Pro Ala Asp Val Cys Gly Pro Leu Phe Glu Glu	
85 90 95 100	
gag ctg gcc ttc tgg ggc atc gac gag acc gac gtg gag ccc tgc tgc	452
Glu Leu Ala Phe Trp Gly Ile Asp Glu Thr Asp Val Glu Pro Cys Cys	
105 110 115	
tgg atg acc tac cgg cag cac cgc gac gcc gag gag gcg ctg gac atc	500
Trp Met Thr Tyr Arg Gln His Arg Asp Ala Glu Glu Ala Leu Asp Ile	
120 125 130	
ttc gag acc ccc gac ctc att ggc ggc gac ccc ggc gac gac gag gac	548
Phe Glu Thr Pro Asp Leu Ile Gly Gly Asp Pro Gly Asp Asp Glu Asp	
135 140 145	
ctg gcg gcc aag agg ctg ggc atc gag gac gcg gcg ggg ctc ggg ggc	596
Leu Ala Ala Lys Arg Leu Gly Ile Glu Asp Ala Ala Gly Leu Gly Gly	
150 155 160	
ccc gac ggc aaa tct ggc cgc tgg agg agg ctg cag ccc cgc atg tgg	644
Pro Asp Gly Lys Ser Gly Arg Trp Arg Arg Leu Gln Pro Arg Met Trp	
165 170 175 180	
gcc ctc ttc gaa gac ccc tac tcg tcc aga gcc gcc agg ttt att gct	692
Ala Leu Phe Glu Asp Pro Tyr Ser Ser Arg Ala Ala Arg Phe Ile Ala	
185 190 195	
ttt gct tct tta ttc ttc atc ctg gtt tca att aca act ttt tgc ctg	740
Phe Ala Ser Leu Phe Phe Ile Leu Val Ser Ile Thr Thr Phe Cys Leu	
200 205 210	
gaa aca cat gaa gct ttc aat att gtt aaa aac aag aca gaa cca gtc	788
Glu Thr His Glu Ala Phe Asn Ile Val Lys Asn Lys Thr Glu Pro Val	
215 220 225	
atc aat ggc aca agt gtt gtt cta cag tat gaa att gaa acg gat cct	836
Ile Asn Gly Thr Ser Val Val Leu Gln Tyr Glu Ile Glu Thr Asp Pro	
230 235 240	
gcc ttg acg tat gta gaa gga gtg tgt gtg gtg tgg ttt act ttt gaa	884
Ala Leu Thr Tyr Val Glu Gly Val Cys Val Val Trp Phe Thr Phe Glu	
245 250 255 260	
ttt tta gtc cgt att gtt ttt tca ccc aat aaa ctt gaa ttc atc aaa	932
Phe Leu Val Arg Ile Val Phe Ser Pro Asn Lys Leu Glu Phe Ile Lys	
265 270 275	
aat ctc ttg aat atc att gac ttt gtg gcc atc cta cct ttc tac tta	980
Asn Leu Leu Asn Ile Ile Asp Phe Val Ala Ile Leu Pro Phe Tyr Leu	
280 285 290	
gag gtg gga ctc agt ggg ctg tca tcc aaa gct gct aaa gat gtg ctt	1028

Glu Val Gly Leu Ser Gly Leu Ser Ser Lys Ala Ala Lys Asp Val Leu	
295 300 305	
ggc ttc ctc agg gtg gta agg ttt gtg agg atc ctg aga att ttc aag	1076
Gly Phe Leu Arg Val Val Arg Phe Val Arg Ile Leu Arg Ile Phe Lys	
310 315 320	
ctc acc cgc cat ttt gta ggt ctg agg gtg ctt gga cat act ctt cga	1124
Leu Thr Arg His Phe Val Gly Leu Arg Val Leu Gly His Thr Leu Arg	
325 330 335 340	
gct agt act aat gaa ttt ttg ctg ctg ata att ttc ctg gct cta gga	1172
Ala Ser Thr Asn Glu Phe Leu Leu Leu Ile Ile Phe Leu Ala Leu Gly	
345 350 355	
gtt ttg ata ttt gct acc atg atc tac tat gcc gag aga gtg gga gct	1220
Val Leu Ile Phe Ala Thr Met Ile Tyr Tyr Ala Glu Arg Val Gly Ala	
360 365 370	
caa cct aac gac cct tca gct agt gag cac aca cag ttc aaa aac att	1268
Gln Pro Asn Asp Pro Ser Ala Ser Glu His Thr Gln Phe Lys Asn Ile	
375 380 385	
ccc att ggg ttc tgg tgg gct gta gtg acc atg act acc ctg ggt tat	1316
Pro Ile Gly Phe Trp Trp Ala Val Val Thr Met Thr Leu Gly Tyr	
390 395 400	
ggg gat atg tac ccc caa aca tgg tca ggc atg ctg gtg gga gcc ctg	1364
Gly Asp Met Tyr Pro Gln Thr Trp Ser Gly Met Leu Val Gly Ala Leu	
405 410 415 420	
tgt gct ctg gct gga gtg ctg aca ata gcc atg cca gtg cct gtc att	1412
Cys Ala Leu Ala Gly Val Leu Thr Ile Ala Met Pro Val Pro Val Ile	
425 430 435	
gtc aat aat ttt gga atg tac tac tcc ttg gca atg gca aag cag aaa	1460
Val Asn Asn Phe Gly Met Tyr Tyr Ser Leu Ala Met Ala Lys Gln Lys	
440 445 450	
ctt cca agg aaa aga aag aag cac atc cct cct gct cct cag gca agc	1508
Leu Pro Arg Lys Arg Lys Lys His Ile Pro Pro Ala Pro Gln Ala Ser	
455 460 465	
tca cct act ttt tgc aag aca gaa tta aat atg gcc tgc aat agt aca	1556
Ser Pro Thr Phe Cys Lys Thr Glu Leu Asn Met Ala Cys Asn Ser Thr	
470 475 480	
cag agt gac aca tgt ctg ggc aaa gac aat cga ctt ctg gaa cat aac	1604
Gln Ser Asp Thr Cys Leu Gly Lys Asp Asn Arg Leu Leu Glu His Asn	
485 490 495 500	
aga tca gtg tta tca ggt gac gac agt aca gga agt gag ccg cca cta	1652
Arg Ser Val Leu Ser Gly Asp Asp Ser Thr Gly Ser Glu Pro Pro Leu	
505 510 515	
tca ccc cca gaa agg ctg ccc atc aga cgc tct agt acc aga gac aaa	1700
Ser Pro Pro Glu Arg Leu Pro Ile Arg Arg Ser Ser Thr Arg Asp Lys	
520 525 530	
aac aga aga ggg gaa aca tgt ttc cta ctg acg aca ggt gat tac acg	1748
Asn Arg Arg Gly Glu Thr Cys Phe Leu Leu Thr Thr Gly Asp Tyr Thr	

535	540	545	
tgt gct tct gat gga ggg atc agg aaa gga tat gaa aaa tcc cga agc			1796
Cys Ala Ser Asp Gly Gly Ile Arg Lys Gly Tyr Glu Lys Ser Arg Ser			
550	555	560	
tta aac aac ata gcg ggc ttg gca ggc aat gct ctg agg ctc tct cca			1844
Leu Asn Asn Ile Ala Gly Leu Ala Gly Asn Ala Leu Arg Leu Ser Pro			
565	570	575	580
gta aca tca ccc tac aac tct cct tgt cct ctg agg cgc tct cga tct			1892
Val Thr Ser Pro Tyr Asn Ser Pro Cys Pro Leu Arg Arg Ser Arg Ser			
585	590	595	
ccc atc cca tct atc t tgtaaaccac accctcgtg			1927
Pro Ile Pro Ser Ile			
600			

<210> 4
 <211> 601
 <212> PRT
 <213> H. sapiens

<400> 4

Met Ala Lys Gly Glu Ala Ser Glu Lys Ile Ile Ile Asn Val Gly Gly			
1	5	10	15
Thr Arg His Glu Thr Tyr Arg Ser Thr Leu Arg Thr Leu Pro Gly Thr			
20	25	30	
Arg Leu Ala Trp Leu Ala Asp Pro Asp Gly Gly Gly Arg Pro Glu Thr			
35	40	45	
Asp Gly Gly Gly Val Gly Ser Ser Gly Ser Ser Gly Gly Gly Cys			
50	55	60	
Glu Phe Phe Phe Asp Arg His Pro Gly Val Phe Ala Tyr Val Leu Asn			
65	70	75	80
Tyr Tyr Arg Thr Gly Lys Leu His Cys Pro Ala Asp Val Cys Gly Pro			
85	90	95	
Leu Phe Glu Glu Glu Leu Ala Phe Trp Gly Ile Asp Glu Thr Asp Val			
100	105	110	
Glu Pro Cys Cys Trp Met Thr Tyr Arg Gln His Arg Asp Ala Glu Glu			
115	120	125	
Ala Leu Asp Ile Phe Glu Thr Pro Asp Leu Ile Gly Gly Asp Pro Gly			
130	135	140	
Asp Asp Glu Asp Leu Ala Ala Lys Arg Leu Gly Ile Glu Asp Ala Ala			
145	150	155	160
Gly Leu Gly Gly Pro Asp Gly Lys Ser Gly Arg Trp Arg Arg Leu Gln			
165	170	175	
Pro Arg Met Trp Ala Leu Phe Glu Asp Pro Tyr Ser Ser Arg Ala Ala			
180	185	190	
Arg Phe Ile Ala Phe Ala Ser Leu Phe Phe Ile Leu Val Ser Ile Thr			
195	200	205	
Thr Phe Cys Leu Glu Thr His Glu Ala Phe Asn Ile Val Lys Asn Lys			
210	215	220	
Thr Glu Pro Val Ile Asn Gly Thr Ser Val Val Leu Gln Tyr Glu Ile			
225	230	235	240
Glu Thr Asp Pro Ala Leu Thr Tyr Val Glu Gly Val Cys Val Val Trp			
245	250	255	
Phe Thr Phe Glu Phe Leu Val Arg Ile Val Phe Ser Pro Asn Lys Leu			
260	265	270	
Glu Phe Ile Lys Asn Leu Leu Asn Ile Ile Asp Phe Val Ala Ile Leu			
275	280	285	

Pro Phe Tyr Leu Glu Val Gly Leu Ser Gly Leu Ser Ser Lys Ala Ala
 290 295 300
 Lys Asp Val Leu Gly Phe Leu Arg Val Val Arg Phe Val Arg Ile Leu
 305 310 315 320
 Arg Ile Phe Lys Leu Thr Arg His Phe Val Gly Leu Arg Val Leu Gly
 325 330 335
 His Thr Leu Arg Ala Ser Thr Asn Glu Phe Leu Leu Leu Ile Ile Phe
 340 345 350
 Leu Ala Leu Gly Val Leu Ile Phe Ala Thr Met Ile Tyr Tyr Ala Glu
 355 360 365
 Arg Val Gly Ala Gln Pro Asn Asp Pro Ser Ala Ser Glu His Thr Gln
 370 375 380
 Phe Lys Asn Ile Pro Ile Gly Phe Trp Trp Ala Val Val Thr Met Thr
 385 390 395 400
 Thr Leu Gly Tyr Gly Asp Met Tyr Pro Gln Thr Trp Ser Gly Met Leu
 405 410 415
 Val Gly Ala Leu Cys Ala Leu Ala Gly Val Leu Thr Ile Ala Met Pro
 420 425 430
 Val Pro Val Ile Val Asn Asn Phe Gly Met Tyr Tyr Ser Leu Ala Met
 435 440 445
 Ala Lys Gln Lys Leu Pro Arg Lys Arg Lys Lys His Ile Pro Pro Ala
 450 455 460
 Pro Gln Ala Ser Ser Pro Thr Phe Cys Lys Thr Glu Leu Asn Met Ala
 465 470 475 480
 Cys Asn Ser Thr Gln Ser Asp Thr Cys Leu Gly Lys Asp Asn Arg Leu
 485 490 495
 Leu Glu His Asn Arg Ser Val Leu Ser Gly Asp Asp Ser Thr Gly Ser
 500 505 510
 Glu Pro Pro Leu Ser Pro Pro Glu Arg Leu Pro Ile Arg Arg Ser Ser
 515 520 525
 Thr Arg Asp Lys Asn Arg Arg Gly Glu Thr Cys Phe Leu Leu Thr Thr
 530 535 540
 Gly Asp Tyr Thr Cys Ala Ser Asp Gly Gly Ile Arg Lys Gly Tyr Glu
 545 550 555 560
 Lys Ser Arg Ser Leu Asn Asn Ile Ala Gly Leu Ala Gly Asn Ala Leu
 565 570 575
 Arg Leu Ser Pro Val Thr Ser Pro Tyr Asn Ser Pro Cys Pro Leu Arg
 580 585 590
 Arg Ser Arg Ser Pro Ile Pro Ser Ile
 595 600

<210> 5
 <211> 2293
 <212> DNA
 <213> H. sapiens

<220>
 <221> CDS
 <222> (330)... (1800)
 <223> K+Hnov6

<400> 5
 gggaagagcg aaccagggc ccttgctctc gtgcagcgct gcgccctggg tggggacggc 60
 gtgaggcttg cagcgcaggt gagagtgatt ttccagtgat tgctttggcc tgtacaacca 120
 gagaacagga ttcttccctt ctttttggcc accaaatgcc tatgtgcacc acacattcca 180
 gtgtgctgag aagggcagag cttcttggat gatgatggac gtcccaccgg gcaggatgaa 240
 ggcagagcgt gtggcatctc cacctcaagg gtgcagcctg atcttcctct tctcccttgc 300
 cagccagcac tctgccttct gtatccacc atg gtg ttt ggt gag ttt ttc cat 353
 Met Val Phe Gly Glu Phe Phe His
 1 5

cgc cct gga caa gac gag gaa ctt gtc aac ctg aat gtg ggg ggc ttt	401
Arg Pro Gly Gln Asp Glu Glu Leu Val Asn Leu Asn Val Gly Gly Phe	
10 15 20	
aag cag tct gtt gac caa agc acc ctc ctg cgg ttt cct cac acc aga	449
Lys Gln Ser Val Asp Gln Ser Thr Leu Leu Arg Phe Pro His Thr Arg	
25 30 35 40	
ctg ggg aag ctg ctt act tgc cat tct gaa gag gcc att ctg gag ctg	497
Leu Gly Lys Leu Leu Thr Cys His Ser Glu Glu Ala Ile Leu Glu Leu	
45 50 55	
tgt gat gat tac agt gtg gcc gat aag gaa tac tac ttt gat cgg aat	545
Cys Asp Asp Tyr Ser Val Ala Asp Lys Glu Tyr Tyr Phe Asp Arg Asn	
60 65 70	
ccc tcc ttg ttc aga tat gtt ttg aat ttt tat tac acg ggg aag ctg	593
Pro Ser Leu Phe Arg Tyr Val Leu Asn Phe Tyr Tyr Thr Gly Lys Leu	
75 80 85	
cat gtc atg gag gag ctg tgc gta ttc tca ttc tgc cag gag atc gag	641
His Val Met Glu Glu Leu Cys Val Phe Ser Phe Cys Gln Glu Ile Glu	
90 95 100	
tac tgg ggc atc aac gag ctc ttc att gat tct tgc tgc agc aat cgc	689
Tyr Trp Gly Ile Asn Glu Leu Phe Ile Asp Ser Cys Cys Ser Asn Arg	
105 110 115 120	
tac cag gaa cgc aag gag gaa aac cac gag aag gac tgg gac cag aaa	737
Tyr Gln Glu Arg Lys Glu Glu Asn His Glu Lys Asp Trp Asp Gln Lys	
125 130 135	
agc cat gat gtg agt acc gac tcc tgc ttt gaa gag tgc tct ctg ttt	785
Ser His Asp Val Ser Thr Asp Ser Ser Phe Glu Glu Ser Ser Leu Phe	
140 145 150	
gag aaa gag ctg gag aag ttt gac aca ctg cga ttt ggt cag ctc cgg	833
Glu Lys Glu Leu Glu Lys Phe Asp Thr Leu Arg Phe Gly Gln Leu Arg	
155 160 165	
aag aaa atc tgg att aga atg gag aat cca gcg tac tgc ctg tcc gct	881
Lys Lys Ile Trp Ile Arg Met Glu Asn Pro Ala Tyr Cys Leu Ser Ala	
170 175 180	
aag ctt atc gct atc tcc tcc ttg agc gtg gtg ctg gcc tcc atc gtg	929
Lys Leu Ile Ala Ile Ser Ser Leu Ser Val Val Leu Ala Ser Ile Val	
185 190 195 200	
gcc atg tgc gtt cac agc atg tgc gag ttc cag aat gag gat gga gaa	977
Ala Met Cys Val His Ser Met Ser Glu Phe Gln Asn Glu Asp Gly Glu	
205 210 215	
gtg gat gat ccg gtg ctg gaa gga gtg gag atc gcg tgc att gcc tgg	1025
Val Asp Asp Pro Val Leu Glu Gly Val Glu Ile Ala Cys Ile Ala Trp	
220 225 230	
ttc acc ggg gag ctt gcc gtc cgg ctg gct gcc gct cct tgt caa aag	1073
Phe Thr Gly Glu Leu Ala Val Arg Leu Ala Ala Ala Pro Cys Gln Lys	
235 240 245	
aaa ttc tgg aaa aac cct ctg aac atc att gac ttt gtc tct att att	1121

Lys Phe Trp Lys Asn Pro Leu Asn Ile Ile Asp Phe Val Ser Ile Ile	
250 255 260	
ccc ttc tat gcc acg ttg gct gta gac acc aag gag gaa gag agt gag	1169
Pro Phe Tyr Ala Thr Leu Ala Val Asp Thr Lys Glu Glu Glu Ser Glu	
265 270 275 280	
gat att gag aac atg ggc aag gtg gtc cag atc cta cgg ctt atg agg	1217
Asp Ile Glu Asn Met Gly Lys Val Val Gln Ile Leu Arg Leu Met Arg	
285 290 295	
att ttc cga att cta aag ctt gcc cgg cac tcg gta gga ctt cgg tct	1265
Ile Phe Arg Ile Leu Lys Leu Ala Arg His Ser Val Gly Leu Arg Ser	
300 305 310	
cta ggt gcc aca ctg aga cac agc tac cat gaa gtt ggg ctt ctg ctt	1313
Leu Gly Ala Thr Leu Arg His Ser Tyr His Glu Val Gly Leu Leu Leu	
315 320 325	
ctc ttc ctc tct gtg ggc att tcc att ttc tct gtg ctt atc tac tcc	1361
Leu Phe Leu Ser Val Gly Ile Ser Ile Phe Ser Val Leu Ile Tyr Ser	
330 335 340	
gtg gag aaa gat gac cac aca tcc agc ctc acc agc atc ccc atc tgc	1409
Val Glu Lys Asp Asp His Thr Ser Ser Leu Thr Ser Ile Pro Ile Cys	
345 350 355 360	
tgg tgg tgg gcc acc atc agc atg aca act gtg ggc tat gga gac acc	1457
Trp Trp Trp Ala Thr Ile Ser Met Thr Thr Val Gly Tyr Gly Asp Thr	
365 370 375	
cac ccg gtc acc ttg gcg gga aag ctc atc gcc agc aca tgc atc atc	1505
His Pro Val Thr Leu Ala Gly Lys Leu Ile Ala Ser Thr Cys Ile Ile	
380 385 390	
tgt ggc atc ttg gtg gtg gcc ctt ccc atc acc atc atc ttc aac aag	1553
Cys Gly Ile Leu Val Val Ala Leu Pro Ile Thr Ile Ile Phe Asn Lys	
395 400 405	
ttt tcc aag tac tac cag aag caa aag gac att gat gtg gac cag tgc	1601
Phe Ser Lys Tyr Tyr Gln Lys Gln Lys Asp Ile Asp Val Asp Gln Cys	
410 415 420	
agt gag gat gca cca gag aag tgt cat gag cta cct tac ttt aac att	1649
Ser Glu Asp Ala Pro Glu Lys Cys His Glu Leu Pro Tyr Phe Asn Ile	
425 430 435 440	
agg gat ata tat gca cag cgg atg cac gcc ttc att acc agt ctc tct	1697
Arg Asp Ile Tyr Ala Gln Arg Met His Ala Phe Ile Thr Ser Leu Ser	
445 450 455	
tct gta ggc att gtg gtg agc gat cct gac tcc aca gat gct tca agc	1745
Ser Val Gly Ile Val Val Ser Asp Pro Asp Ser Thr Asp Ala Ser Ser	
460 465 470	
att gaa gac aat gag gac att tgt aac acc acc tcc ttg gag aat tgc	1793
Ile Glu Asp Asn Glu Asp Ile Cys Asn Thr Thr Ser Leu Glu Asn Cys	
475 480 485	
aca gca a aatgagcggg ggtgtttgtg cctgtttctc ttatcctttc ccaacattag	1850
Thr Ala	

490

```

gttaacacag ctttataaac ctcagtgggt tcgttaaaat catttaattc tcagggtgta 1910
cctttcagcc atagttggac attcattgct gaattctgaa atgatagaat tgtctttatt 1970
tttctctgtg aggtcaatta aatgccttgt tctgaaattt attttttaca agagagagtt 2030
gtgatagagt ttggaatata agataaatgg tattgggtgg ggtttgtggc tacagcttat 2090
gcatcattct gtgtttgtca tttactcaca ttgagctaac tttaaattac tgacaagtag 2150
aatcaaagggt gcagctgact gagacgacat gcatgtaaga tccacaaaat gagacaatgc 2210
atgtaaattcc atgctcatgt tctaaacatg gaaactagga gcctaataaa cttcctaatt 2270
cagaaaaaaaa aaaaaaaaaa aaa 2293

```

<210> 6
 <211> 490
 <212> PRT
 <213> H. sapiens

<400> 6

Met	Val	Phe	Gly	Glu	Phe	Phe	His	Arg	Pro	Gly	Gln	Asp	Glu	Glu	Leu	1	5	10	15
Val	Asn	Leu	Asn	Val	Gly	Gly	Phe	Lys	Gln	Ser	Val	Asp	Gln	Ser	Thr	20	25	30	
Leu	Leu	Arg	Phe	Pro	His	Thr	Arg	Leu	Gly	Lys	Leu	Leu	Thr	Cys	His	35	40	45	
Ser	Glu	Glu	Ala	Ile	Leu	Glu	Leu	Cys	Asp	Asp	Tyr	Ser	Val	Ala	Asp	50	55	60	
Lys	Glu	Tyr	Tyr	Phe	Asp	Arg	Asn	Pro	Ser	Leu	Phe	Arg	Tyr	Val	Leu	65	70	75	80
Asn	Phe	Tyr	Tyr	Thr	Gly	Lys	Leu	His	Val	Met	Glu	Glu	Leu	Cys	Val	85	90	95	
Phe	Ser	Phe	Cys	Gln	Glu	Ile	Glu	Tyr	Trp	Gly	Ile	Asn	Glu	Leu	Phe	100	105	110	
Ile	Asp	Ser	Cys	Cys	Ser	Asn	Arg	Tyr	Gln	Glu	Arg	Lys	Glu	Glu	Asn	115	120	125	
His	Glu	Lys	Asp	Trp	Asp	Gln	Lys	Ser	His	Asp	Val	Ser	Thr	Asp	Ser	130	135	140	
Ser	Phe	Glu	Glu	Ser	Ser	Leu	Phe	Glu	Lys	Glu	Leu	Glu	Lys	Phe	Asp	145	150	155	160
Thr	Leu	Arg	Phe	Gly	Gln	Leu	Arg	Lys	Lys	Ile	Trp	Ile	Arg	Met	Glu	165	170	175	
Asn	Pro	Ala	Tyr	Cys	Leu	Ser	Ala	Lys	Leu	Ile	Ala	Ile	Ser	Ser	Leu	180	185	190	
Ser	Val	Val	Leu	Ala	Ser	Ile	Val	Ala	Met	Cys	Val	His	Ser	Met	Ser	195	200	205	
Glu	Phe	Gln	Asn	Glu	Asp	Gly	Glu	Val	Asp	Asp	Pro	Val	Leu	Glu	Gly	210	215	220	
Val	Glu	Ile	Ala	Cys	Ile	Ala	Trp	Phe	Thr	Gly	Glu	Leu	Ala	Val	Arg	225	230	235	240
Leu	Ala	Ala	Ala	Pro	Cys	Gln	Lys	Lys	Phe	Trp	Lys	Asn	Pro	Leu	Asn	245	250	255	
Ile	Ile	Asp	Phe	Val	Ser	Ile	Ile	Pro	Phe	Tyr	Ala	Thr	Leu	Ala	Val	260	265	270	
Asp	Thr	Lys	Glu	Glu	Glu	Ser	Glu	Asp	Ile	Glu	Asn	Met	Gly	Lys	Val	275	280	285	
Val	Gln	Ile	Leu	Arg	Leu	Met	Arg	Ile	Phe	Arg	Ile	Leu	Lys	Leu	Ala	290	295	300	
Arg	His	Ser	Val	Gly	Leu	Arg	Ser	Leu	Gly	Ala	Thr	Leu	Arg	His	Ser	305	310	315	320
Tyr	His	Glu	Val	Gly	Leu	Leu	Leu	Leu	Phe	Leu	Ser	Val	Gly	Ile	Ser	325	330	335	
Ile	Phe	Ser	Val	Leu	Ile	Tyr	Ser	Val	Glu	Lys	Asp	Asp	His	Thr	Ser	340	345	350	

Ser Leu Thr Ser Ile Pro Ile Cys Trp Trp Trp Ala Thr Ile Ser Met
 355 360 365
 Thr Thr Val Gly Tyr Gly Asp Thr His Pro Val Thr Leu Ala Gly Lys
 370 375 380
 Leu Ile Ala Ser Thr Cys Ile Ile Cys Gly Ile Leu Val Val Ala Leu
 385 390 395 400
 Pro Ile Thr Ile Ile Phe Asn Lys Phe Ser Lys Tyr Tyr Gln Lys Gln
 405 410 415
 Lys Asp Ile Asp Val Asp Gln Cys Ser Glu Asp Ala Pro Glu Lys Cys
 420 425 430
 His Glu Leu Pro Tyr Phe Asn Ile Arg Asp Ile Tyr Ala Gln Arg Met
 435 440 445
 His Ala Phe Ile Thr Ser Leu Ser Ser Val Gly Ile Val Val Ser Asp
 450 455 460
 Pro Asp Ser Thr Asp Ala Ser Ser Ile Glu Asp Asn Glu Asp Ile Cys
 465 470 475 480
 Asn Thr Thr Ser Leu Glu Asn Cys Thr Ala
 485 490

<210> 7
 <211> 3080
 <212> DNA
 <213> H. sapiens

<220>
 <221> CDS
 <222> (480)...(1977)
 <223> K+Hnov9

<400> 7
 gtctctcctc ttcctcctcc tccgccccac atctccctcc ttcctccctt ccccaacccc 60
 tccacccacc aagtagcgag tcattcaatc tgtacacctc ctgggctggg aatcgcaatt 120
 gcgaagtgtg gaggcgggtg gacaacgttt gggaagggcc agggcgaccg gcagtgtgca 180
 cagggactgt gtcgggcttg gacctcacct gatcctctct cttagcgcca cccttcctct 240
 gctccctgtc tctcttttct gccacttgtg cgctgcttcc gcgcactccc ggctccctag 300
 cggcaggagg aggaaggcgc acagcgggtg gagaggggtgc gccaaaggaga ggtaaccctt 360
 tcgggagccc ggggaatccc ggccgccacc agggggcctg ccaccgccct cgcgggacca 420
 aagcttcggg cgtgtcccca actttgtggc gccctcaggg cgcggcgact gggttagag 479
 atg cct tcc agc ggc aga gcg ctg ctg gac tcg ccg ctg gac agc ggc 527
 Met Pro Ser Ser Gly Arg Ala Leu Leu Asp Ser Pro Leu Asp Ser Gly
 1 5 10 15
 tcc ctg acc tcc ctg gac tct agt gtc ttc tgc agc gag ggt gaa ggg 575
 Ser Leu Thr Ser Leu Asp Ser Ser Val Phe Cys Ser Glu Gly Glu Gly
 20 25 30
 gag ccc ttg gcg ctc ggg gac tgc ttc acg gtc aac gtg ggc ggc agc 623
 Glu Pro Leu Ala Leu Gly Asp Cys Phe Thr Val Asn Val Gly Gly Ser
 35 40 45
 cgc ttc gtg ctc tcg cag cag gcg ctg tcc tgc ttc ccg cac acg cgc 671
 Arg Phe Val Leu Ser Gln Gln Ala Leu Ser Cys Phe Pro His Thr Arg
 50 55 60
 ctt ggc aag ctg gcc gtg gtg gtg gct tcc tac cgc cgc ccc ggg gcc 719
 Leu Gly Lys Leu Ala Val Val Val Ala Ser Tyr Arg Arg Pro Gly Ala
 65 70 75 80
 ctg gcc gcc gtg ccc agc cct ctg gag ctt tgc gac gat gcc aac ccc 767
 Leu Ala Ala Val Pro Ser Pro Leu Glu Leu Cys Asp Asp Ala Asn Pro
 85 90 95

gtg gac aac gag tac ttc ttc gac cgc agc tcg cag gcg ttc cga tat	815
Val Asp Asn Glu Tyr Phe Phe Asp Arg Ser Ser Gln Ala Phe Arg Tyr	
100 105 110	
gtc ctg cac tac tac cgc acc ggc cgc ctg cat gtc atg gag cag ctg	863
Val Leu His Tyr Tyr Arg Thr Gly Arg Leu His Val Met Glu Gln Leu	
115 120 125	
tgc gcg ctc tcc ttc ctg cag gag atc cag tac tgg ggc atc gat gag	911
Cys Ala Leu Ser Phe Leu Gln Glu Ile Gln Tyr Trp Gly Ile Asp Glu	
130 135 140	
ctc agc atc gat tcc tgc tgc agg gac aga tac ttc aga agg aaa gag	959
Leu Ser Ile Asp Ser Cys Cys Arg Asp Arg Tyr Phe Arg Arg Lys Glu	
145 150 155 160	
ctg agt gaa act tta gac ttc aag aag gac aca gaa gac cag gaa agt	1007
Leu Ser Glu Thr Leu Asp Phe Lys Lys Asp Thr Glu Asp Gln Glu Ser	
165 170 175	
caa cat gag agt gaa cag gac ttc tcc caa gga cct tgt ccc act gtt	1055
Gln His Glu Ser Glu Gln Asp Phe Ser Gln Gly Pro Cys Pro Thr Val	
180 185 190	
cgc cag aag ctc tgg aat atc ctg gag aaa cct gga tct tcc aca gct	1103
Arg Gln Lys Leu Trp Asn Ile Leu Glu Lys Pro Gly Ser Ser Thr Ala	
195 200 205	
gcc cgt atc ttt ggc gtc atc tcc att atc ttc gtg gtg gtg tcc atc	1151
Ala Arg Ile Phe Gly Val Ile Ser Ile Ile Phe Val Val Val Ser Ile	
210 215 220	
att aac atg gcc ctg atg tca gct gag tta agc tgg ctg gac ctg cag	1199
Ile Asn Met Ala Leu Met Ser Ala Glu Leu Ser Trp Leu Asp Leu Gln	
225 230 235 240	
ctg ctg gaa atc ctg gag tat gtg tgc att agc tgg ttc acc ggg gag	1247
Leu Leu Glu Ile Leu Glu Tyr Val Cys Ile Ser Trp Phe Thr Gly Glu	
245 250 255	
ttt gtc ctc cgc ttc ctg tgt gtg cgg gac agg tgt cgc ttc cta aga	1295
Phe Val Leu Arg Phe Leu Cys Val Arg Asp Arg Cys Arg Phe Leu Arg	
260 265 270	
aag gtg cca aac atc ata gac ctc ctt gcc atc ttg ccc ttc tac atc	1343
Lys Val Pro Asn Ile Ile Asp Leu Leu Ala Ile Leu Pro Phe Tyr Ile	
275 280 285	
act ctt ctg gta gag agc cta agt ggg agc cag acc acg cag gag ctg	1391
Thr Leu Leu Val Glu Ser Leu Ser Gly Ser Gln Thr Thr Gln Glu Leu	
290 295 300	
gag aac gtg ggg cgc att gtc cag gtg ttg agg ctg ctc agg gct ctg	1439
Glu Asn Val Gly Arg Ile Val Gln Val Leu Arg Leu Leu Arg Ala Leu	
305 310 315 320	
cgc atg cta aag ctg ggc aga cat tcc aca gga tta cgc tcc ctt ggg	1487
Arg Met Leu Lys Leu Gly Arg His Ser Thr Gly Leu Arg Ser Leu Gly	
325 330 335	

atg aca atc acc cag tgt tac gaa gaa gtc ggc cta ctg ctc cta ttt 1535
 Met Thr Ile Thr Gln Cys Tyr Glu Glu Val Gly Leu Leu Leu Leu Phe
 340 345 350

cta tcc gtg gga atc tct ata ttt tca act gta gaa tac ttt gct gag 1583
 Leu Ser Val Gly Ile Ser Ile Phe Ser Thr Val Glu Tyr Phe Ala Glu
 355 360 365

caa agc att cct gac aca acc ttc aca agt gtc cct tgt gca tgg tgg 1631
 Gln Ser Ile Pro Asp Thr Thr Phe Thr Ser Val Pro Cys Ala Trp Trp
 370 375 380

tgg gcc acc acc tct atg act act gtg gga tat ggg gac att aga cca 1679
 Trp Ala Thr Thr Ser Met Thr Thr Val Gly Tyr Gly Asp Ile Arg Pro
 385 390 395 400

gac acc acc aca ggc aaa atc gtg gcc ttc atg tgt ata tta tgc gga 1727
 Asp Thr Thr Thr Gly Lys Ile Val Ala Phe Met Cys Ile Leu Ser Gly
 405 410 415

att ctt gtc ttg gcc ttg cct att gct att att aac gat cgc ttc tct 1775
 Ile Leu Val Leu Ala Leu Pro Ile Ala Ile Ile Asn Asp Arg Phe Ser
 420 425 430

gct tgc tac ttc acc ttg aaa ctc aag gaa gca gct gtt aga cag cgt 1823
 Ala Cys Tyr Phe Thr Leu Lys Leu Lys Glu Ala Val Arg Gln Arg
 435 440 445

gaa gcc cta aag aag ctt acc aag aat ata gcc act gac tca tat atc 1871
 Glu Ala Leu Lys Lys Leu Thr Lys Asn Ile Ala Thr Asp Ser Tyr Ile
 450 455 460

agt gtt aac ttg aga gat gtc tat gcc cgg agt atc atg gag atg ctg 1919
 Ser Val Asn Leu Arg Asp Val Tyr Ala Arg Ser Ile Met Glu Met Leu
 465 470 475 480

cga ctg aaa ggc aga gaa aga gca agt act agg agc agc ggg gga gat 1967
 Arg Leu Lys Gly Arg Glu Arg Ala Ser Thr Arg Ser Ser Gly Gly Asp
 485 490 495

gat ttc tgg t tttgaattaa ttttcaattt atttacaaaa gctatgtaca 2017
 Asp Phe Trp

attaactaaa atgataaagc agtgatgtgg atttctgtat tctgatgatg agtctcttca 2077
 gagtactgct catcttaatt aatttttgct gatatatgtc ttcactctact agaattttc 2137
 acatcaccta taacaactgc acagtgttct gacacatttg agtgtccaaa atagccaatt 2197
 aacacaacca aatacaactg ggccaatata aacatgtttg aattgtcaaa tataaaataa 2257
 tggtattgca atacatacaa aaaagttaaa gattttatgt atcactaaca ttagaagttt 2317
 tttgcaccac taatttttta aaaatggaag gtaaactgca tagcccagag aaagataagt 2377
 aaatatattaa gaacatatgg aacaactttg ctatttaaaag atattatcca agtacataaa 2437
 ttactccggtt ctctatcagt taaagctatt gaataataa cttagcttta caagagaaaa 2497
 cccatatttg atgggcagag attatatccc tatcttcttt ttcattgtaaa ccactgggtca 2557
 caaatgaact gatctctgta tcccattatt actataagag gtgggaatcc caaaactgct 2617
 tagattgcag tacatgagtc tacacaaaga cttcaacaat tgcacatctt cattctccca 2677
 actgagtgtg gtatgtggag cataaaacag catatttctt agtatttcat gaatatcaga 2737
 tggctcttaa atgtctcttt atggatgtat tggttcacatt atggctttaa aataatgaat 2797
 atgtaaaagt gaggtagtga acatcctaaa tttctacact ggaattacta aataatctta 2857
 tttcataaat gggaaatata tggttaaata catcactgga tgaacttgaa gatcttttac 2917
 ttgttaacaa aaaaatacta tggacagctt tctgatgtgt ggggtaaata gcaaatgttc 2977
 aaactttgca ggcattttga cattcatcat aacaacaaa ttcctagaca ttgtattata 3037

taattaaagc caaaacctct aaagctaaaa aaaaaaaaaa aaa

3080

<210> 8

<211> 499

<212> PRT

<213> H. sapiens

<400> 8

Met Pro Ser Ser Gly Arg Ala Leu Leu Asp Ser Pro Leu Asp Ser Gly
 1 5 10 15
 Ser Leu Thr Ser Leu Asp Ser Ser Val Phe Cys Ser Glu Gly Gly Gly
 20 25 30
 Glu Pro Leu Ala Leu Gly Asp Cys Phe Thr Val Asn Val Gly Gly Ser
 35 40 45
 Arg Phe Val Leu Ser Gln Gln Ala Leu Ser Cys Phe Pro His Thr Arg
 50 55 60
 Leu Gly Lys Leu Ala Val Val Val Ala Ser Tyr Arg Arg Pro Gly Ala
 65 70 75 80
 Leu Ala Ala Val Pro Ser Pro Leu Glu Leu Cys Asp Asp Ala Asn Pro
 85 90 95
 Val Asp Asn Glu Tyr Phe Phe Asp Arg Ser Ser Gln Ala Phe Arg Tyr
 100 105 110
 Val Leu His Tyr Tyr Arg Thr Gly Arg Leu His Val Met Glu Gln Leu
 115 120 125
 Cys Ala Leu Ser Phe Leu Gln Glu Ile Gln Tyr Trp Gly Ile Asp Glu
 130 135 140
 Leu Ser Ile Asp Ser Cys Cys Arg Asp Arg Tyr Phe Arg Arg Lys Glu
 145 150 155 160
 Leu Ser Glu Thr Leu Asp Phe Lys Lys Asp Thr Glu Asp Gln Glu Ser
 165 170 175
 Gln His Glu Ser Glu Gln Asp Phe Ser Gln Gly Pro Cys Pro Thr Val
 180 185 190
 Arg Gln Lys Leu Trp Asn Ile Leu Glu Lys Pro Gly Ser Ser Thr Ala
 195 200 205
 Ala Arg Ile Phe Gly Val Ile Ser Ile Ile Phe Val Val Val Ser Ile
 210 215 220
 Ile Asn Met Ala Leu Met Ser Ala Glu Leu Ser Trp Leu Asp Leu Gln
 225 230 235 240
 Leu Leu Glu Ile Leu Glu Tyr Val Cys Ile Ser Trp Phe Thr Gly Glu
 245 250 255
 Phe Val Leu Arg Phe Leu Cys Val Arg Asp Arg Cys Arg Phe Leu Arg
 260 265 270
 Lys Val Pro Asn Ile Ile Asp Leu Leu Ala Ile Leu Pro Phe Tyr Ile
 275 280 285
 Thr Leu Leu Val Glu Ser Leu Ser Gly Ser Gln Thr Thr Gln Glu Leu
 290 295 300
 Glu Asn Val Gly Arg Ile Val Gln Val Leu Arg Leu Leu Arg Ala Leu
 305 310 315 320
 Arg Met Leu Lys Leu Gly Arg His Ser Thr Gly Leu Arg Ser Leu Gly
 325 330 335
 Met Thr Ile Thr Gln Cys Tyr Glu Glu Val Gly Leu Leu Leu Phe
 340 345 350
 Leu Ser Val Gly Ile Ser Ile Phe Ser Thr Val Glu Tyr Phe Ala Glu
 355 360 365
 Gln Ser Ile Pro Asp Thr Thr Phe Thr Ser Val Pro Cys Ala Trp Trp
 370 375 380
 Trp Ala Thr Thr Ser Met Thr Thr Val Gly Tyr Gly Asp Ile Arg Pro
 385 390 395 400
 Asp Thr Thr Thr Gly Lys Ile Val Ala Phe Met Cys Ile Leu Ser Gly
 405 410 415
 Ile Leu Val Leu Ala Leu Pro Ile Ala Ile Ile Asn Asp Arg Phe Ser

420 425 430
 Ala Cys Tyr Phe Thr Leu Lys Leu Lys Glu Ala Ala Val Arg Gln Arg
 435 440 445
 Glu Ala Leu Lys Lys Leu Thr Lys Asn Ile Ala Thr Asp Ser Tyr Ile
 450 455 460
 Ser Val Asn Leu Arg Asp Val Tyr Ala Arg Ser Ile Met Glu Met Leu
 465 470 475 480
 Arg Leu Lys Gly Arg Glu Arg Ala Ser Thr Arg Ser Ser Gly Gly Asp
 485 490 495
 Asp Phe Trp

<210> 9
 <211> 3424
 <212> DNA
 <213> H. sapiens

<220>
 <221> CDS
 <222> (257) ... (2195)
 <223> K+Hnov12

<400> 9
 ctcttctcca tgtccccaag gcccttctca gtccctcaga acattgccca ggccctctct 60
 aggttctgta aatgtccccc agactccttc ccattctctt agttcttctt cctgggttct 120
 cttggcctct ctacacaccc ccagtttctt tggttggttg gctcaaggtg tctccaagcc 180
 cccaccatcc tggagacagc cacattctcc taaacgccac cctcactaag tctccctggg 240
 cttggggagt ggcacg atg gcg gca ggc ctg gcc acg tgg ctg cct ttt gct 292
 Met Ala Ala Gly Leu Ala Thr Trp Leu Pro Phe Ala
 1 5 10
 cgg gca gca gca gtg ggc tgg ctg ccc ccg gcc cag caa ccc ctg ccc 340
 Arg Ala Ala Ala Val Gly Trp Leu Pro Pro Ala Gln Gln Pro Leu Pro
 15 20 25
 ccg gca ccg ggg gtg aag gca tct cga gga gat grg gtt ctg gtg gtg 388
 Pro Ala Pro Gly Val Lys Ala Ser Arg Gly Asp Xaa Val Leu Val Val
 30 35 40
 aac gtg agc gga ccg cgc ttt gag act tgg aag aat acg ctg gac cgc 436
 Asn Val Ser Gly Arg Arg Phe Glu Thr Trp Lys Asn Thr Leu Asp Arg
 45 50 55 60
 tac cca gac acc ttg ctg ggc agc tcg gag aag gaa ttc ttc tac gat 484
 Tyr Pro Asp Thr Leu Leu Gly Ser Ser Glu Lys Glu Phe Phe Tyr Asp
 65 70 75
 gct gac tca ggc gag tac ttc ttc gat cgc gac cct gac atg ttc cgc 532
 Ala Asp Ser Gly Glu Tyr Phe Phe Asp Arg Asp Pro Asp Met Phe Arg
 80 85 90
 cat gtg ctg aac ttc tac cga acg ggg cgg ctg cat tgc cca cgg cag 580
 His Val Leu Asn Phe Tyr Arg Thr Gly Arg Leu His Cys Pro Arg Gln
 95 100 105
 gag tgc atc cag gcc ttc gac gaa gag ctg gct ttc tac ggc ctg gtt 628
 Glu Cys Ile Gln Ala Phe Asp Glu Glu Leu Ala Phe Tyr Gly Leu Val
 110 115 120
 ccc gag cta gtc ggt gac tgc tgc ctt gaa gag tat cgg gac cga aag 676
 Pro Glu Leu Val Gly Asp Cys Cys Leu Glu Tyr Arg Asp Arg Lys

125	130	135	140	
aag gag aat gcc gag cgc ctg gca gag gat gag gag gca gag cag gcc				724
Lys Glu Asn Ala Glu Arg Leu Ala Glu Asp Glu Glu Ala Glu Gln Ala				
145		150	155	
ggg gac ggc cca gcc ctg cca gca ggc agc tcc ctg cgg cag cgg ctc				772
Gly Asp Gly Pro Ala Leu Pro Ala Gly Ser Ser Leu Arg Gln Arg Leu				
160		165	170	
tgg cgg gcc ttc gag aat cca cac acg agc acc gca gcc ctc gtt ttc				820
Trp Arg Ala Phe Glu Asn Pro His Thr Ser Thr Ala Ala Leu Val Phe				
175	180		185	
tac tat gtg acc ggc ttc ttc atc gcc gtg tcg gtc atc gcc aat gtg				868
Tyr Tyr Val Thr Gly Phe Phe Ile Ala Val Ser Val Ile Ala Asn Val				
190	195		200	
gtg gag acc atc cca tgc cgc ggc tct gca cgc agg tcc tca agg gag				916
Val Glu Thr Ile Pro Cys Arg Gly Ser Ala Arg Arg Ser Ser Arg Glu				
205	210		215	220
cag ccc tgt ggc gaa cgc ttc cca cag gcc ttt ttc tgc atg gac aca				964
Gln Pro Cys Gly Glu Arg Phe Pro Gln Ala Phe Phe Cys Met Asp Thr				
225		230		235
gcc tgt gta ctc ata ttc aca ggt gaa tac ctc ctg cgg ctg ttt gcc				1012
Ala Cys Val Leu Ile Phe Thr Gly Glu Tyr Leu Leu Arg Leu Phe Ala				
240		245		250
gcc_ccc agc cgt tgc cgc ttc ctg cgg agt gtc atg agc ctc atc gac				1060
Ala Pro Ser Arg Cys Arg Phe Leu Arg Ser Val Met Ser Leu Ile Asp				
255		260		265
gtg gtg gcc atc ctg ccc tac tac att ggg ctt ttg gtg ccc aag aac				1108
Val Val Ala Ile Leu Pro Tyr Tyr Ile Gly Leu Leu Val Pro Lys Asn				
270	275		280	
gac gat gtc tct ggc gcc ttt gtc acc ctg cgt gtg ttc cgg gtg ttt				1156
Asp Asp Val Ser Gly Ala Phe Val Thr Leu Arg Val Phe Arg Val Phe				
285	290		295	300
cgc atc ttc aag ttc tcc agg cac tca cag ggc ttg agg att ctg ggc				1204
Arg Ile Phe Lys Phe Ser Arg His Ser Gln Gly Leu Arg Ile Leu Gly				
305		310		315
tac aca ctc aag agc tgt gcc tct gag ctg ggc ttt ctc ctc ttt tcc				1252
Tyr Thr Leu Lys Ser Cys Ala Ser Glu Leu Gly Phe Leu Leu Phe Ser				
320		325		330
cta acc atg gcc atc atc atc ttt gcc act gtc atg ttt tat gct gag				1300
Leu Thr Met Ala Ile Ile Ile Phe Ala Thr Val Met Phe Tyr Ala Glu				
335		340		345
aag ggc aca aac aag acc aac ttt aca agc atc cct gcg gcc ttc tgg				1348
Lys Gly Thr Asn Lys Thr Asn Phe Thr Ser Ile Pro Ala Ala Phe Trp				
350		355		360
tat acc att gtc acc atg acc acg ctt ggc tac gga gac atg gtg ccc				1396
Tyr Thr Ile Val Thr Met Thr Thr Leu Gly Tyr Gly Asp Met Val Pro				
365	370		375	380

agc acc att gct ggc aag att ttc ggg tcc atc tgc tca ctc agt ggc	1444
Ser Thr Ile Ala Gly Lys Ile Phe Gly Ser Ile Cys Ser Leu Ser Gly	
385 390 395	
gtc ttg gtc att gcc ctg cct gtg cca gtc att gtg tcc aac ttt agc	1492
Val Leu Val Ile Ala Leu Pro Val Pro Val Ile Val Ser Asn Phe Ser	
400 405 410	
cgc atc tac cac cag aac cag cgg gct gac aag cgc cga gca cag cag	1540
Arg Ile Tyr His Gln Asn Gln Arg Ala Asp Lys Arg Arg Ala Gln Gln	
415 420 425	
aag gtg cgc ttg gca agg atc cga ttg gca aag agt ggt acc acc aat	1588
Lys Val Arg Leu Ala Arg Ile Arg Leu Ala Lys Ser Gly Thr Thr Asn	
430 435 440	
gcc ttc ctg cag tac aag cag aat ggg ggc ctt gag gac agc ggc agt	1636
Ala Phe Leu Gln Tyr Lys Gln Asn Gly Gly Leu Glu Asp Ser Gly Ser	
445 450 455 460	
ggc gag gaa cag gct ctt tgt gtc agg aac cgt tct gcc ttt gaa cag	1684
Gly Glu Glu Gln Ala Leu Cys Val Arg Asn Arg Ser Ala Phe Glu Gln	
465 470 475	
caa cat cac cac ttg ctg cac tgt cta gag aag aca acg tgc cat gag	1732
Gln His His His Leu Leu His Cys Leu Glu Lys Thr Thr Cys His Glu	
480 485 490	
ttc aca gat gag ctc acc ttc agt gaa gcc ctg gga gcc gtc tcg ccg	1780
Phe Thr Asp Glu Leu Thr Phe Ser Glu Ala Leu Gly Ala Val Ser Pro	
495 500 505	
ggt ggc cgc acc agc cgt agc acc tct gtg tct tcc cag cca gtg gga	1828
Gly Gly Arg Thr Ser Arg Ser Thr Ser Val Ser Ser Gln Pro Val Gly	
510 515 520	
ccc gga agc ctg ctg tct tct tgc tgc cct cgc agg gcc aag cgc cgc	1876
Pro Gly Ser Leu Leu Ser Ser Cys Cys Pro Arg Arg Ala Lys Arg Arg	
525 530 535 540	
gcc atc cgc ctt gcc aac tcc act gcc tca gtc agc cgt ggc agc atg	1924
Ala Ile Arg Leu Ala Asn Ser Thr Ala Ser Val Ser Arg Gly Ser Met	
545 550 555	
cag gag ctg gac atg ctg gca ggg ctg cgc agg agc cat gcc cct cag	1972
Gln Glu Leu Asp Met Leu Ala Gly Leu Arg Arg Ser His Ala Pro Gln	
560 565 570	
agc cgc tcc agc ctc aat gcc aag ccc cat gac agc ctt gac ctg aac	2020
Ser Arg Ser Ser Leu Asn Ala Lys Pro His Asp Ser Leu Asp Leu Asn	
575 580 585	
tgc gac agc cgg gac ttc gtg gct gcc att atc agc atc cct acc cct	2068
Cys Asp Ser Arg Asp Phe Val Ala Ala Ile Ile Ser Ile Pro Thr Pro	
590 595 600	
cct gcc aac acc cca gat gag agc caa cct tcc tcc cct ggc ggc ggt	2116
Pro Ala Asn Thr Pro Asp Glu Ser Gln Pro Ser Ser Pro Gly Gly Gly	
605 610 615 620	

```

ggc agg gcc ggc agc acc ctc agg aac tcc agc ctg ggt acc cct tgc      2164
Gly Arg Ala Gly Ser Thr Leu Arg Asn Ser Ser Leu Gly Thr Pro Cys
                      625                      630                      635

ctc ttc ccc gag act gtc aag atc tca tcc c tgtgaggggt aggcctgctg      2215
Leu Phe Pro Glu Thr Val Lys Ile Ser Ser
                      640                      645

attcagaggg tcctcttcat ttttgggaac tcctttccaa agccatattt ttgggaggca      2275
gagaggggca ggcttgggca ccccttctgc cccccccact gagaactatg caatggagtt      2335
tcatgaaatg gtccacatag tggggaagta gccaggaaat gagaaacttc ctcccacccc      2395
agacatTTTT cctggtggga gctgaagcac tgggcttcca caggcccctg gcctccttgc      2455
cctagcacac tgggactggc cccactctcc cagctggact cctgcatgct cctccccttg      2515
ggctctcaga tgaaggcaaa gctttgatcc gacatctgag ctctagccta agaaggagag      2575
ttgagatttc ctctccctc tggctgggat atggagcttt ggaggttcag agaagagAAC      2635
cctcacctct gatctggcct ctacgagagg toctcatctc catctggccc aacaattccc      2695
agattctgaa gcttggaaat caaacacagg cttcatgggc tgtggcctct gcagcgacct      2755
gccatcccca ggcttgcct gaggggtcag gctgcctctc ccaacacaca ctcagatagc      2815
acaaattcta ccatcccctt ccttggctgc tggaaatgga ccccgcaacc ctgtcctctg      2875
ctggggcccc agcaaactct agcaatagca gctgctgccg tgctattatg caaagcctct      2935
gaccagtttg ctgcagcatt tacatctgcc ctaatcagag gggccacctc taactcctcc      2995
tcctcctctc ttctcctctg gtttgcgtcc ttctgggtt gggctggagt ctggactggc      3055
tgagataaga gcttggcaac cagcaagagc tgggctgtat ttggagatca tgggctgatt      3115
ccatgttctt gggcaacagt ccagaagcat caggggctcc ggcttgggat gtttctgaac      3175
tttgggagtt ataggagaca ggaggaactt ctcctcctcc tcctccccta caattccttt      3235
tcacatatcc ctttcttctc cctcttgggt gaccttccaa aactctgctc tcaggctgaa      3295
atctggcatc atctcaggtt cctgtcccc agcactgtcc ccatggagct ggtggtgac      3355
aaagatgtag ttccatcag tcaataaaac ctgagaggag agatgaggaa aaaaaaaaaa      3415
aaaaaaaaa

```

<210> 10

<211> 646

<212> PRT

<213> H. sapiens

<220>

<221> VARIANT

<222> (1)...(646)

<223> Xaa = Any Amino Acid

<400> 10

```

Met Ala Ala Gly Leu Ala Thr Trp Leu Pro Phe Ala Arg Ala Ala Ala
 1          5          10          15
Val Gly Trp Leu Pro Pro Ala Gln Gln Pro Leu Pro Pro Ala Pro Gly
 20          25          30
Val Lys Ala Ser Arg Gly Asp Xaa Val Leu Val Val Asn Val Ser Gly
 35          40          45
Arg Arg Phe Glu Thr Trp Lys Asn Thr Leu Asp Arg Tyr Pro Asp Thr
 50          55          60
Leu Leu Gly Ser Ser Glu Lys Glu Phe Phe Tyr Asp Ala Asp Ser Gly
 65          70          75          80
Glu Tyr Phe Phe Asp Arg Asp Pro Asp Met Phe Arg His Val Leu Asn
 85          90          95
Phe Tyr Arg Thr Gly Arg Leu His Cys Pro Arg Gln Glu Cys Ile Gln
100          105          110
Ala Phe Asp Glu Glu Leu Ala Phe Tyr Gly Leu Val Pro Glu Leu Val
115          120          125
Gly Asp Cys Cys Leu Glu Glu Tyr Arg Asp Arg Lys Lys Glu Asn Ala
130          135          140
Glu Arg Leu Ala Glu Asp Glu Glu Ala Glu Gln Ala Gly Asp Gly Pro
145          150          155          160

```

Ala Leu Pro Ala Gly Ser Ser Leu Arg Gln Arg Leu Trp Arg Ala Phe
 165 170 175
 Glu Asn Pro His Thr Ser Thr Ala Ala Leu Val Phe Tyr Tyr Val Thr
 180 185 190
 Gly Phe Phe Ile Ala Val Ser Val Ile Ala Asn Val Val Glu Thr Ile
 195 200 205
 Pro Cys Arg Gly Ser Ala Arg Arg Ser Ser Arg Glu Gln Pro Cys Gly
 210 215 220
 Glu Arg Phe Pro Gln Ala Phe Phe Cys Met Asp Thr Ala Cys Val Leu
 225 230 235 240
 Ile Phe Thr Gly Glu Tyr Leu Leu Arg Leu Phe Ala Ala Pro Ser Arg
 245 250 255
 Cys Arg Phe Leu Arg Ser Val Met Ser Leu Ile Asp Val Val Ala Ile
 260 265 270
 Leu Pro Tyr Tyr Ile Gly Leu Leu Val Pro Lys Asn Asp Asp Val Ser
 275 280 285
 Gly Ala Phe Val Thr Leu Arg Val Phe Arg Val Phe Arg Ile Phe Lys
 290 295 300
 Phe Ser Arg His Ser Gln Gly Leu Arg Ile Leu Gly Tyr Thr Leu Lys
 305 310 315 320
 Ser Cys Ala Ser Glu Leu Gly Phe Leu Leu Phe Ser Leu Thr Met Ala
 325 330 335
 Ile Ile Ile Phe Ala Thr Val Met Phe Tyr Ala Glu Lys Gly Thr Asn
 340 345 350
 Lys Thr Asn Phe Thr Ser Ile Pro Ala Ala Phe Trp Tyr Thr Ile Val
 355 360 365
 Thr Met Thr Thr Leu Gly Tyr Gly Asp Met Val Pro Ser Thr Ile Ala
 370 375 380
 Gly Lys Ile Phe Gly Ser Ile Cys Ser Leu Ser Gly Val Leu Val Ile
 385 390 395 400
 Ala Leu Pro Val Pro Val Ile Val Ser Asn Phe Ser Arg Ile Tyr His
 405 410 415
 Gln Asn Gln Arg Ala Asp Lys Arg Arg Ala Gln Gln Lys Val Arg Leu
 420 425 430
 Ala Arg Ile Arg Leu Ala Lys Ser Gly Thr Thr Asn Ala Phe Leu Gln
 435 440 445
 Tyr Lys Gln Asn Gly Gly Leu Glu Asp Ser Gly Ser Gly Glu Glu Gln
 450 455 460
 Ala Leu Cys Val Arg Asn Arg Ser Ala Phe Glu Gln Gln His His His
 465 470 475 480
 Leu Leu His Cys Leu Glu Lys Thr Thr Cys His Glu Phe Thr Asp Glu
 485 490 495
 Leu Thr Phe Ser Glu Ala Leu Gly Ala Val Ser Pro Gly Gly Arg Thr
 500 505 510
 Ser Arg Ser Thr Ser Val Ser Ser Gln Pro Val Gly Pro Gly Ser Leu
 515 520 525
 Leu Ser Ser Cys Cys Pro Arg Arg Ala Lys Arg Arg Ala Ile Arg Leu
 530 535 540
 Ala Asn Ser Thr Ala Ser Val Ser Arg Gly Ser Met Gln Glu Leu Asp
 545 550 555 560
 Met Leu Ala Gly Leu Arg Arg Ser His Ala Pro Gln Ser Arg Ser Ser
 565 570 575
 Leu Asn Ala Lys Pro His Asp Ser Leu Asp Leu Asn Cys Asp Ser Arg
 580 585 590
 Asp Phe Val Ala Ala Ile Ile Ser Ile Pro Thr Pro Pro Ala Asn Thr
 595 600 605
 Pro Asp Glu Ser Gln Pro Ser Ser Pro Gly Gly Gly Gly Arg Ala Gly
 610 615 620
 Ser Thr Leu Arg Asn Ser Ser Leu Gly Thr Pro Cys Leu Phe Pro Glu
 625 630 635 640
 Thr Val Lys Ile Ser Ser

645

<210> 11
 <211> 1862
 <212> DNA
 <213> H. sapiens

<220>
 <221> CDS
 <222> (383)...(1157)
 <223> K+Hnov15

<400> 11

```

cagctgaatg tggaggcctt taagagaact tccagctcct gtaaaaaccc agaccagagg      60
actactgacc aacatttcag gctgatccct cagacctcga agttactctc cttactctcc      120
tgactcttaa ttacatcaca cctgtgtcga cactctctgg gaaaagactg aagaaataat      180
cttttcaaga agcagaaagc tcctgcatac ataggctgat acgccacctc ctgcaaaacc      240
gagctgacag cgcaggcgat gctgccagcg ttccattccc atcaccaggc tggggctgaa      300
taaaggcggtg cttgtgtggt agtgtctctt tttaaaaaat ctcaaagcca agaagaacaa      360
gctgaaatag catcttcaaa aa atg gag cgt aaa ata aac aga aga gaa aaa      412
                Met Glu Arg Lys Ile Asn Arg Arg Glu Lys
                  1             5             10

gaa aag gag tat gaa ggg aaa cac aac agc ctg gaa gat act gat caa      460
Glu Lys Glu Tyr Glu Gly Lys His Asn Ser Leu Glu Asp Thr Asp Gln
                15             20             25

gga aag aac tgc aaa tcc aca ctg atg acc ctc aac gtt ggt gga tat      508
Gly Lys Asn Cys Lys Ser Thr Leu Met Thr Leu Asn Val Gly Gly Tyr
                30             35             40

tta tac att act caa aaa caa aca ctg acc aag tac cca gac act ttc      556
Leu Tyr Ile Thr Gln Lys Gln Thr Leu Thr Lys Tyr Pro Asp Thr Phe
                45             50             55

ctt gaa ggt ata gta aat gga aaa atc ctc tgc ccg ttt gat gct gat      604
Leu Glu Gly Ile Val Asn Gly Lys Ile Leu Cys Pro Phe Asp Ala Asp
                60             65             70

ggt cat tat ttc ata gac agg gat ggt ctc ctc ttc agg cat gtc cta      652
Gly His Tyr Phe Ile Asp Arg Asp Gly Leu Leu Phe Arg His Val Leu
                75             80             85             90

aac ttc cta cga aat gga gaa ctt cta ttg ccc gaa ggg ttt cga gaa      700
Asn Phe Leu Arg Asn Gly Glu Leu Leu Leu Pro Glu Gly Phe Arg Glu
                95             100             105

aat caa ctt ctt gca caa gaa gca gaa ttc ttt cag ctc aag gga ctg      748
Asn Gln Leu Leu Ala Gln Glu Ala Glu Phe Phe Gln Leu Lys Gly Leu
                110             115             120

gca gag gaa gtg aaa tcc agg tgg gag aaa gaa cag cta aca ccc aga      796
Ala Glu Glu Val Lys Ser Arg Trp Glu Lys Glu Gln Leu Thr Pro Arg
                125             130             135

gag act act ttc ttg gaa ata aca gat aac cac gat cgt tca caa gga      844
Glu Thr Thr Phe Leu Glu Ile Thr Asp Asn His Asp Arg Ser Gln Gly
                140             145             150

tta aga atc ttc tgt aat gct cct gat ttc ata tca aaa ata aag tct      892
Leu Arg Ile Phe Cys Asn Ala Pro Asp Phe Ile Ser Lys Ile Lys Ser

```

```

155              160              165              170
cgc att gtt ctg gtg tcc aaa agc agg ctg gat gga ttt cca gag gag      940
Arg Ile Val Leu Val Ser Lys Ser Arg Leu Asp Gly Phe Pro Glu Glu
              175              180              185

ttt tca ata tcg tca aat atc atc caa ttt aaa tac ttc ata aag tct      988
Phe Ser Ile Ser Ser Asn Ile Ile Gln Phe Lys Tyr Phe Ile Lys Ser
              190              195              200

gaa aat ggc act cga ctt gta cta aag gaa gac aac acc ttt gtc tgt      1036
Glu Asn Gly Thr Arg Leu Val Leu Lys Glu Asp Asn Thr Phe Val Cys
              205              210              215

acc ttg gaa act ctt aag ttt gag gct atc atg atg gct tta aag tgt      1084
Thr Leu Glu Thr Leu Lys Phe Glu Ala Ile Met Met Ala Leu Lys Cys
              220              225              230

ggc ttt aga ctg ctg acc agc ctg gat tgt tcc aaa ggg tca att gtt      1132
Gly Phe Arg Leu Leu Thr Ser Leu Asp Cys Ser Lys Gly Ser Ile Val
              235              240              245              250

cac agc gat gca ctt cat ttt atc a agtaattacc tgtgtcacga      1177
His Ser Asp Ala Leu His Phe Ile
              255

acaaaggcaa caagcatgca gccagcaagc ttcggaaaac cacagcatca aagacatccc      1237
aaataacatg cccagctagc tctgtactac agagccctgc tactaatcaa ttactgtgag      1297
ctaacggtat gtaaattcta tcgctaaaga tgccttcct ctgggggtgtt cctactgac      1357
agactcttcc acctaaaatg aaaacagtaa ccttctatat actgtaaata aagactgaaa      1417
gcttttgcta tttatttgtc cttaaagctgt ctttcaattc agattgtcctt gggatattgc      1477
acaaaaagaa gcatgtacat tatctatcgt tcatttaagt aaatggtaat aaaatatttt      1537
aaggggctat taatatttaa aatccttttc tactatggca aaaatctaca gagaaactga      1597
actggcaaaa ttaactacct ggagcaaaac agatgtgcag atctaactaa aacagagcta      1657
tagtgaaaca aaatgagatt gtaagaagac attaaagcta ttgatttgat tttccatag      1717
caagcaccaa aagcttatat tcacagttcc tgtgtttcat attagactta tagctgaatt      1777
ggatatttgc tgaaaattcc tagaaaactg cttgatgaca ataaaaagta aataaaagca      1837
ctgctacctt caaaaaaaaa aaaaaa      1862

```

<210> 12

<211> 258

<212> PRT

<213> H. sapiens

<400> 12

```

Met Glu Arg Lys Ile Asn Arg Arg Glu Lys Glu Lys Glu Tyr Glu Gly
 1              5              10              15
Lys His Asn Ser Leu Glu Asp Thr Asp Gln Gly Lys Asn Cys Lys Ser
              20              25              30
Thr Leu Met Thr Leu Asn Val Gly Tyr Leu Tyr Ile Thr Gln Lys
              35              40              45
Gln Thr Leu Thr Lys Tyr Pro Asp Thr Phe Leu Glu Gly Ile Val Asn
              50              55              60
Gly Lys Ile Leu Cys Pro Phe Asp Ala Asp Gly His Tyr Phe Ile Asp
65              70              75              80
Arg Asp Gly Leu Leu Phe Arg His Val Leu Asn Phe Leu Arg Asn Gly
              85              90              95
Glu Leu Leu Leu Pro Glu Gly Phe Arg Glu Asn Gln Leu Leu Ala Gln
              100              105              110
Glu Ala Glu Phe Phe Gln Leu Lys Gly Leu Ala Glu Glu Val Lys Ser
              115              120              125

```

```

Arg Trp Glu Lys Glu Gln Leu Thr Pro Arg Glu Thr Thr Phe Leu Glu
 130                      135                      140
Ile Thr Asp Asn His Asp Arg Ser Gln Gly Leu Arg Ile Phe Cys Asn
 145                      150                      155                      160
Ala Pro Asp Phe Ile Ser Lys Ile Lys Ser Arg Ile Val Leu Val Ser
                      165                      170                      175
Lys Ser Arg Leu Asp Gly Phe Pro Glu Phe Ser Ile Ser Ser Asn
                      180                      185                      190
Ile Ile Gln Phe Lys Tyr Phe Ile Lys Ser Glu Asn Gly Thr Arg Leu
                      195                      200                      205
Val Leu Lys Glu Asp Asn Thr Phe Val Cys Thr Leu Glu Thr Leu Lys
                      210                      215                      220
Phe Glu Ala Ile Met Met Ala Leu Lys Cys Gly Phe Arg Leu Leu Thr
 225                      230                      235                      240
Ser Leu Asp Cys Ser Lys Gly Ser Ile Val His Ser Asp Ala Leu His
                      245                      250                      255
Phe Ile

```

```

<210> 13
<211> 1877
<212> DNA
<213> H. sapiens

```

```

<220>
<221> CDS
<222> (322)...(1090)
<223> K+Hnov27

```

```

<400> 13
caccaccgcc ccagccgcc ctcgctgggg aacacttaca tcctcccaa agacagccag      60
gtcgggcccgc acgtgaaatc cgaggctgcg cccaagcgcg ccctgtacga gtctgtgttc      120
gggtcggggg aaatctgcgc cccacttcc cccaaaagac tttgtatccg cccctcggag      180
cctgtggatg cgggtggtgt ggtttccgtg aaacacgacc ccctgcctct tcttccagaa      240
gccaatgggc acagaagcac caattctccc acaatagttt cacctgctat tgtttccccc      300
accagagaca gtcggcccaa t atg tca aga cct ctg atc act aga tcc cct      351
                      Met Ser Arg Pro Leu Ile Thr Arg Ser Pro
                      1                      5                      10

gca tct cca ctg awc aac caa ggc atc cct act cca gca caa ctc aca      399
Ala Ser Pro Leu Xaa Asn Gln Gly Ile Pro Thr Pro Ala Gln Leu Thr
                      15                      20                      25

aaa tcc aat gcg cct gtc cac att gat gtg ggc ggc cac atg tac acc      447
Lys Ser Asn Ala Pro Val His Ile Asp Val Gly Gly His Met Tyr Thr
                      30                      35                      40

agc agc ctg gcc acc ctc acc aaa tac cct gaa tcc aga atc gga aga      495
Ser Ser Leu Ala Thr Leu Thr Lys Tyr Pro Glu Ser Arg Ile Gly Arg
                      45                      50                      55

ctt ttt gat ggt aca gag ccc att gtt ttg gac agt ctc aaa cag cac      543
Leu Phe Asp Gly Thr Glu Pro Ile Val Leu Asp Ser Leu Lys Gln His
                      60                      65                      70

tat ttc att gac aga gat gga cag atg ttc aga tat atc ttg aat ttt      591
Tyr Phe Ile Asp Arg Asp Gly Gln Met Phe Arg Tyr Ile Leu Asn Phe
                      75                      80                      85                      90

cta cga aca tcc aaa ctc ctc att cct gat gat ttc aag gac tac act      639
Leu Arg Thr Ser Lys Leu Leu Ile Pro Asp Asp Phe Lys Asp Tyr Thr

```

95	100	105	
ttg tta tat gaa gag gca aaa tat	ttt cag ctt cag ccc atg ttg ttg	687	
Leu Leu Tyr Glu Glu Ala Lys Tyr	Phe Gln Leu Gln Pro Met Leu Leu		
110	115 120		
gag atg gaa aga tgg aag cag gac	aga gaa act ggt cga ttt tca agg	735	
Glu Met Glu Arg Trp Lys Gln Asp Arg	Glu Thr Gly Arg Phe Ser Arg		
125	130 135		
ccc tgt gag tgc ctc gtc gtg cgt	gtg gcc cca gac ctc gga gaa agg	783	
Pro Cys Glu Cys Leu Val Val Arg	Val Ala Pro Asp Leu Gly Glu Arg		
140	145 150		
atc acg cta agc ggt gac aaa tcc	ttg ata gaa gaa gta ttt cca gag	831	
Ile Thr Leu Ser Gly Asp Lys Ser	Leu Ile Glu Glu Val Phe Pro Glu		
155	160 165 170		
atc ggc gac gtg atg tgt aac tct	gtc aat gca ggc tgg aat cac gac	879	
Ile Gly Asp Val Met Cys Asn Ser	Val Asn Ala Gly Trp Asn His Asp		
175	180 185		
tcg acg cac gtc atc agg ttt cca	cta aat ggc tac tgt cac ctc aac	927	
Ser Thr His Val Ile Arg Phe Pro	Leu Asn Gly Tyr Cys His Leu Asn		
190	195 200		
tca gtc cag gtc ctc gag agg ttg	cag caa aga gga ttt gaa atc gtg	975	
Ser Val Gln Val Leu Glu Arg Leu	Gln Gln Arg Gly Phe Glu Ile Val		
205	210 215		
ggc tcc tgt ggg gga gga gta gac	tcg tcc cag ttc agc gaa tac gtc	1023	
Gly Ser Cys Gly Gly Gly Val Asp	Ser Ser Gln Phe Ser Glu Tyr Val		
220	225 230		
ctt cgg cgg gaa ctg agg cgg acg	ccc cgt gta ccc tcc gtc atc cgg	1071	
Leu Arg Arg Glu Leu Arg Arg Thr	Pro Arg Val Pro Ser Val Ile Arg		
235	240 245 250		
ata aag caa gag cct ctg g actaaatgga	catatttctt atgcaaaaag	1120	
Ile Lys Gln Glu Pro Leu			
255			
gaaaaacacac acaaccaata actcaaacaa aaaagggaca tttatgtgca gttgggacag			1180
caaaccaagt cctggacgta aaattgaata aaagacacat ttatatccaa tagagaccac			1240
acctgtattc atatgggaac aattggaata gtgatatacct caaggtgtaa aaaatatata			1300
aatatatata tatatgtcaa aaggtaggaa atgcaaaaaa gaaaaaaaaa aaaggtgaca			1360
gccgcagttg gtgctgtgat ggccgtgaag tgtcctgggc ctcccagggc ctctgacaaa			1420
taaacaagcc atgagtgggtg aggacacagt ctccctacag tttccattgc caacaacagc			1480
catccatatt tcttttttcc tttgtctttc tttttccttt ttttttaaaa aaacaaaaca			1540
aacaaaacac cttgaatcaa gtttgtttgt atatggaggt tccacgtctt tctttaggca			1600
gggaccaggc aggacttcag aaaaaccctc atgagcacat tgcaaagatg ttagacatga			1660
aatttttaaat gtagtttgta cagaagtcac acttttttgt ccacctcaca gatgtgaact			1720
ttactttggtt ttaaaactga tcagttttgc caaggggcca gaattattcc ttgttagaat			1780
tgctccagtt caagtctgct gctttcctac aatttttcaa attttataat gtattaaata			1840
caataaactc tgttttaaaaa ataaaaaaaa aaaaaaa			1877

<210> 14

<211> 256

<212> PRT

<213> H. sapiens

<220>
 <221> VARIANT
 <222> (1)...(256)
 <223> Xaa = Any Amino Acid

<400> 14
 Met Ser Arg Pro Leu Ile Thr Arg Ser Pro Ala Ser Pro Leu Xaa Asn
 1 5 10 15
 Gln Gly Ile Pro Thr Pro Ala Gln Leu Thr Lys Ser Asn Ala Pro Val
 20 25 30
 His Ile Asp Val Gly Gly His Met Tyr Thr Ser Ser Leu Ala Thr Leu
 35 40 45
 Thr Lys Tyr Pro Glu Ser Arg Ile Gly Arg Leu Phe Asp Gly Thr Glu
 50 55 60
 Pro Ile Val Leu Asp Ser Leu Lys Gln His Tyr Phe Ile Asp Arg Asp
 65 70 75 80
 Gly Gln Met Phe Arg Tyr Ile Leu Asn Phe Leu Arg Thr Ser Lys Leu
 85 90 95
 Leu Ile Pro Asp Asp Phe Lys Asp Tyr Thr Leu Leu Tyr Glu Glu Ala
 100 105 110
 Lys Tyr Phe Gln Leu Gln Pro Met Leu Leu Glu Met Glu Arg Trp Lys
 115 120 125
 Gln Asp Arg Glu Thr Gly Arg Phe Ser Arg Pro Cys Glu Cys Leu Val
 130 135 140
 Val Arg Val Ala Pro Asp Leu Gly Glu Arg Ile Thr Leu Ser Gly Asp
 145 150 155 160
 Lys Ser Leu Ile Glu Glu Val Phe Pro Glu Ile Gly Asp Val Met Cys
 165 170 175
 Asn Ser Val Asn Ala Gly Trp Asn His Asp Ser Thr His Val Ile Arg
 180 185 190
 Phe Pro Leu Asn Gly Tyr Cys His Leu Asn Ser Val Gln Val Leu Glu
 195 200 205
 Arg Leu Gln Gln Arg Gly Phe Glu Ile Val Gly Ser Cys Gly Gly Gly
 210 215 220
 Val Asp Ser Ser Gln Phe Ser Glu Tyr Val Leu Arg Arg Glu Leu Arg
 225 230 235 240
 Arg Thr Pro Arg Val Pro Ser Val Ile Arg Ile Lys Gln Glu Pro Leu
 245 250 255

<210> 15
 <211> 923
 <212> DNA
 <213> H. sapiens

<220>
 <221> CDS
 <222> (165)...(756)
 <223> K+Hnov2

<400> 15
 gcgtggtggc aggtgcctgt agccccagct acttggggagg ctgaggcagg agaatagettt 60
 gaaccggggc ggcgaaggtt gactgagccg agattgcacc actgcactcc agcctggggc 120
 acagagcgag actccatctc aaaaaaaga gtagttatgg ccac atg gcc cca cta 176
 Met Ala Pro Leu
 1
 tcg cca ggc gga aag gcc ttc tgc atg gtc tat gca gcc ctg ggg ctg 224
 Ser Pro Gly Gly Lys Ala Phe Cys Met Val Tyr Ala Ala Leu Gly Leu
 5 10 15 20
 cca gcc tcc tta gct ctg gtc gcc acc ctg cgc cat tgc ctg ctg cct 272

Pro Ala Ser Leu Ala Leu Val Ala Thr Leu Arg His Cys Leu Leu Pro
25 30 35

gtg ctc agc cgc cca cgt gcc tgg gta gcg gtc cac tgg cag ctg tca 320
Val Leu Ser Arg Pro Arg Ala Trp Val Ala Val His Trp Gln Leu Ser
40 45 50

ccg gcc agg gct gcg ctg ctg cag gca gtt gca ctg gga ctg ctg gtg 368
Pro Ala Arg Ala Ala Leu Leu Gln Ala Val Ala Leu Gly Leu Leu Val
55 60 65

gcc agc agc ttt gtg ctg ctg cca gcg ctg gtg ctg tgg ggc ctt cag 416
Ala Ser Ser Phe Val Leu Leu Pro Ala Leu Val Leu Trp Gly Leu Gln
70 75 80

ggc gac tgc agc ctg ctg ggg gcc gtc tac ttc tgc ttc agc tgc ctc 464
Gly Asp Cys Ser Leu Leu Gly Ala Val Tyr Phe Cys Phe Ser Ser Leu
85 90 95 100

agc acc att ggc ctg gag gac ttg ctg ccc ggc cgc ggc cgc agc ctg 512
Ser Thr Ile Gly Leu Glu Asp Leu Leu Pro Gly Arg Gly Arg Ser Leu
105 110 115

cac ccc gtg att tac cac ctg ggc cag ctc gca ctt ctt ggt tac ttg 560
His Pro Val Ile Tyr His Leu Gly Gln Leu Ala Leu Leu Gly Tyr Leu
120 125 130

ctt cta gga ctc ttg gcc atg ctg ctg gca gtg gag acc ttc tct gag 608
Leu Leu Gly Leu Leu Ala Met Leu Leu Ala Val Glu Thr Phe Ser Glu
135 140 145

ctg ccg cag gtc cgt gcc atg ggg aag ttc ttc aga ccc agt ggt cct 656
Leu Pro Gln Val Arg Ala Met Gly Lys Phe Phe Arg Pro Ser Gly Pro
150 155 160

gtg act gct gag gac caa ggt ggc atc cta ggg cag gat gaa ctg gct 704
Val Thr Ala Glu Asp Gln Gly Gly Ile Leu Gly Gln Asp Glu Leu Ala
165 170 175 180

ctg agc acc ctg ccg ccc gcg gcc cca gct tca gga caa gcc cct gct 752
Leu Ser Thr Leu Pro Pro Ala Ala Pro Ala Ser Gly Gln Ala Pro Ala
185 190 195

tgc t gaagcgtcag gtgaccgagt tcagctccgt aaggtggcgg cacctgagga 806
Cys

ggaagcagcc aggagtggct ggggaagaat ctggagatgg agccgcggtg aggggtgggcg 866
ggaggcctca ggggatactg ttaatcataa aaaaaaaaaa aaaaaaaaaa aaaaaaa 923

<210> 16
<211> 197
<212> PRT
<213> H. sapiens

<400> 16
Met Ala Pro Leu Ser Pro Gly Gly Lys Ala Phe Cys Met Val Tyr Ala
1 5 10 15
Ala Leu Gly Leu Pro Ala Ser Leu Ala Leu Val Ala Thr Leu Arg His
20 25 30
Cys Leu Leu Pro Val Leu Ser Arg Pro Arg Ala Trp Val Ala Val His

```

      35              40              45
Trp Gln Leu Ser Pro Ala Arg Ala Ala Leu Leu Gln Ala Val Ala Leu
  50              55              60
Gly Leu Leu Val Ala Ser Ser Phe Val Leu Leu Pro Ala Leu Val Leu
  65              70              75              80
Trp Gly Leu Gln Gly Asp Cys Ser Leu Leu Gly Ala Val Tyr Phe Cys
      85              90              95
Phe Ser Ser Leu Ser Thr Ile Gly Leu Glu Asp Leu Leu Pro Gly Arg
      100              105              110
Gly Arg Ser Leu His Pro Val Ile Tyr His Leu Gly Gln Leu Ala Leu
      115              120              125
Leu Gly Tyr Leu Leu Leu Gly Leu Leu Ala Met Leu Leu Ala Val Glu
      130              135              140
Thr Phe Ser Glu Leu Pro Gln Val Arg Ala Met Gly Lys Phe Phe Arg
      145              150              155              160
Pro Ser Gly Pro Val Thr Ala Glu Asp Gln Gly Gly Ile Leu Gly Gln
      165              170              175
Asp Glu Leu Ala Leu Ser Thr Leu Pro Pro Ala Ala Pro Ala Ser Gly
      180              185              190
Gln Ala Pro Ala Cys
      195

```

<210> 17

<211> 3102

<212> DNA

<213> H. sapiens

<220>

<221> CDS

<222> (274)...(1705)

<223> K+Hnov11

<400> 17

```

gcacgcgcaa agcgcacc gagaccctg ggggtggagct tgtgttaata gaaacatacc      60
caccgccagc ctttcctggg aggggatcag acccctcaaa ctcttgcccc agccagccc      120
ttcagcaccc aagaccacc agggaggctg ggcccgccag taatgggtag ggagaggggg      180
ccccgccagg ggcacggcg ctctcgccga cgtgttccc tccgcttcca ggtgtagcgc      240
ccccgcgcgg cgcgggcggc cggcgctcc agc atg acc ggc cag agc ctg tgg      294
                               Met Thr Gly Gln Ser Leu Trp
                               1                               5

gac gtg tcg gag gct aac gtc gag gac ggg gag atc cgc atc aat gtg      342
Asp Val Ser Glu Ala Asn Val Glu Asp Gly Glu Ile Arg Ile Asn Val
      10              15              20

ggc ggc ttc aag agg agg ctg cgc tcg cac acg ctg ctg cgc ttc ccc      390
Gly Gly Phe Lys Arg Arg Leu Arg Ser His Thr Leu Leu Arg Phe Pro
      25              30              35

gag acg cgc ctg ggc cgc ttg ctg ctc tgc cac tcg cgc gag gcc att      438
Glu Thr Arg Leu Gly Arg Leu Leu Leu Cys His Ser Arg Glu Ala Ile
      40              45              50              55

ctg gag ctc tgc gat gac tac gac gac gtc cag cgg gag ttc tac ttc      486
Leu Glu Leu Cys Asp Asp Tyr Asp Asp Val Gln Arg Glu Phe Tyr Phe
      60              65              70

gac cgc aac cct gag ctc ttc ccc tac gtg ctg cat ttc tat cac acc      534
Asp Arg Asn Pro Glu Leu Phe Pro Tyr Val Leu His Phe Tyr His Thr
      75              80              85

```

ggc aag ctt cac gtc atg gct gag cta tgt gtc ttc tcc ttc agc cag	582
Gly Lys Leu His Val Met Ala Glu Leu Cys Val Phe Ser Phe Ser Gln	
90 95 100	
gag atc gag tac tgg ggc atc aac gag ttc ttc att gac tcc tgc tgc	630
Glu Ile Glu Tyr Trp Gly Ile Asn Glu Phe Phe Ile Asp Ser Cys Cys	
105 110 115	
agc tac agc tac cat ggc cgc aaa gta gag ccc gag cag gag aag tgg	678
Ser Tyr Ser Tyr His Gly Arg Lys Val Glu Pro Glu Gln Glu Lys Trp	
120 125 130 135	
gac gag cag agt gac cag gag agc acc acg tct tcc ttc gat gag atc	726
Asp Glu Gln Ser Asp Gln Glu Ser Thr Thr Ser Ser Phe Asp Glu Ile	
140 145 150	
ctt gcc ttc tac aac gac gcc tcc aag ttc gat ggg cag ccc ctc ggc	774
Leu Ala Phe Tyr Asn Asp Ala Ser Lys Phe Asp Gly Gln Pro Leu Gly	
155 160 165	
aac ttc cgc agg cag ctg tgg ctg gcg ctg gac aac ccc ggc tac tca	822
Asn Phe Arg Arg Gln Leu Trp Leu Ala Leu Asp Asn Pro Gly Tyr Ser	
170 175 180	
gtg ctg agc agg gtc ttc agc atc ctg tcc atc ctg gtg gtg atg ggg	870
Val Leu Ser Arg Val Phe Ser Ile Leu Ser Ile Leu Val Val Met Gly	
185 190 195	
tcc atc atc acc atg tgc ctc aat agc ctg ccc gat ttc caa atc cct	918
Ser Ile Ile Thr Met Cys Leu Asn Ser Leu Pro Asp Phe Gln Ile Pro	
200 205 210 215	
gac agc cag ggc aac cct ggc gag gac cct agg ttc gaa atc gtg gag	966
Asp Ser Gln Gly Asn Pro Gly Glu Asp Pro Arg Phe Glu Ile Val Glu	
220 225 230	
cac ttt ggc att gcc tgg ttc aca ttt gag ctg gtg gcc agg ttt gct	1014
His Phe Gly Ile Ala Trp Phe Thr Phe Glu Leu Val Ala Arg Phe Ala	
235 240 245	
gtg gcc cct gac ttc ctc aag ttc ttc aag aat gcc cta aac ctt att	1062
Val Ala Pro Asp Phe Leu Lys Phe Phe Lys Asn Ala Leu Asn Leu Ile	
250 255 260	
gac ctc atg tcc atc gtc ccc ttt tac atc act ctg gtg gtg aac ctg	1110
Asp Leu Met Ser Ile Val Pro Phe Tyr Ile Thr Leu Val Val Asn Leu	
265 270 275	
gtg gtg gag agc aca cct act tta gcc aac ttg ggc agg gtg gcc cag	1158
Val Val Glu Ser Thr Pro Thr Leu Ala Asn Leu Gly Arg Val Ala Gln	
280 285 290 295	
gtc ctg agg ctg atg cgg atc ttc cgc atc tta aag ctg gcc agg cac	1206
Val Leu Arg Leu Met Arg Ile Phe Arg Ile Leu Lys Leu Ala Arg His	
300 305 310	
tcc act ggc ctc cgc tcc ctg ggg gcc act ttg aaa tac agc tac aaa	1254
Ser Thr Gly Leu Arg Ser Leu Gly Ala Thr Leu Lys Tyr Ser Tyr Lys	
315 320 325	
gaa gta ggg ctg ctc ttg ctc tac ctc tcc gtg ggg att tcc atc ttc	1302

Glu Val Gly Leu Leu Leu Tyr Leu Ser Val Gly Ile Ser Ile Phe	
330 335 340	
tcc gtg gtg gcc tac acc att gaa aag gag gag aac gag ggc ctg gcc	1350
Ser Val Val Ala Tyr Thr Ile Glu Lys Glu Glu Asn Glu Gly Leu Ala	
345 350 355	
acc atc cct gcc tgc tgg tgg tgg gct acc gtc agt atg acc aca gtg	1398
Thr Ile Pro Ala Cys Trp Trp Trp Ala Thr Val Ser Met Thr Thr Val	
360 365 370 375	
ggg tac ggg gat gtg gtc cca ggg acc acg gca gga aag ctg act gcc	1446
Gly Tyr Gly Asp Val Val Pro Gly Thr Thr Ala Gly Lys Leu Thr Ala	
380 385 390	
tct gcc tgc atc ttg gca ggc atc ctc gtg gtg gtc ctg ccc atc acc	1494
Ser Ala Cys Ile Leu Ala Gly Ile Leu Val Val Val Leu Pro Ile Thr	
395 400 405	
ttg atc ttc aat aag ttc tcc cac ttt tac cgg cgc caa aag caa ctt	1542
Leu Ile Phe Asn Lys Phe Ser His Phe Tyr Arg Arg Gln Lys Gln Leu	
410 415 420	
gag agt gcc atg cgc agc tgt gac ttt gga gat gga atg aag gag gtc	1590
Glu Ser Ala Met Arg Ser Cys Asp Phe Gly Asp Gly Met Lys Glu Val	
425 430 435	
cct tcg gtc aat tta agg gac tat tat gcc cat aaa gtt aaa tcc ctt	1638
Pro Ser Val Asn Leu Arg Asp Tyr Tyr Ala His Lys Val Lys Ser Leu	
440 445 450 455	
atg gca agc ctg acg aac atg agc agg agc tca cca agt gaa ctc agt	1686
Met Ala Ser Leu Thr Asn Met Ser Arg Ser Ser Pro Ser Glu Leu Ser	
460 465 470	
tta aat gat tcc cta cgt t agccgggagg acttggtcacc ctccacccca	1735
Leu Asn Asp Ser Leu Arg	
475	
cattgctgag ctgcctcttg tgcctctggc acagcccagg caccttatgg ttatgggtgta	1795
aggagtatgc ccagcccctg aggggagaga tgcattggat atgcacccag gtttctttta	1855
cagtttttag aatcggtttt agaggggtgg gtgtctgaca ccatgccttt gcacctttcc	1915
atgaaatgac actcactggc ctttgcacgt tgggcataaa atgttcacct tttttccaga	1975
tgagtacacc cagaatgcta atttttctgt ccattcgtgta cgctattcta gtgcttggtg	2035
cccagtactg tctatgagtt gtcgtgctcc tgtttctgag gttgtcgtgt gagttctgta	2095
caaaaagccc ccacaagtcg tccagtagaa atgcatctat gaggtcagca aggatatgat	2155
gagattttgc tcacagtcac gtgaaaacaa aatctcagct ctttatccat tgctttcact	2215
tagtttttagt accaaaacaa agagaatgca aagttaagca gacttgacca atgcaagtct	2275
ctaagttggt tttataaatg atctgtagtt ccgtggcttg catgggtgca ccaatcatct	2335
ttagaacgat gtacactgat gttcatctca taaatgtcac tcttttagaga atgttactta	2395
gttaaaccatg cagtgaagat cgaattttt tcccaagaac agatgtgtta gggagagggg	2455
cttcagctaa atagtccaaa ccctagggtg cttaaaagcca agttagtgca ggctgagccc	2515
cttggttcac agtcaagcct ccttgtttcc tagggtgact gtagagaaat gtatttcctg	2575
atgaggtttc tgatctaggc catttgacca aactttgctg tgtctaagat attagcatgt	2635
ttttgaaata tttatttttt aagatgttta ggagtaagggt cgtgttgctt tccccaacta	2695
aaaagaagtt tactgttgta tcgtctccct gaggtgaacg ttgttggtgt gctagcaagg	2755
cagtagctta atacttttgt tgcctactct gaaagctcat caatgagagc ccttttattt	2815
ccaagcagaa ttttagtcaga taattttgct tctaggatat agtatgttgt atatgatgct	2875
gtgattgccc tggagttcct gcccatgact ggaaacctgg tggatggaa gcatgtactc	2935
aaaatataga cgtgcacgat ggtgggtgtg cttaccagg atggaaacac tgcagttctt	2995
acttgcattc ccactgcctt tcatgggggg tgactgggta gaggccagga gaaaggaaag	3055

agttgtaaaaa taaaaaactg ctagttcata aaaaaaaaaa aaaaaaa

3102

<210> 18

<211> 477

<212> PRT

<213> H. sapiens

<400> 18

Met	Thr	Gly	Gln	Ser	Leu	Trp	Asp	Val	Ser	Glu	Ala	Asn	Val	Glu	Asp
1				5					10					15	
Gly	Glu	Ile	Arg	Ile	Asn	Val	Gly	Gly	Phe	Lys	Arg	Arg	Leu	Arg	Ser
			20					25					30		
His	Thr	Leu	Leu	Arg	Phe	Pro	Glu	Thr	Arg	Leu	Gly	Arg	Leu	Leu	Leu
		35					40					45			
Cys	His	Ser	Arg	Glu	Ala	Ile	Leu	Glu	Leu	Cys	Asp	Asp	Tyr	Asp	Asp
	50					55					60				
Val	Gln	Arg	Glu	Phe	Tyr	Phe	Asp	Arg	Asn	Pro	Glu	Leu	Phe	Pro	Tyr
65					70					75					80
Val	Leu	His	Phe	Tyr	His	Thr	Gly	Lys	Leu	His	Val	Met	Ala	Glu	Leu
				85					90					95	
Cys	Val	Phe	Ser	Phe	Ser	Gln	Glu	Ile	Glu	Tyr	Trp	Gly	Ile	Asn	Glu
			100					105					110		
Phe	Phe	Ile	Asp	Ser	Cys	Cys	Ser	Tyr	Ser	Tyr	His	Gly	Arg	Lys	Val
	115						120					125			
Glu	Pro	Glu	Gln	Glu	Lys	Trp	Asp	Glu	Gln	Ser	Asp	Gln	Glu	Ser	Thr
	130					135					140				
Thr	Ser	Ser	Phe	Asp	Glu	Ile	Leu	Ala	Phe	Tyr	Asn	Asp	Ala	Ser	Lys
145					150					155					160
Phe	Asp	Gly	Gln	Pro	Leu	Gly	Asn	Phe	Arg	Arg	Gln	Leu	Trp	Leu	Ala
				165				170						175	
Leu	Asp	Asn	Pro	Gly	Tyr	Ser	Val	Leu	Ser	Arg	Val	Phe	Ser	Ile	Leu
		180						185					190		
Ser	Ile	Leu	Val	Val	Met	Gly	Ser	Ile	Ile	Thr	Met	Cys	Leu	Asn	Ser
	195						200					205			
Leu	Pro	Asp	Phe	Gln	Ile	Pro	Asp	Ser	Gln	Gly	Asn	Pro	Gly	Glu	Asp
	210					215					220				
Pro	Arg	Phe	Glu	Ile	Val	Glu	His	Phe	Gly	Ile	Ala	Trp	Phe	Thr	Phe
225					230					235					240
Glu	Leu	Val	Ala	Arg	Phe	Ala	Val	Ala	Pro	Asp	Phe	Leu	Lys	Phe	Phe
				245					250					255	
Lys	Asn	Ala	Leu	Asn	Leu	Ile	Asp	Leu	Met	Ser	Ile	Val	Pro	Phe	Tyr
		260						265					270		
Ile	Thr	Leu	Val	Val	Asn	Leu	Val	Glu	Ser	Thr	Pro	Thr	Leu	Ala	
	275					280					285				
Asn	Leu	Gly	Arg	Val	Ala	Gln	Val	Leu	Arg	Leu	Met	Arg	Ile	Phe	Arg
	290					295					300				
Ile	Leu	Lys	Leu	Ala	Arg	His	Ser	Thr	Gly	Leu	Arg	Ser	Leu	Gly	Ala
305					310					315					320
Thr	Leu	Lys	Tyr	Ser	Tyr	Lys	Glu	Val	Gly	Leu	Leu	Leu	Leu	Tyr	Leu
			325						330					335	
Ser	Val	Gly	Ile	Ser	Ile	Phe	Ser	Val	Val	Ala	Tyr	Thr	Ile	Glu	Lys
		340						345					350		
Glu	Glu	Asn	Glu	Gly	Leu	Ala	Thr	Ile	Pro	Ala	Cys	Trp	Trp	Trp	Ala
	355						360					365			
Thr	Val	Ser	Met	Thr	Thr	Val	Gly	Tyr	Gly	Asp	Val	Val	Pro	Gly	Thr
	370					375					380				
Thr	Ala	Gly	Lys	Leu	Thr	Ala	Ser	Ala	Cys	Ile	Leu	Ala	Gly	Ile	Leu
385					390					395					400
Val	Val	Val	Leu	Pro	Ile	Thr	Leu	Ile	Phe	Asn	Lys	Phe	Ser	His	Phe
				405					410					415	
Tyr	Arg	Arg	Gln	Lys	Gln	Leu	Glu	Ser	Ala	Met	Arg	Ser	Cys	Asp	Phe

```

      420      425      430
Gly Asp Gly Met Lys Glu Val Pro Ser Val Asn Leu Arg Asp Tyr Tyr
      435      440      445
Ala His Lys Val Lys Ser Leu Met Ala Ser Leu Thr Asn Met Ser Arg
      450      455      460
Ser Ser Pro Ser Glu Leu Ser Leu Asn Asp Ser Leu Arg
465      470      475

<210> 19
<211> 0
<212> DNA
<213> H. sapiens

<220>
<221> CDS
<222> (249)...(3495)
<223> K+Hnov14

<400> 19
gggctggtag cagggatttg tgggcggcga gggcgcgagg ggccgcgcgc catgctccgg      60
gccccgacgg cgcggacgcc ccctcgcgcg ccagctccgg cgcgaccccg gatcccggtc      120
tgcgcatattg cccccgacgg ctgcgctagg agcgcggggc ccggcggggg cggccgagct      180
gggcgccttc ccccggcgcg gagtccccgc accccggagg atggggcggg cagccgcggg      240
cgcctaag atg ccg gcc atg cgg ggc ctc ctg gcg ccg cag aac acc ttc      290
      Met Pro Ala Met Arg Gly Leu Leu Ala Pro Gln Asn Thr Phe
              1              5              10

ctg gac acc atc gct acg cgc ttc gac ggc acg cac agt aac ttc gtg      338
Leu Asp Thr Ile Ala Thr Arg Phe Asp Gly Thr His Ser Asn Phe Val —
      15              20              25              30

ctg ggc aac gcc agt ggc ggg gct ctt ccc gtg gtc tac tgc tct gat      386
Leu Gly Asn Ala Ser Gly Gly Ala Leu Pro Val Val Tyr Cys Ser Asp
              35              40              45

ggc ttc tgt gac ctc acg ggc ttc tcc cgg gct gag gtc atg cag cgg      434
Gly Phe Cys Asp Leu Thr Gly Phe Ser Arg Ala Glu Val Met Gln Arg
              50              55              60

ggc tgt gcc tgc tcc ttc ctt tat ggg cca gac acc agt gag ctc gtc      482
Gly Cys Ala Cys Ser Phe Leu Tyr Gly Pro Asp Thr Ser Glu Leu Val
              65              70              75

cgc caa cag atc cgc aag gcc ctg gac gag cac aag gag ttc aag gct      530
Arg Gln Gln Ile Arg Lys Ala Leu Asp Glu His Lys Glu Phe Lys Ala
      80              85              90

gag ctg atc ctg tac cgg aag agc ggg ctc ccg ttc tgg tgt ctc ctg      578
Glu Leu Ile Leu Tyr Arg Lys Ser Gly Leu Pro Phe Trp Cys Leu Leu
      95              100              105              110

gat gtg ata ccc ata aag aat gag aaa ggg gag gtg gct ctc ttc cta      626
Asp Val Ile Pro Ile Lys Asn Glu Lys Gly Glu Val Ala Leu Phe Leu
              115              120              125

gtc tct cac aag gac atc agc gaa acc aag aac cga ggg ggc ccc gac      674
Val Ser His Lys Asp Ile Ser Glu Thr Lys Asn Arg Gly Gly Pro Asp
              130              135              140

aga tgg aaa gag aca ggt ggt ggc cgg cgc cga tat ggc cgg gca cga      722
Arg Trp Lys Glu Thr Gly Gly Gly Arg Arg Arg Tyr Gly Arg Ala Arg

```

145	150	155	
tcc aaa ggc ttc aat gcc aac cgg cgg cgg agc cgg gcc gtg ctc tac Ser Lys Gly Phe Asn Ala Asn Arg Arg Arg Ser Arg Ala Val Leu Tyr 160 165 170			770
cac ctg tcc ggg cac ctg cag aag cag ccc aag ggc aag cac aag ctc His Leu Ser Gly His Leu Gln Lys Gln Pro Lys Gly Lys His Lys Leu 175 180 185 190			818
aat aag ggg gtg ttt ggg gag aaa cca aac ttg cct gag tac aaa gta Asn Lys Gly Val Phe Gly Glu Lys Pro Asn Leu Pro Glu Tyr Lys Val 195 200 205			866
gcc gcc atc cgg aag tcg ccc ttc atc ctg ttg cac tgt ggg gca ctg Ala Ala Ile Arg Lys Ser Pro Phe Ile Leu Leu His Cys Gly Ala Leu 210 215 220			914
aga gcc acc tgg gat ggc ttc atc ctg ctc gcc aca ctc tat gtg gct Arg Ala Thr Trp Asp Gly Phe Ile Leu Leu Ala Thr Leu Tyr Val Ala 225 230 235			962
gtc act gtg ccc tac agc gtg tgt gtg agc aca gca cgg gag ccc agt Val Thr Val Pro Tyr Ser Val Cys Val Ser Thr Ala Arg Glu Pro Ser 240 245 250			1010
gcc gcc cgc ggc ccg ccc agc gtc tgt gac ctg gcc gtg gag gtc ctc Ala Ala Arg Gly Pro Pro Ser Val Cys Asp Leu Ala Val Glu Val Leu 255 260 265 270			1058
ttc atc ctt gac att gtg ctg aat ttc cgt acc aca ttc gtg tcc aag Phe Ile Leu Asp Ile Val Leu Asn Phe Arg Thr Thr Phe Val Ser Lys 275 280 285			1106
tcg ggc cag gtg gtg ttt gcc cca aag tcc att tgc ctc cac tac gtc Ser Gly Gln Val Val Phe Ala Pro Lys Ser Ile Cys Leu His Tyr Val 290 295 300			1154
acc acc tgg ttc ctg ctg gat gtc atc gca gcg ctg ccc ttt gac ctg Thr Thr Trp Phe Leu Leu Asp Val Ile Ala Ala Leu Pro Phe Asp Leu 305 310 315			1202
cta cat gcc ttc aag gtc aac gtg tac ttc ggg gcc cat ctg ctg aag Leu His Ala Phe Lys Val Asn Val Tyr Phe Gly Ala His Leu Leu Lys 320 325 330			1250
acg gtg cgc ctg ctg cgc ctg ctg cgc ctg ctt ccg cgg ctg gac cgg Thr Val Arg Leu Leu Arg Leu Leu Arg Leu Leu Pro Arg Leu Asp Arg 335 340 345 350			1298
tac tcg cag tac agc gcc gtg gtg ctg aca ctg ctc atg gcc gtg ttc Tyr Ser Gln Tyr Ser Ala Val Val Leu Thr Leu Leu Met Ala Val Phe 355 360 365			1346
gcc ctg ctc gcg cac tgg gtc gcc tgc gtc tgg ttt tac att ggc cag Ala Leu Leu Ala His Trp Val Ala Cys Val Trp Phe Tyr Ile Gly Gln 370 375 380			1394
cgg gag atc gag agc agc gaa tcc gag ctg cct gag att ggc tgg ctg Arg Glu Ile Glu Ser Ser Glu Ser Glu Leu Pro Glu Ile Gly Trp Leu 385 390 395			1442

cag gag ctg gcc cgc cga ctg gag act ccc tac tac ctg gtg ggc cgg Gln Glu Leu Ala Arg Arg Leu Glu Thr Pro Tyr Tyr Leu Val Gly Arg 400 405 410	1490
agg cca gct gga ggg aac agc tcc ggc cag agt gac aac tgc agc agc Arg Pro Ala Gly Gly Asn Ser Ser Gly Gln Ser Asp Asn Cys Ser Ser 415 420 425 430	1538
agc agc gag gcc aac ggg acg ggg ctg gag ctg ctg ggc ggc ccg tcg Ser Ser Glu Ala Asn Gly Thr Gly Leu Glu Leu Leu Gly Gly Pro Ser 435 440 445	1586
ctg cgc agc gcc tac atc acc tcc ctc tac ttc gca ctc agc agc ctc Leu Arg Ser Ala Tyr Ile Thr Ser Leu Tyr Phe Ala Leu Ser Ser Leu 450 455 460	1634
acc agc gtg ggc ttc ggc aac gtg tcc gcc aac acg gac acc gag aag Thr Ser Val Gly Phe Gly Asn Val Ser Ala Asn Thr Asp Thr Glu Lys 465 470 475	1682
atc ttc tcc atc tgc acc atg ctc atc ggc gcc ctg atg cac gcg gtg Ile Phe Ser Ile Cys Thr Met Leu Ile Gly Ala Leu Met His Ala Val 480 485 490	1730
gtg ttt ggg aac gtg acg gcc atc atc cag cgc atg tac gcc cgc cgc Val Phe Gly Asn Val Thr Ala Ile Ile Gln Arg Met Tyr Ala Arg Arg 495 500 505 510	1778
ttt ctg tac cac agc cgc acg cgc gac cag cgc gac tac atc cgc atc Phe Leu Tyr His Ser Arg Thr Arg Asp Gln Arg Asp Tyr Ile Arg Ile 515 520 525	1826
cac cgt atc ccc aag ccc ctc aag cag cgc atg ctg gag tac ttc cag His Arg Ile Pro Lys Pro Leu Lys Gln Arg Met Leu Glu Tyr Phe Gln 530 535 540	1874
gcc acc tgg gcg gtg aac aat ggc atc gac acc acc gag ctg ctg cag Ala Thr Trp Ala Val Asn Asn Gly Ile Asp Thr Thr Glu Leu Leu Gln 545 550 555	1922
agc ctc cct gac gag ctg cgc gca gac atc gcc atg cac ctg cac aag Ser Leu Pro Asp Glu Leu Arg Ala Asp Ile Ala Met His Leu His Lys 560 565 570	1970
gag gtc ctg cag ctg cca ctg ttt gag gcg gcc agc cgc ggc tgc ctg Glu Val Leu Gln Leu Pro Leu Phe Glu Ala Ala Ser Arg Gly Cys Leu 575 580 585 590	2018
cgg gca ctg tct ctg gcc ctg cgg ccc gcc ttc tgc acg ccg ggc gag Arg Ala Leu Ser Leu Ala Leu Arg Pro Ala Phe Cys Thr Pro Gly Glu 595 600 605	2066
tac ctc atc cac caa ggc gat gcc ctg cag gcc ctc tac ttt gtc tgc Tyr Leu Ile His Gln Gly Asp Ala Leu Gln Ala Leu Tyr Phe Val Cys 610 615 620	2114
tct ggc tcc atg gag gtg ctc aag ggt ggc acc gtg ctc gcc atc cta Ser Gly Ser Met Glu Val Leu Lys Gly Gly Thr Val Leu Ala Ile Leu 625 630 635	2162

ggg aag ggc gac ctg atc ggc tgt gag ctg ccc cgg cgg gag cag gtg Gly Lys Gly Asp Leu Ile Gly Cys Glu Leu Pro Arg Arg Glu Gln Val 640 645 650	2210
gta aag gcc aat gcc gac gtg aag ggg ctg acg tac tgc gtc ctg cag Val Lys Ala Asn Ala Asp Val Lys Gly Leu Thr Tyr Cys Val Leu Gln 655 660 665 670	2258
tgt ctg cag ctg gct ggc ctg cac gac agc ctt gcg ctg tac ccc gag Cys Leu Gln Leu Ala Gly Leu His Asp Ser Leu Ala Leu Tyr Pro Glu 675 680 685	2306
ttt gcc ccg cgc ttc agt cgt ggc ctc cga ggg gag ctc agc tac aac Phe Ala Pro Arg Phe Ser Arg Gly Leu Arg Gly Glu Leu Ser Tyr Asn 690 695 700	2354
ctg ggt gct ggg gga ggc tct gca gag gtg gac acc agc tcc ctg agc Leu Gly Ala Gly Gly Gly Ser Ala Glu Val Asp Thr Ser Ser Leu Ser 705 710 715	2402
ggc gac aat acc ctt atg tcc acg ctg gag gag aag gag aca gat ggg Gly Asp Asn Thr Leu Met Ser Thr Leu Glu Glu Lys Glu Thr Asp Gly 720 725 730	2450
gag cag ggc ccc acg gtc tcc cca gcc cca gct gat gag ccc tcc agc Glu Gln Gly Pro Thr Val Ser Pro Ala Pro Ala Asp Glu Pro Ser Ser 735 740 745 750	2498
ccc ctg ctg tcc cct ggc tgc acc tcc tca tcc tca gct gcc aag ctg Pro Leu Leu Ser Pro Gly Cys Thr Ser Ser Ser Ser Ala Ala Lys Leu 755 760 765	2546
cta tcc cca cgt cga aca gca ccc cgg cct cgt cta ggt ggc aga ggg Leu Ser Pro Arg Arg Thr Ala Pro Arg Pro Arg Leu Gly Gly Arg Gly 770 775 780	2594
agg cca ggc agg gca ggg gct ttg aag gct gag gct ggc ccc tct gct Arg Pro Gly Arg Ala Gly Ala Leu Lys Ala Glu Ala Gly Pro Ser Ala 785 790 795	2642
ccc cca cgg gcc cta gag ggg cta cgg ctg ccc ccc atg cca tgg aat Pro Pro Arg Ala Leu Glu Gly Leu Arg Leu Pro Pro Met Pro Trp Asn 800 805 810	2690
gtg ccc cca gat ctg agc ccc agg gta gta gat ggc att gaa gac ggc Val Pro Pro Asp Leu Ser Pro Arg Val Val Asp Gly Ile Glu Asp Gly 815 820 825 830	2738
tgt ggc tcg gac cag ccc aag ttc tct ttc cgc gtg ggc cag tct ggc Cys Gly Ser Asp Gln Pro Lys Phe Ser Phe Arg Val Gly Gln Ser Gly 835 840 845	2786
ccg gaa tgt agc agc agc ccc tcc cct gga cca gag agc ggc ctg ctc Pro Glu Cys Ser Ser Ser Pro Ser Pro Gly Pro Glu Ser Gly Leu Leu 850 855 860	2834
act gtt ccc cat ggg ccc agc gag gca agg aac aca gac aca ctg gac Thr Val Pro His Gly Pro Ser Glu Ala Arg Asn Thr Asp Thr Leu Asp 865 870 875	2882
aag ctt cgg cag gcg gtg aca gag ctg tca gag cag gtg ctg cag atg	2930

Lys Leu Arg Gln Ala Val Thr Glu Leu Ser Glu Gln Val Leu Gln Met
 880 885 890
 cgg gaa gga ctg cag tca ctt cgc cag gct gtg cag ctt gtc ctg gcg 2978
 Arg Glu Gly Leu Gln Ser Leu Arg Gln Ala Val Gln Leu Val Leu Ala
 895 900 905 910
 ccc cac agg gag ggt ccg tgc cct cgg gca tgc gga gag ggg ccg tgc 3026
 Pro His Arg Glu Gly Pro Cys Pro Arg Ala Ser Gly Glu Gly Pro Cys
 915 920 925
 cca gcc agc acc tcc ggg ctt ctg cag cct ctg tgt gtg gac act ggg 3074
 Pro Ala Ser Thr Ser Gly Leu Leu Gln Pro Leu Cys Val Asp Thr Gly
 930 935 940
 gca tcc tcc tac tgc ctg cag ccc cca gct ggc tct gtc ttg agt ggg 3122
 Ala Ser Ser Tyr Cys Leu Gln Pro Pro Ala Gly Ser Val Leu Ser Gly
 945 950 955
 act tgg ccc cac cct cgt ccg ggg cct cct ccc ctc atg gca ccc cgg 3170
 Thr Trp Pro His Pro Arg Pro Gly Pro Pro Pro Leu Met Ala Pro Arg
 960 965 970
 ccc tgg ggt ccc cca gcg tct cag agc tcc ccc tgg cct cga gcc aca 3218
 Pro Trp Gly Pro Pro Ala Ser Gln Ser Ser Pro Trp Pro Arg Ala Thr
 975 980 985 990
 gct ttc tgg acc tcc acc tca gac tca gag ccc cct gcc tca gga gac 3266
 Ala Phe Trp Thr Ser Thr Ser Asp Ser Glu Pro Pro Ala Ser Gly Asp
 995 1000 1005
 ctc tgc tct gag ccc agc acc cct gcc tcc cct cct cct tct gag gaa 3314
 Leu Cys Ser Glu Pro Ser Thr Pro Ala Ser Pro Pro Pro Ser Glu Glu
 1010 1015 1020
 ggg gct agg act ggg ccc gca gag cct gtg agc cag gct gag gct acc 3362
 Gly Ala Arg Thr Gly Pro Ala Glu Pro Val Ser Gln Ala Glu Ala Thr
 1025 1030 1035
 agc act gga gag ccc cca cca ggg tca ggg ggc ctg gcc ttg ccc tgg 3410
 Ser Thr Gly Glu Pro Pro Pro Gly Ser Gly Gly Leu Ala Leu Pro Trp
 1040 1045 1050
 gac ccc cac agc ctg gag atg gtg ctt att ggc tgc cat ggc tct ggc 3458
 Asp Pro His Ser Leu Glu Met Val Leu Ile Gly Cys His Gly Ser Gly
 055 1060 1065 1070
 aca gtc cag tgg acc cag gaa gaa ggc aca ggg gtc t gaggaccagc 3505
 Thr Val Gln Trp Thr Gln Glu Glu Gly Thr Gly Val
 1075 1080
 cctagaactc agcgttgcca ggtgtgctgc catctgctgt tcggcccaac ctcagagtga 3565
 aggcagggtg gcagcctccc caccgactcc atgcggcccc ctggctcagg gcagggagcc 3625
 tggaagcaaa ggaggacctg gctcctgact ctcagagagg ataggctgga tccctggggc 3685
 aggcctctcc tcggcctgct cctctgacct cccggtctcc ctctgcaggc tgggggcaga 3745
 ggcctgagga caaggaagag ctttgccatc ccttgcattg gccctgcct ctacctgtcc 3805
 ccaaattttt atattaaaaa aaaaaataaa ataaactaaa aaaaaaaaaa aa 3857

<210> 20
 <211> 1082
 <212> PRT

<213> H. sapiens

<400> 20

Met Pro Ala Met Arg Gly Leu Leu Ala Pro Gln Asn Thr Phe Leu Asp
 1 5 10 15
 Thr Ile Ala Thr Arg Phe Asp Gly Thr His Ser Asn Phe Val Leu Gly
 20 25 30
 Asn Ala Ser Gly Gly Ala Leu Pro Val Val Tyr Cys Ser Asp Gly Phe
 35 40 45
 Cys Asp Leu Thr Gly Phe Ser Arg Ala Glu Val Met Gln Arg Gly Cys
 50 55 60
 Ala Cys Ser Phe Leu Tyr Gly Pro Asp Thr Ser Glu Leu Val Arg Gln
 65 70 75 80
 Gln Ile Arg Lys Ala Leu Asp Glu His Lys Glu Phe Lys Ala Glu Leu
 85 90 95
 Ile Leu Tyr Arg Lys Ser Gly Leu Pro Phe Trp Cys Leu Leu Asp Val
 100 105 110
 Ile Pro Ile Lys Asn Glu Lys Gly Glu Val Ala Leu Phe Leu Val Ser
 115 120 125
 His Lys Asp Ile Ser Glu Thr Lys Asn Arg Gly Gly Pro Asp Arg Trp
 130 135 140
 Lys Glu Thr Gly Gly Gly Arg Arg Arg Tyr Gly Arg Ala Arg Ser Lys
 145 150 155 160
 Gly Phe Asn Ala Asn Arg Arg Arg Ser Arg Ala Val Leu Tyr His Leu
 165 170 175
 Ser Gly His Leu Gln Lys Gln Pro Lys Gly Lys His Lys Leu Asn Lys
 180 185 190
 Gly Val Phe Gly Glu Lys Pro Asn Leu Pro Glu Tyr Lys Val Ala Ala
 195 200 205
 Ile Arg Lys Ser Pro Phe Ile Leu Leu His Cys Gly Ala Leu Arg Ala
 210 215 220
 Thr Trp Asp Gly Phe Ile Leu Leu Ala Thr Leu Tyr Val Ala Val Thr
 225 230 235 240
 Val Pro Tyr Ser Val Cys Val Ser Thr Ala Arg Glu Pro Ser Ala Ala
 245 250 255
 Arg Gly Pro Pro Ser Val Cys Asp Leu Ala Val Glu Val Leu Phe Ile
 260 265 270
 Leu Asp Ile Val Leu Asn Phe Arg Thr Thr Phe Val Ser Lys Ser Gly
 275 280 285
 Gln Val Val Phe Ala Pro Lys Ser Ile Cys Leu His Tyr Val Thr Thr
 290 295 300
 Trp Phe Leu Leu Asp Val Ile Ala Ala Leu Pro Phe Asp Leu Leu His
 305 310 315 320
 Ala Phe Lys Val Asn Val Tyr Phe Gly Ala His Leu Leu Lys Thr Val
 325 330 335
 Arg Leu Leu Arg Leu Leu Arg Leu Leu Pro Arg Leu Asp Arg Tyr Ser
 340 345 350
 Gln Tyr Ser Ala Val Val Leu Thr Leu Leu Met Ala Val Phe Ala Leu
 355 360 365
 Leu Ala His Trp Val Ala Cys Val Trp Phe Tyr Ile Gly Gln Arg Glu
 370 375 380
 Ile Glu Ser Ser Glu Ser Glu Leu Pro Glu Ile Gly Trp Leu Gln Glu
 385 390 395 400
 Leu Ala Arg Arg Leu Glu Thr Pro Tyr Tyr Leu Val Gly Arg Arg Pro
 405 410 415
 Ala Gly Gly Asn Ser Ser Gly Gln Ser Asp Asn Cys Ser Ser Ser Ser
 420 425 430
 Glu Ala Asn Gly Thr Gly Leu Glu Leu Leu Gly Gly Pro Ser Leu Arg
 435 440 445
 Ser Ala Tyr Ile Thr Ser Leu Tyr Phe Ala Leu Ser Ser Leu Thr Ser
 450 455 460

Val Gly Phe Gly Asn Val Ser Ala Asn Thr Asp Thr Glu Lys Ile Phe
 465 470 475 480
 Ser Ile Cys Thr Met Leu Ile Gly Ala Leu Met His Ala Val Val Phe
 485 490 495
 Gly Asn Val Thr Ala Ile Ile Gln Arg Met Tyr Ala Arg Arg Phe Leu
 500 505 510
 Tyr His Ser Arg Thr Arg Asp Gln Arg Asp Tyr Ile Arg Ile His Arg
 515 520 525
 Ile Pro Lys Pro Leu Lys Gln Arg Met Leu Glu Tyr Phe Gln Ala Thr
 530 535 540
 Trp Ala Val Asn Asn Gly Ile Asp Thr Thr Glu Leu Leu Gln Ser Leu
 545 550 555 560
 Pro Asp Glu Leu Arg Ala Asp Ile Ala Met His Leu His Lys Glu Val
 565 570 575
 Leu Gln Leu Pro Leu Phe Glu Ala Ala Ser Arg Gly Cys Leu Arg Ala
 580 585 590
 Leu Ser Leu Ala Leu Arg Pro Ala Phe Cys Thr Pro Gly Glu Tyr Leu
 595 600 605
 Ile His Gln Gly Asp Ala Leu Gln Ala Leu Tyr Phe Val Cys Ser Gly
 610 615 620
 Ser Met Glu Val Leu Lys Gly Gly Thr Val Leu Ala Ile Leu Gly Lys
 625 630 635 640
 Gly Asp Leu Ile Gly Cys Glu Leu Pro Arg Arg Glu Gln Val Val Lys
 645 650 655
 Ala Asn Ala Asp Val Lys Gly Leu Thr Tyr Cys Val Leu Gln Cys Leu
 660 665 670
 Gln Leu Ala Gly Leu His Asp Ser Leu Ala Leu Tyr Pro Glu Phe Ala
 675 680 685
 Pro Arg Phe Ser Arg Gly Leu Arg Gly Glu Leu Ser Tyr Asn Leu Gly
 690 695 700
 Ala Gly Gly Gly Ser Ala Glu Val Asp Thr Ser Ser Leu Ser Gly Asp
 705 710 715 720
 Asn Thr Leu Met Ser Thr Leu Glu Glu Lys Glu Thr Asp Gly Glu Gln
 725 730 735
 Gly Pro Thr Val Ser Pro Ala Pro Ala Asp Glu Pro Ser Ser Pro Leu
 740 745 750
 Leu Ser Pro Gly Cys Thr Ser Ser Ser Ser Ala Ala Lys Leu Leu Ser
 755 760 765
 Pro Arg Arg Thr Ala Pro Arg Pro Arg Leu Gly Gly Arg Gly Arg Pro
 770 775 780
 Gly Arg Ala Gly Ala Leu Lys Ala Glu Ala Gly Pro Ser Ala Pro Pro
 785 790 795 800
 Arg Ala Leu Glu Gly Leu Arg Leu Pro Pro Met Pro Trp Asn Val Pro
 805 810 815
 Pro Asp Leu Ser Pro Arg Val Val Asp Gly Ile Glu Asp Gly Cys Gly
 820 825 830
 Ser Asp Gln Pro Lys Phe Ser Phe Arg Val Gly Gln Ser Gly Pro Glu
 835 840 845
 Cys Ser Ser Ser Pro Ser Pro Gly Pro Glu Ser Gly Leu Leu Thr Val
 850 855 860
 Pro His Gly Pro Ser Glu Ala Arg Asn Thr Asp Thr Leu Asp Lys Leu
 865 870 875 880
 Arg Gln Ala Val Thr Glu Leu Ser Glu Gln Val Leu Gln Met Arg Glu
 885 890 895
 Gly Leu Gln Ser Leu Arg Gln Ala Val Gln Leu Val Leu Ala Pro His
 900 905 910
 Arg Glu Gly Pro Cys Pro Arg Ala Ser Gly Glu Gly Pro Cys Pro Ala
 915 920 925
 Ser Thr Ser Gly Leu Leu Gln Pro Leu Cys Val Asp Thr Gly Ala Ser
 930 935 940
 Ser Tyr Cys Leu Gln Pro Pro Ala Gly Ser Val Leu Ser Gly Thr Trp

945					950					955					960	
Pro	His	Pro	Arg	Pro	Gly	Pro	Pro	Pro	Leu	Met	Ala	Pro	Arg	Pro	Trp	
				965					970					975		
Gly	Pro	Pro	Ala	Ser	Gln	Ser	Ser	Pro	Trp	Pro	Arg	Ala	Thr	Ala	Phe	
				980					985					990		
Trp	Thr	Ser	Thr	Ser	Asp	Ser	Glu	Pro	Pro	Ala	Ser	Gly	Asp	Leu	Cys	
				995					1000					1005		
Ser	Glu	Pro	Ser	Thr	Pro	Ala	Ser	Pro	Pro	Pro	Ser	Glu	Glu	Gly	Ala	
				1010					1015					1020		
Arg	Thr	Gly	Pro	Ala	Glu	Pro	Val	Ser	Gln	Ala	Glu	Ala	Thr	Ser	Thr	
				1025					1030					1035		
Gly	Glu	Pro	Pro	Pro	Gly	Ser	Gly	Gly	Leu	Ala	Leu	Pro	Trp	Asp	Pro	
				1045					1050					1055		
His	Ser	Leu	Glu	Met	Val	Leu	Ile	Gly	Cys	His	Gly	Ser	Gly	Thr	Val	
				1060					1065					1070		
Gln	Trp	Thr	Gln	Glu	Glu	Gly	Thr	Gly	Val							
				1075					1080							

<210> 21

<211> 1800

<212> DNA

<213> H. sapiens

<220>

<221> CDS

<222> (346) ... (1057)

<223> K+Hnov28, splice 1

<400> 21

at ttg aat ga	ct ggg gtt act	tc cta gact c	tt ctc cct tc	tc tta agt ac	agt ata gtt c	60
tt tct ctg aa	aat ctt cag t	ct ctt agt tc	cag atg ggt t	ct cta tgg ta	gga ata cag g	120
aca tga tag aa	gg ccct agg g	ga atg ctt tc	tt ccc cag at	ct ttg cc ct g	tag tag gtt t	180
cag ctg ag ca	agg acg ag ta	gt ttt tct gg	tg ttt ggc ct	cct ctg tt gg	gt gga aaaa ag	240
act ttt ctt ct	ct attt ttc ct	ag ttata tat	gct atcata t	gt ctg ttt tt	ct ctc ttt ga	300
agt ttcc ct g	aa acct ggg c	tct tga ag ac	gc atc act gg	agc ag atg gat	aat gga	357
				Met	Asp Asn Gly	

gac tgg ggc tat atg atg act gac cca gtc aca tta aat gta ggt gga 405
Asp Trp Gly Tyr Met Met Thr Asp Pro Val Thr Leu Asn Val Gly Gly
5 10 15 20

cac ttg tat aca acg tct ctc acc aca ttg acg cgt tac cgg gat tcc 453
His Leu Tyr Thr Thr Ser Leu Thr Thr Leu Thr Arg Tyr Pro Asp Ser
25 30 35

atg ctt gga gct atg ttt ggg ggg gac ttc ccc aca gct cga gac cct 501
Met Leu Gly Ala Met Phe Gly Gly Asp Phe Pro Thr Ala Arg Asp Pro
40 45 50

caa ggc aat tac ttt att gat cga gat gga cct ctt ttc cga tat gtc 549
Gln Gly Asn Tyr Phe Ile Asp Arg Asp Gly Pro Leu Phe Arg Tyr Val
55 60 65

ctc aac ttc tta aga act tca gaa ttg acc tta ccg ttg gat ttt aag 597
Leu Asn Phe Leu Arg Thr Ser Glu Leu Thr Leu Pro Leu Asp Phe Lys
70 75 80

gaa ttt gat ctg ctt cgg aaa gaa gca gat ttt tac cag att gag ccc 645
Glu Phe Asp Leu Leu Arg Lys Glu Ala Asp Phe Tyr Gln Ile Glu Pro
85 90 95 100

```

ttg att cag tgt ctc aat gat cct aag cct ttg tat ccc atg gat act      693
Leu Ile Gln Cys Leu Asn Asp Pro Lys Pro Leu Tyr Pro Met Asp Thr
                      105                      110                      115

ttt gaa gaa gtt gtg gag ctg tct agt act cgg aag ctt tct aag tac      741
Phe Glu Glu Val Val Glu Leu Ser Ser Thr Arg Lys Leu Ser Lys Tyr
                      120                      125                      130

tcc aac cca gtg gct gtc atc ata acg caa cta acc atc acc act aag      789
Ser Asn Pro Val Ala Val Ile Ile Thr Gln Leu Thr Ile Thr Thr Lys
                      135                      140                      145

gtc cat tcc tta cta gaa ggc atc tca aat tat ttt acc aag tgg aat      837
Val His Ser Leu Leu Glu Gly Ile Ser Asn Tyr Phe Thr Lys Trp Asn
                      150                      155                      160

aag cac atg atg gac acc aga gac tgc cag gtt tcc ttt act ttt gga      885
Lys His Met Met Asp Thr Arg Asp Cys Gln Val Ser Phe Thr Phe Gly
165                      170                      175                      180

ccc tgt gat tat cac cag gaa gtt tct ctt agg gtc cac ctg atg gaa      933
Pro Cys Asp Tyr His Gln Glu Val Ser Leu Arg Val His Leu Met Glu
                      185                      190                      195

tac att aca aaa caa ggt ttc acg atc cgc aac acc cgg gtg cat cac      981
Tyr Ile Thr Lys Gln Gly Phe Thr Ile Arg Asn Thr Arg Val His His
                      200                      205                      210

atg agt gag cgg gcc aat gaa aac aca gtg gag cac aac tgg act ttc      1029
Met Ser Glu Arg Ala Asn Glu Asn Thr Val Glu His Asn Trp Thr Phe
                      215                      220                      225

tgt agg cta gcc cgg aag aca gac gac t gatctccgac cctgccacag      1077
Cys Arg Leu Ala Arg Lys Thr Asp Asp
                      230                      235

gttcctggaa agactctcca ggaaatggaa gatactgatt ttttttttta aatcacagtg      1137
tgagatatatt tttttctttt aaatagttgt atttatttga aggcagtgag gaccagaagg      1197
aagttttgtg ctttggcaga ctctccatg ttttggtccc ttccccctga gtatgcatgt      1257
gcctgttcag agtctccaga tacctttttt ataaaaagaa gtctgaaaat cattatggta      1317
tataatctac ccttaacaga gctttttctta ttacagtgtc aaaatgattt ctgataaaaat      1377
ggtccctaac tcaactagaa ggctaaaaat acaagaatga aagaataagc agagtactca      1437
tgatgccttt gagaaaaatc aaaacatcat gtaggggtgac ctagtttcca aaccaataaa      1497
taagtagtat tgtaattatta aaggaaaact gttccaatca tttaaaagta cttattaagt      1557
actgcttttt acagttatga caactgtttc tttctatgca tataaatcaa ggaaccaaat      1617
atctgtagcc atggaaatgt ctgactagaa atatttatat tgaattctga atacaaaatg      1677
tcctgtggt agaaaactta ctctttatgc ctggtgcagt ataattccca agtgtactgt      1737
ctaccagaaa aaaaaaacia aactaataaa aatgaaata tgaaaaaaaa aaaaaaaaaa      1797
aaa                                                                1800

```

<210> 22

<211> 1836

<212> DNA

<213> H. sapiens

<220>

<221> CDS

<222> (382)...(1093)

<223> K+Hnov28 splice 2

<400> 22

gaggaatggt atgattttgt gactatttgt gacagctttt taatattagg tcacttttaa 60
acctatagct tctctcttct agaccacatg gttgggaaag gagaaagaga aaatgattac 120
ttgtagagaa aaatccattt ctgcagtggg atgggttaagg ataatctaac cataatcaca 180
ttatccttgt atgcctggct acttgtgctg gcctgtatgt gaatgttaac cccaaagact 240
ccttttagatg tcgctgaact agttactata aaaagtattt cgctttcaaa ctccacatt 300
tcaagaagag caaaactcaa tacaaggcaa ttttgaagtt tccctgaaac ctgggctcct 360
gaagacgcat cactggagca g atg gat aat gga gac tgg ggc tat atg atg 411
Met Asp Asn Gly Asp Trp Gly Tyr Met Met
1 5 10

act gac cca gtc aca tta aat gta ggt gga cac ttg tat aca acg tct 459
Thr Asp Pro Val Thr Leu Asn Val Gly Gly His Leu Tyr Thr Thr Ser
15 20 25

ctc acc aca ttg acg cgt tac ccg gat tcc atg ctt gga gct atg ttt 507
Leu Thr Thr Leu Thr Arg Tyr Pro Asp Ser Met Leu Gly Ala Met Phe
30 35 40

ggg ggg gac ttc ccc aca gct cga gac cct caa ggc aat tac ttt att 555
Gly Gly Asp Phe Pro Thr Ala Arg Asp Pro Gln Gly Asn Tyr Phe Ile
45 50 55

gat cga gat gga cct ctt ttc cga tat gtc ctc aac ttc tta aga act 603
Asp Arg Asp Gly Pro Leu Phe Arg Tyr Val Leu Asn Phe Leu Arg Thr
60 65 70

tca gaa ttg acc tta ccg ttg gat ttt aag gaa ttt gat ctg ctt cgg 651
Ser Glu Leu Thr Leu Pro Leu Asp Phe Lys Glu Phe Asp Leu Leu Arg
75 80 85 90

aaa gaa gca gat ttt tac cag att gag ccc ttg att cag tgt ctc aat 699
Lys Glu Ala Asp Phe Tyr Gln Ile Glu Pro Leu Ile Gln Cys Leu Asn
95 100 105

gat cct aag cct ttg tat ccc atg gat act ttt gaa gaa gtt gtg gag 747
Asp Pro Lys Pro Leu Tyr Pro Met Asp Thr Phe Glu Glu Val Val Glu
110 115 120

ctg tct agt act cgg aag ctt tct aag tac tcc aac cca gtg gct gtc 795
Leu Ser Ser Thr Arg Lys Leu Ser Lys Tyr Ser Asn Pro Val Ala Val
125 130 135

atc ata acg caa cta acc atc acc act aag gtc cat tcc tta cta gaa 843
Ile Ile Thr Gln Leu Thr Ile Thr Thr Lys Val His Ser Leu Leu Glu
140 145 150

ggc atc tca aat tat ttt acc aag tgg aat aag cac atg atg gac acc 891
Gly Ile Ser Asn Tyr Phe Thr Lys Trp Asn Lys His Met Met Asp Thr
155 160 165 170

aga gac tgc cag gtt tcc ttt act ttt gga ccc tgt gat tat cac cag 939
Arg Asp Cys Gln Val Ser Phe Thr Phe Gly Pro Cys Asp Tyr His Gln
175 180 185

gaa gtt tct ctt agg gtc cac ctg atg gaa tac att aca aaa caa ggt 987
Glu Val Ser Leu Arg Val His Leu Met Glu Tyr Ile Thr Lys Gln Gly
190 195 200

ttc acg atc cgc aac acc cgg gtg cat cac atg agt gag cgg gcc aat 1035
Phe Thr Ile Arg Asn Thr Arg Val His His Met Ser Glu Arg Ala Asn

205 210 215

gaa aac aca gtg gag cac aac tgg act ttc tgt agg cta gcc cgg aag 1083
 Glu Asn Thr Val Glu His Asn Trp Thr Phe Cys Arg Leu Ala Arg Lys
 220 225 230

aca gac gac t gatctccgac cctgccacag gttcctggaa agactctcca 1133
 Thr Asp Asp
 235

ggaaatggaa gatactgatt ttttttttta aatcacagtg tgagatattt tttttctttt 1193
 aaatagttgt atttatttga aggcagtgag gaccagaagg aagttttgtg ctttggcaga 1253
 ctctccatg ttttgttccc ttccccctga gtatgcatgt gcctgttcag agtctccaga 1313
 tacctttttt ataaaaagaa gtctgaaaat cattatggta tataatctac ccttaacaga 1373
 gcttttctta ttacagtgc aaaatgattt ctgataaaat ggtccctaac tcaactagaa 1433
 ggctaaaaat acaagaatga aagaataagc agagtactca tgatgccttt gagaaaaatc 1493
 aaaacatcat gtaggggtgac ctagtttcca aaccaataaa taagtagtat tgtaatatta 1553
 aagggaaact gttccaatca tttaaaagta cttattaagt actgcttttt acagttatga 1613
 caactgtttc tttctatgca tataaatcaa ggaaccaa atctgtagcc atggaaatgt 1673
 ctgactagaa atatttatat tgaattctga atacaaaatg tccctgtggt agaaaactta 1733
 ctctttatgc ctggtgcagt ataattccca agtgtactgt ctaccagaaa aaaaaacaa 1793
 aactaataaa aaatgaaata tgaaaaaaaa aaaaaaaaaa aaa 1836

<210> 23
 <211> 1751
 <212> DNA
 <213> H. sapiens

<220>
 <221> CDS
 <222> (297)...(1008)
 <223> K+Hnov28 splice 3

<400> 23

ccatgtttct taccatgtct tgccagagct ttagaaattt gctctgcagt ttgctttaca 60
 ggttgatttg ggattgaagt gtgtgagagg gaactgacta aggcagttca gtagctggga 120
 aactgttttg ttaaatgctt ttgaattgta gataaaaaata aattcacatt ggcatcatta 180
 gtatctgagc atttctcagt gtcttaaggc tggctctcca tgagtgcctg ctgattgact 240
 ctcatctata tcgtttccct gaaacctggg ctcttgaaga cgcactactg gagcag atg 299
 Met
 1

gat aat gga gac tgg ggc tat atg atg act gac cca gtc aca tta aat 347
 Asp Asn Gly Asp Trp Gly Tyr Met Met Thr Asp Pro Val Thr Leu Asn
 5 10 15

gta ggt gga cac ttg tat aca acg tct ctc acc aca ttg acg cgt tac 395
 Val Gly Gly His Leu Tyr Thr Thr Ser Leu Thr Thr Leu Thr Arg Tyr
 20 25 30

ccg gat tcc atg ctt gga gct atg ttt ggg ggg gac ttc ccc aca gct 443
 Pro Asp Ser Met Leu Gly Ala Met Phe Gly Gly Asp Phe Pro Thr Ala
 35 40 45

cga gac cct caa ggc aat tac ttt att gat cga gat gga cct ctt ttc 491
 Arg Asp Pro Gln Gly Asn Tyr Phe Ile Asp Arg Asp Gly Pro Leu Phe
 50 55 60 65

cga tat gtc ctc aac ttc tta aga act tca gaa ttg acc tta ccg ttg 539
 Arg Tyr Val Leu Asn Phe Leu Arg Thr Ser Glu Leu Thr Leu Pro Leu
 70 75 80

gat ttt aag gaa ttt gat ctg ctt cgg aaa gaa gca gat ttt tac cag 587
Asp Phe Lys Glu Phe Asp Leu Leu Arg Lys Glu Ala Asp Phe Tyr Gln
85 90 95

att gag ccc ttg att cag tgt ctc aat gat cct aag cct ttg tat ccc 635
Ile Glu Pro Leu Ile Gln Cys Leu Asn Asp Pro Lys Pro Leu Tyr Pro
100 105 110

atg gat act ttt gaa gaa gtt gtg gag ctg tct agt act cgg aag ctt 683
Met Asp Thr Phe Glu Glu Val Val Glu Leu Ser Ser Thr Arg Lys Leu
115 120 125

tct aag tac tcc aac cca gtg gct gtc atc ata acg caa cta acc atc 731
Ser Lys Tyr Ser Asn Pro Val Ala Val Ile Ile Thr Gln Leu Thr Ile
130 135 140 145

acc act aag gtc cat tcc tta cta gaa ggc atc tca aat tat ttt acc 779
Thr Thr Lys Val His Ser Leu Leu Glu Gly Ile Ser Asn Tyr Phe Thr
150 155 160

aag tgg aat aag cac atg atg gac acc aga gac tgc cag gtt tcc ttt 827
Lys Trp Asn Lys His Met Met Asp Thr Arg Asp Cys Gln Val Ser Phe
165 170 175

act ttt gga ccc tgt gat tat cac cag gaa gtt tct ctt agg gtc cac 875
Thr Phe Gly Pro Cys Asp Tyr His Gln Glu Val Ser Leu Arg Val His
180 185 190

ctg atg gaa tac att aca aaa caa ggt ttc acg atc cgc aac acc cgg 923
Leu Met Glu Tyr Ile Thr Lys Gln Gly Phe Thr Ile Arg Asn Thr Arg
195 200 205

gtg cat cac atg agt gag cgg gcc aat gaa aac aca gtg gag cac aac 971
Val His His Met Ser Glu Arg Ala Asn Glu Asn Thr Val Glu His Asn
210 215 220 225

tgg act ttc tgt agg cta gcc cgg aag aca gac gac t gatctccgac 1018
Trp Thr Phe Cys Arg Leu Ala Arg Lys Thr Asp Asp
230 235

cctgccacag gttcctggaa agactctcca ggaaatggaa gatactgatt ttttttttta 1078
aatcacagtg tgagatatatt tttttctttt aaatagttgt atttatttga aggcagtgag 1138
gaccagaagg aagttttgtg ctttggcaga ctcctccatg ttttggtccc ttccccctga 1198
gtatgcatgt gcctgttcag agtctccaga tacctttttt ataaaaagaa gtctgaaaat 1258
cattatggta tataatctac ccttaacaga gcttttctta ttacagtgtc aaaatgattt 1318
ctgataaaaat ggtccctaac tcaactagaa ggctaaaaat acaagaatga aagaataagc 1378
agagtactca tgatgccttt gagaaaaatc aaaacatcat gtaggggtgac ctagtgtcca 1438
aaccaataaa taagtagtat tgtaatatga aaggaaaaact gttccaatca tttaaaagta 1498
cttattaagt actgcttttt acagttatga caactgtttc tttctatgca tataaatcaa 1558
ggaaccaa atctgttagcc atggaaatgt ctgactagaa atattttatat tgaattctga 1618
atacaaaaatg tccctgtggt agaaaaacta ctctttatgc ctgggtgcagt ataattccca 1678
agtgtactgt ctaccagaaa aaaaaaacia aactaataaa aaatgaaata tgaaaaaaa 1738
aaaaaaaaaaa aaa 1751

<210> 24
<211> 1542
<212> DNA
<213> H. sapiens

<220>

<400> 24															
cgggcatctc	ccggcccggc	cgcagcagcc	gcccgcggcg	cgcatttccc	tgaaacctgg										60
gctcttgaag	acgcatcact	ggagcag	atg gat aat gga gac tgg ggc tat atg												114
			Met Asp Asn Gly Asp Trp Gly Tyr Met												
			1												
atg act gac cca gtc aca tta aat gta ggt gga cac ttg tat aca acg															162
Met Thr Asp Pro Val Thr Leu Asn Val Gly Gly His Leu Tyr Thr Thr															
10					15					20				25	
tct ctc acc aca ttg acg cgt tac ccg gat tcc atg ctt gga gct atg															210
Ser Leu Thr Thr Leu Thr Arg Tyr Pro Asp Ser Met Leu Gly Ala Met															
				30					35					40	
ttt ggg ggg gac ttc ccc aca gct cga gac cct caa ggc aat tac ttt															258
Phe Gly Gly Asp Phe Pro Thr Ala Arg Asp Pro Gln Gly Asn Tyr Phe															
			45					50					55		
att gat cga gat gga cct ctt ttc cga tat gtc ctc aac ttc tta aga															306
Ile Asp Arg Asp Gly Pro Leu Phe Arg Tyr Val Leu Asn Phe Leu Arg															
			60				65						70		
act tca gaa ttg acc tta ccg ttg gat ttt aag gaa ttt gat ctg ctt															354
Thr Ser Glu Leu Thr Leu Pro Leu Asp Phe Lys Glu Phe Asp Leu Leu															
			75			80					85				
cgg aaa gaa gca gat ttt tac cag att gag ccc ttg att cag tgt ctc															402
Arg Lys Glu Ala Asp Phe Tyr Gln Ile Glu Pro Leu Ile Gln Cys Leu															
						95				100				105	
aat gat cct aag cct ttg tat ccc atg gat act ttt gaa gaa gtt gtg															450
Asn Asp Pro Lys Pro Leu Tyr Pro Met Asp Thr Phe Glu Glu Val Val															
				110					115					120	
gag ctg tct agt act cgg aag ctt tct aag tac tcc aac cca gtg gct															498
Glu Leu Ser Ser Thr Arg Lys Leu Ser Lys Tyr Ser Asn Pro Val Ala															
			125					130					135		
gtc atc ata acg caa cta acc atc acc act aag gtc cat tcc tta cta															546
Val Ile Ile Thr Gln Leu Thr Ile Thr Thr Lys Val His Ser Leu Leu															
			140				145					150			
gaa ggc atc tca aat tat ttt acc aag tgg aat aag cac atg atg gac															594
Glu Gly Ile Ser Asn Tyr Phe Thr Lys Trp Asn Lys His Met Met Asp															
			155			160					165				
acc aga gac tgc cag gtt tcc ttt															

aat gaa aac aca gtg gag cac aac tgg act ttc tgt agg cta gcc cgg 786
 Asn Glu Asn Thr Val Glu His Asn Trp Thr Phe Cys Arg Leu Ala Arg
 220 225 230

aag aca gac gac t gatctccgac cctgccacag gttcctggaa agactctcca 839
 Lys Thr Asp Asp
 235

ggaaatggaa gatactgatt ttttttttta aatcacagtg tgagatattt tttttctttt 899
 aaatagttgt atttatttga aggcagtgag gaccagaagg aagttttgtg ctttggcaga 959
 ctctcccatg ttttgttccc ttccccctga gtatgcatgt gcctgttcag agtctccaga 1019
 tacctttttt ataaaaagaa gtctgaaaat cattatggta tataatctac ccttaacaga 1079
 gctttttctta ttacagtgtt aaaatgattt ctgataaaat ggtccctaac tcaactagaa 1139
 ggctaaaaat acaagaatga aagaataagc agagtactca tgatgccttt gagaaaaatc 1199
 aaaacatcat gtagggtgac ctagtttcca aaccaataaa taagtagtat tgtaatatata 1259
 aaggaaaaact gttccaatca tttaaaagta cttattaagt actgcttttt acagttatga 1319
 caactgtttc tttctatgca tataaatcaa ggaaccaa atctgtagcc atggaaatgt 1379
 ctgactagaa atatttatat tgaattctga atacaaaatg tccctgtggt agaaaaactta 1439
 ctctttatgc ctggtgcagt ataattccca agtgtactgt ctaccagaaa aaaaaaacia 1499
 aactaataaa aatgaaata tgaaaaaaa aaaaaaaaaa aaa 1542

<210> 25
 <211> 237
 <212> PRT
 <213> H. sapiens

<400> 25
 Met Asp Asn Gly Asp Trp Gly Tyr Met Met Thr Asp Pro Val Thr Leu
 1 5 10 15
 Asn Val Gly Gly His Leu Tyr Thr Thr Ser Leu Thr Thr Leu Thr Arg
 20 25 30
 Tyr Pro Asp Ser Met Leu Gly Ala Met Phe Gly Gly Asp Phe Pro Thr
 35 40 45
 Ala Arg Asp Pro Gln Gly Asn Tyr Phe Ile Asp Arg Asp Gly Pro Leu
 50 55 60
 Phe Arg Tyr Val Leu Asn Phe Leu Arg Thr Ser Glu Leu Thr Leu Pro
 65 70 75 80
 Leu Asp Phe Lys Glu Phe Asp Leu Leu Arg Lys Glu Ala Asp Phe Tyr
 85 90 95
 Gln Ile Glu Pro Leu Ile Gln Cys Leu Asn Asp Pro Lys Pro Leu Tyr
 100 105 110
 Pro Met Asp Thr Phe Glu Glu Val Val Glu Leu Ser Ser Thr Arg Lys
 115 120 125
 Leu Ser Lys Tyr Ser Asn Pro Val Ala Val Ile Ile Thr Gln Leu Thr
 130 135 140
 Ile Thr Thr Lys Val His Ser Leu Leu Glu Gly Ile Ser Asn Tyr Phe
 145 150 155 160
 Thr Lys Trp Asn Lys His Met Met Asp Thr Arg Asp Cys Gln Val Ser
 165 170 175
 Phe Thr Phe Gly Pro Cys Asp Tyr His Gln Glu Val Ser Leu Arg Val
 180 185 190
 His Leu Met Glu Tyr Ile Thr Lys Gln Gly Phe Thr Ile Arg Asn Thr
 195 200 205
 Arg Val His His Met Ser Glu Arg Ala Asn Glu Asn Thr Val Glu His
 210 215 220
 Asn Trp Thr Phe Cys Arg Leu Ala Arg Lys Thr Asp Asp
 225 230 235

<210> 26
 <211> 3204

<212> DNA

<213> H. sapiens

<220>

<221> CDS

<222> (182)...(1349)

<223> K+Hnov42

<400> 26

```

cggccgaacc ttgggtgtgg gacagagtgc gtgcgtgtgg tgtgtcccca agggcaggaa      60
ggtggcgaag ggaggcgaat ccgagtgggt ggaggaggag gaagggcggg aggagaaaaa      120
ggtggggagga ggaccaggtg ggagggtggc ggctcactca ggaccagcgc ggggcagcgc      180
g atg agg cgg gtg acc ctg ttc ctg aac ggc agc ccc aag aac gga aag      229
Met Arg Arg Val Thr Leu Phe Leu Asn Gly Ser Pro Lys Asn Gly Lys
   1             5             10             15

gtg gtt gct gta tat gga act tta tct gat ttg ctt tct gtg gcc agc      277
Val Val Ala Val Tyr Gly Thr Leu Ser Asp Leu Leu Ser Val Ala Ser
           20             25             30

agt aaa ctc ggc ata aaa gcc acc agt gtg tat aat ggg aaa ggt gga      325
Ser Lys Leu Gly Ile Lys Ala Thr Ser Val Tyr Asn Gly Lys Gly Gly
           35             40             45

ctg att gat gat att gct ttg atc agg gat gat gat gtt ttg ttt gtt      373
Leu Ile Asp Asp Ile Ala Leu Ile Arg Asp Asp Asp Val Leu Phe Val
   50             55             60

tgt gaa gga gag cca ttt att gat cct cag aca gat tct aag cct cct      421
Cys Glu Gly Glu Pro Phe Ile Asp Pro Gln Thr Asp Ser Lys Pro Pro
   65             70             75             80

gag gga ttg tta gga ttc cac aca gac tgg ctg aca tta aat gtt gga      469
Glu Gly Leu Leu Gly Phe His Thr Asp Trp Leu Thr Leu Asn Val Gly
           85             90             95

ggg cgg tac ttt aca act aca cgg agc act tta gtg aat aaa gaa cct      517
Gly Arg Tyr Phe Thr Thr Thr Arg Ser Thr Leu Val Asn Lys Glu Pro
          100             105             110

gac agt atg ctg gcc cac atg ttt aag gac aaa ggt gtc tgg gga aat      565
Asp Ser Met Leu Ala His Met Phe Lys Asp Lys Gly Val Trp Gly Asn
          115             120             125

aag caa gat cat aga gga gct ttc tta att gac cga agt cct gag tac      613
Lys Gln Asp His Arg Gly Ala Phe Leu Ile Asp Arg Ser Pro Glu Tyr
          130             135             140

ttc gaa ccc att ttg aac tac ttg cgt cat gga cag ctc att gta aat      661
Phe Glu Pro Ile Leu Asn Tyr Leu Arg His Gly Gln Leu Ile Val Asn
          145             150             155             160

gat ggc att aat tta ttg ggt gtg tta gaa gaa gca aga ttt ttt ggt      709
Asp Gly Ile Asn Leu Leu Gly Val Leu Glu Glu Ala Arg Phe Phe Gly
          165             170             175

att gac tca ttg att gaa cac cta gaa gtg gca ata aag aat tct caa      757
Ile Asp Ser Leu Ile Glu His Leu Glu Val Ala Ile Lys Asn Ser Gln
          180             185             190

cca ccg gag gat cat tca cca ata tcc cga aag gaa ttt gtc cga ttt      805

```

Pro	Pro	Glu	Asp	His	Ser	Pro	Ile	Ser	Arg	Lys	Glu	Phe	Val	Arg	Phe		
		195					200					205					
ttg	cta	gca	act	cca	acc	aag	tca	gaa	ctg	cga	tgc	cag	ggg	ttg	aac	853	
Leu	Leu	Ala	Thr	Pro	Thr	Lys	Ser	Glu	Leu	Arg	Cys	Gln	Gly	Leu	Asn		
	210					215					220						
ttc	agt	ggg	gct	gat	ctt	tct	cgt	ttg	gac	ctt	cga	tac	att	aac	ttc	901	
Phe	Ser	Gly	Ala	Asp	Leu	Ser	Arg	Leu	Asp	Leu	Arg	Tyr	Ile	Asn	Phe		
225					230					235				240			
aaa	atg	gcc	aat	tta	agc	cgc	tgt	aat	ctt	gca	cat	gca	aat	ctt	tgc	949	
Lys	Met	Ala	Asn	Leu	Ser	Arg	Cys	Asn	Leu	Ala	His	Ala	Asn	Leu	Cys		
			245					250						255			
tgt	gca	aat	ctt	gaa	cga	gct	gat	ctc	tct	gga	tca	gtg	ctt	gac	tgt	997	
Cys	Ala	Asn	Leu	Glu	Arg	Ala	Asp	Leu	Ser	Gly	Ser	Val	Leu	Asp	Cys		
		260						265					270				
gcg	aat	ctc	cag	gga	gtc	aag	atg	ctc	tgt	tct	aat	gca	gaa	gga	gca	1045	
Ala	Asn	Leu	Gln	Gly	Val	Lys	Met	Leu	Cys	Ser	Asn	Ala	Glu	Gly	Ala		
	275						280					285					
tcc	ctg	aaa	ctg	tgt	aat	ttt	gag	gat	cct	tct	ggg	ctt	aaa	gcc	aat	1093	
Ser	Leu	Lys	Leu	Cys	Asn	Phe	Glu	Asp	Pro	Ser	Gly	Leu	Lys	Ala	Asn		
	290					295					300						
tta	gaa	ggg	gct	aat	ctg	aaa	ggg	gtg	gat	atg	gaa	gga	agt	cag	atg	1141	
Leu	Glu	Gly	Ala	Asn	Leu	Lys	Gly	Val	Asp	Met	Glu	Gly	Ser	Gln	Met		
305					310					315				320			
aca	gga	att	aac	ctg	aga	gtg	gct	acc	tta	aaa	aat	gca	aag	ttg	aag	1189	
Thr	Gly	Ile	Asn	Leu	Arg	Val	Ala	Thr	Leu	Lys	Asn	Ala	Lys	Leu	Lys		
			325					330						335			
aac	tgt	aac	ctc	aga	gga	gca	act	ctg	gca	gga	act	gat	tta	gag	aat	1237	
Asn	Cys	Asn	Leu	Arg	Gly	Ala	Thr	Leu	Ala	Gly	Thr	Asp	Leu	Glu	Asn		
		340						345					350				
tgt	gat	ctg	tct	ggg	tgt	gat	ctt	caa	gaa	gcc	aac	ctg	aga	ggg	tcc	1285	
Cys	Asp	Leu	Ser	Gly	Cys	Asp	Leu	Gln	Glu	Ala	Asn	Leu	Arg	Gly	Ser		
	355						360					365					
aac	gtg	aag	gga	gct	ata	ttt	gaa	gag	atg	ctg	aca	cca	cta	cac	atg	1333	
Asn	Val	Lys	Gly	Ala	Ile	Phe	Glu	Glu	Met	Leu	Thr	Pro	Leu	His	Met		
	370					375					380						
tca	caa	agt	gtc	aga	t	gagaatttta	ggggctggag	gaagatgtaa	aagatgaaaa							1389	
Ser	Gln	Ser	Val	Arg													
385																	
tggttttctt	atcacttttc	tttctccacc	cactcagttg	tctagaagaa	ataacactgt											1449	
aaggaaattt	taaaaaaaa	catttagagg	attatgcttg	ttttgagtgg	tgcataaggg											1509	
aaaaaactga	ctttttttcc	atattctgat	ttttaacaga	aaagcactca	tttaatatagat											1569	
gtagggaac	tagatattgc	tgctttttga	atggggtagg	ggggtttacc	ttgttttatg											1629	
accaggcata	gtatctatta	tatttgcttt	taaataggca	tgatgtggaa	ataccatctt											1689	
ggtttgagat	gcatttgagg	attttaattt	atggaaagca	caacatatgc	aattatatatt											1749	
attgaattcc	tagatgcagt	atggatattt	aaattgttaa	aactttatga	aaacttggaa											1809	
aaggttgttc	aggtttataa	atagcttttag	tgatgcctcc	cctctttaaa	tacctgtcac											1869	
accgtatgaa	tatggtgaga	tcagactccc	taagactctt	ttcaggttca	tttttataat											1929	
gtttactttt	taggacagaa	cagtagctaa	attaaagtaa	tatccagttc	ttactgattg											1989	

```

agacagagtg gaaagaaaga catcattgta catcactgtc attccaaagg tacagtgtaa 2049
ctctggatgg aggaataaact tacctatcac tacaacactt acaaatgaga atttctcaga 2109
atttcattct aggcaagttc cactcaacac cagatcaagc aattctatct atttacacta 2169
ttagcctagt tttctcatc agtcatcaca agcataggaa gatacttcaa aaccaaaaaa 2229
accaaggtgc atcattaata ttcatttaat tcaaatacca aatagtttac atagggccag 2289
cttagaaaata gatactaaat ccagagctac tgcaatcaaa gcttatatga gtgaatatgg 2349
tagagttgcc tgctaaaagg caatgtaata taattgcagc tagaacccta cagtggggaa 2409
tgaggaatth taaacacaca tttgattaca gccacaaaaa aaatagacgt aaaaataaag 2469
gcatttggct ggtccaagat gtaattttca atcagtcagc acctgtgatt cttttactta 2529
tttttttggt gttttttttt tttaaacaaa ttttagccca attttcttga gtcattctct 2589
ctctgcagca gcagaggaag ggcctgtacc tccctaccaa tgacttggtg tccttatttt 2649
ctaccccaag agcagggata ttagctgtgt ccaaatgggt tctgaattct acagactcat 2709
caacatgagg caaggaatca ttgaaaacca cctgtgtctc ctttgggaga atgacatatc 2769
tttagtattt acgtagctta ttcttctata tctacatatg caaagctttc cttaacagta 2829
aagggtacat atgcatagtg ggaggagatc agacctttac aagtgaagga aagcaacttc 2889
agaaatgaat tattttcttt gctttattat ttttaccagg acagagaagt attgtattga 2949
gagataatct attttcataa tcaatatgtg cctaaattat atttaaatca tttcactctg 3009
tactatattt tcaggaatta cagaatgtgg tattcattca cttaaaggta cctctgtaga 3069
aataacctaa aactgcagaa ggatctgaaa gatctaaaca tgggtgtgctt agaaactgca 3129
gatttttagat ctaatgtata ctgcattaat aaatgatata aagtgtttgt tgaaaaaaa 3189
aaaaaaaaa aaaaa 3204

```

```

<210> 27
<211> 389
<212> PRT
<213> H. sapiens

```

```

<400> 27
Met Arg Arg Val Thr Leu Phe Leu Asn Gly Ser Pro Lys Asn Gly Lys_
1 5 10 15
Val Val Ala Val Tyr Gly Thr Leu Ser Asp Leu Leu Ser Val Ala Ser
20 25 30
Ser Lys Leu Gly Ile Lys Ala Thr Ser Val Tyr Asn Gly Lys Gly Gly
35 40 45
Leu Ile Asp Asp Ile Ala Leu Ile Arg Asp Asp Asp Val Leu Phe Val
50 55 60
Cys Glu Gly Glu Pro Phe Ile Asp Pro Gln Thr Asp Ser Lys Pro Pro
65 70 75 80
Glu Gly Leu Leu Gly Phe His Thr Asp Trp Leu Thr Leu Asn Val Gly
85 90 95
Gly Arg Tyr Phe Thr Thr Thr Arg Ser Thr Leu Val Asn Lys Glu Pro
100 105 110
Asp Ser Met Leu Ala His Met Phe Lys Asp Lys Gly Val Trp Gly Asn
115 120 125
Lys Gln Asp His Arg Gly Ala Phe Leu Ile Asp Arg Ser Pro Glu Tyr
130 135 140
Phe Glu Pro Ile Leu Asn Tyr Leu Arg His Gly Gln Leu Ile Val Asn
145 150 155 160
Asp Gly Ile Asn Leu Leu Gly Val Leu Glu Glu Ala Arg Phe Phe Gly
165 170 175
Ile Asp Ser Leu Ile Glu His Leu Glu Val Ala Ile Lys Asn Ser Gln
180 185 190
Pro Pro Glu Asp His Ser Pro Ile Ser Arg Lys Glu Phe Val Arg Phe
195 200 205
Leu Leu Ala Thr Pro Thr Lys Ser Glu Leu Arg Cys Gln Gly Leu Asn
210 215 220
Phe Ser Gly Ala Asp Leu Ser Arg Leu Asp Leu Arg Tyr Ile Asn Phe
225 230 235 240
Lys Met Ala Asn Leu Ser Arg Cys Asn Leu Ala His Ala Asn Leu Cys
245 250 255
Cys Ala Asn Leu Glu Arg Ala Asp Leu Ser Gly Ser Val Leu Asp Cys

```

```

                260                265                270
Ala Asn Leu Gln Gly Val Lys Met Leu Cys Ser Asn Ala Glu Gly Ala
                275                280                285
Ser Leu Lys Leu Cys Asn Phe Glu Asp Pro Ser Gly Leu Lys Ala Asn
                290                295                300
Leu Glu Gly Ala Asn Leu Lys Gly Val Asp Met Glu Gly Ser Gln Met
305                310                315                320
Thr Gly Ile Asn Leu Arg Val Ala Thr Leu Lys Asn Ala Lys Leu Lys
                325                330                335
Asn Cys Asn Leu Arg Gly Ala Thr Leu Ala Gly Thr Asp Leu Glu Asn
                340                345                350
Cys Asp Leu Ser Gly Cys Asp Leu Gln Glu Ala Asn Leu Arg Gly Ser
                355                360                365
Asn Val Lys Gly Ala Ile Phe Glu Glu Met Leu Thr Pro Leu His Met
                370                375                380
Ser Gln Ser Val Arg
385

```

```

<210> 28
<211> 1246
<212> DNA
<213> H. sapiens

<220>
<221> CDS
<222> (432)...(1092)
<223> K+Hnov44, splice 1

```

```

<400> 28
cagaaaacca cgcaggctcct tcttgatcat ctagaactga ccgctccgcc ttgccaggag      60
tctgcagaac cacgtggcta gcctgcctga agttctcacc tctccaggaa ggcggggggc      120
ttctaattggc tgcagctgcg ctgggggctg ggggctcccg ctgggactcc acttcctgtg      180
atgtctaagc ttcacctttc ttgcgcccgc aggggcatga ctcagggtgaa agggagccat      240
tttctcagac ccctggcctc atgcagccct tcagcatccc cgtgcaaata acacttcagg      300
gcagccggag gcgccagggg aggacagcct ttctgcctc agggagaaga agagagacag      360
actacagtga tggagaccca ctgatgtgc acaagaggct gccatccagt gctggagagg      420
accgagccgt g atg ctg ggg ttt gcc atg atg ggc ttc tca gtc cta atg      470
                Met Leu Gly Phe Ala Met Met Gly Phe Ser Val Leu Met
                1                5                10

ttc ttc ttg ctc gga aca acc att cta aag cct ttt atg ctc agc att      518
Phe Phe Leu Leu Gly Thr Thr Ile Leu Lys Pro Phe Met Leu Ser Ile
                15                20                25

cag aga gaa gaa tcg acc tgc act gcc atc cac aca gat atc atg gac      566
Gln Arg Glu Glu Ser Thr Cys Thr Ala Ile His Thr Asp Ile Met Asp
                30                35                40                45

gac tgg ctg gac tgt gcc ttc acc tgt ggt gtg cac tgc cac ggt cag      614
Asp Trp Leu Asp Cys Ala Phe Thr Cys Gly Val His Cys His Gly Gln
                50                55                60

ggg aag tac ccg tgt ctt cag gtg ttt gtg aac ctc agc cat cca ggt      662
Gly Lys Tyr Pro Cys Leu Gln Val Phe Val Asn Leu Ser His Pro Gly
                65                70                75

cag aaa gct ctc cta cat tat aat gaa gag gct gtc cag ata aat ccc      710
Gln Lys Ala Leu Leu His Tyr Asn Glu Glu Ala Val Gln Ile Asn Pro
                80                85                90

aag tgc ttt tac aca cct aag tgc cac caa gat aga aat gat ttg ctc      758

```

Lys Cys Phe Tyr Thr Pro Lys Cys His Gln Asp Arg Asn Asp Leu Leu
 95 100 105
 aac agt gct ctg gac ata aaa gaa ttc ttc gat cac aaa aat gga act 806
 Asn Ser Ala Leu Asp Ile Lys Glu Phe Phe Asp His Lys Asn Gly Thr
 110 115 120 125
 ccc ttt tca tgc ttc tac agt cca gcc agc caa tct gaa gat gtc att 854
 Pro Phe Ser Cys Phe Tyr Ser Pro Ala Ser Gln Ser Glu Asp Val Ile
 130 135 140
 ctt ata aaa aag tat gac caa atg gct atc ttc cac tgt tta ttt tgg 902
 Leu Ile Lys Lys Tyr Asp Gln Met Ala Ile Phe His Cys Leu Phe Trp
 145 150 155
 cct tca ctg act ctg cta ggt ggt gcc ctg att gtt ggc atg gtg aga 950
 Pro Ser Leu Thr Leu Leu Gly Gly Ala Leu Ile Val Gly Met Val Arg
 160 165 170
 tta aca caa cac ctg tcc tta ctg tgt gaa aaa tat agc act gta gtc 998
 Leu Thr Gln His Leu Ser Leu Leu Cys Glu Lys Tyr Ser Thr Val Val
 175 180 185
 aga gat gag gta ggt gga aaa gta cct tat ata gaa cag cat cag ttc 1046
 Arg Asp Glu Val Gly Gly Lys Val Pro Tyr Ile Glu Gln His Gln Phe
 190 195 200 205
 aaa ctg tgc att atg agg agg agc aaa gga aga gca gag aaa tct t 1092
 Lys Leu Cys Ile Met Arg Arg Ser Lys Gly Arg Ala Glu Lys Ser
 210 215 220
 aagacgggtgg ccaaattaaa gtgctggcct tcagatgtct gtgatttctg caactgagga 1152
 cctaattatg cctgtctgca aactaataat gtaaaaggta ataattaaag tatcatattt 1212
 tcatgtggga aaaaaaaaaa aaaaaaaaaa aaaa 1246
 <210> 29
 <211> 1111
 <212> DNA
 <213> H. sapiens
 <220>
 <221> CDS
 <222> (297)...(957)
 <223> K+Hnov44, splice 2
 <400> 29
 aaaaaccatg acttgtggca ccagaagaga gccggggact tcaatccaag aaagcagaga 60
 agataccaaa gaaggaccga gaagggcaaa gcaaagaaga ctgtaccatg tcctaagctg 120
 aggcaggcgg caggcgtggt gcacaagaag tctgagtgtg aggggctctt ttctctccac 180
 tgccaatgac agcctttcct gcctcaggga agaagagaga gacagactac agtgatggag 240
 acccactaga tgtgcacaag aggctgccat ccagtgtctg agaggaccga gccgtg atg 299
 Met
 1
 ctg ggg ttt gcc atg atg ggc ttc tca gtc cta atg ttc ttc ttg ctc 347
 Leu Gly Phe Ala Met Met Gly Phe Ser Val Leu Met Phe Phe Leu Leu
 5 10 15
 gga aca acc att cta aag cct ttt atg ctc agc att cag aga gaa gaa 395
 Gly Thr Thr Ile Leu Lys Pro Phe Met Leu Ser Ile Gln Arg Glu Glu
 20 25 30

tcg acc tgc act gcc atc cac aca gat atc atg gac gac tgg ctg gac 443
 Ser Thr Cys Thr Ala Ile His Thr Asp Ile Met Asp Asp Trp Leu Asp
 35 40 45
 tgt gcc ttc acc tgt ggt gtg cac tgc cac ggt cag ggg aag tac ccg 491
 Cys Ala Phe Thr Cys Gly Val His Cys His Gly Gln Gly Lys Tyr Pro
 50 55 60 65
 tgt ctt cag gtg ttt gtg aac ctc agc cat cca ggt cag aaa gct ctc 539
 Cys Leu Gln Val Phe Val Asn Leu Ser His Pro Gly Gln Lys Ala Leu
 70 75 80
 cta cat tat aat gaa gag gct gtc cag ata aat ccc aag tgc ttt tac 587
 Leu His Tyr Asn Glu Glu Ala Val Gln Ile Asn Pro Lys Cys Phe Tyr
 85 90 95
 aca cct aag tgc cac caa gat aga aat gat ttg ctc aac agt gct ctg 635
 Thr Pro Lys Cys His Gln Asp Arg Asn Asp Leu Leu Asn Ser Ala Leu
 100 105 110
 gac ata aaa gaa ttc ttc gat cac aaa aat gga act ccc ttt tca tgc 683
 Asp Ile Lys Glu Phe Phe Asp His Lys Asn Gly Thr Pro Phe Ser Cys
 115 120 125
 ttc tac agt cca gcc agc caa tct gaa gat gtc att ctt ata aaa aag 731
 Phe Tyr Ser Pro Ala Ser Gln Ser Glu Asp Val Ile Leu Ile Lys Lys
 130 135 140 145
 tat gac caa atg gct atc ttc cac tgt tta ttt tgg cct tca ctg act 779
 Tyr Asp Gln Met Ala Ile Phe His Cys Leu Phe Trp Pro Ser Leu Thr
 150 155 160
 ctg cta ggt ggt gcc ctg att gtt ggc atg gtg aga tta aca caa cac 827
 Leu Leu Gly Gly Ala Leu Ile Val Gly Met Val Arg Leu Thr Gln His
 165 170 175
 ctg tcc tta ctg tgt gaa aaa tat agc act gta gtc aga gat gag gta 875
 Leu Ser Leu Leu Cys Glu Lys Tyr Ser Thr Val Val Arg Asp Glu Val
 180 185 190
 ggt gga aaa gta cct tat ata gaa cag cat cag ttc aaa ctg tgc att 923
 Gly Gly Lys Val Pro Tyr Ile Glu Gln His Gln Phe Lys Leu Cys Ile
 195 200 205
 atg agg agg agc aaa gga aga gca gag aaa tct t aagacggtgg 967
 Met Arg Arg Ser Lys Gly Arg Ala Glu Lys Ser
 210 215 220
 ccaaattaaa gtgctggcct tcagatgtct gtgatttctg caactgagga cctaattatg 1027
 cctgtctgca aactaataat gtaaaaggta ataattaaag tatcatattt tcatgtggga 1087
 aaaaaaaaaa aaaaaaaaaa aaaa 1111

<210> 30

<211> 220

<212> PRT

<213> H. sapiens

<400> 30

Met Leu Gly Phe Ala Met Met Gly Phe Ser Val Leu Met Phe Phe Leu
 1 5 10 15

Leu Gly Thr Thr Ile Leu Lys Pro Phe Met Leu Ser Ile Gln Arg Glu
 20 25 30
 Glu Ser Thr Cys Thr Ala Ile His Thr Asp Ile Met Asp Asp Trp Leu
 35 40 45
 Asp Cys Ala Phe Thr Cys Gly Val His Cys His Gly Gln Gly Lys Tyr
 50 55 60
 Pro Cys Leu Gln Val Phe Val Asn Leu Ser His Pro Gly Gln Lys Ala
 65 70 75 80
 Leu Leu His Tyr Asn Glu Glu Ala Val Gln Ile Asn Pro Lys Cys Phe
 85 90 95
 Tyr Thr Pro Lys Cys His Gln Asp Arg Asn Asp Leu Leu Asn Ser Ala
 100 105 110
 Leu Asp Ile Lys Glu Phe Phe Asp His Lys Asn Gly Thr Pro Phe Ser
 115 120 125
 Cys Phe Tyr Ser Pro Ala Ser Gln Ser Glu Asp Val Ile Leu Ile Lys
 130 135 140
 Lys Tyr Asp Gln Met Ala Ile Phe His Cys Leu Phe Trp Pro Ser Leu
 145 150 155 160
 Thr Leu Leu Gly Gly Ala Leu Ile Val Gly Met Val Arg Leu Thr Gln
 165 170 175
 His Leu Ser Leu Leu Cys Glu Lys Tyr Ser Thr Val Val Arg Asp Glu
 180 185 190
 Val Gly Gly Lys Val Pro Tyr Ile Glu Gln His Gln Phe Lys Leu Cys
 195 200 205
 Ile Met Arg Arg Ser Lys Gly Arg Ala Glu Lys Ser
 210 215 220

<210> 31
 <211> 22
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> consensus sequences

<400> 31
 tatccacatc aatggacaaa gc 22

<210> 32
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<400> 32
 tgcataactg gctgggtgta 20

<210> 33
 <211> 22
 <212> DNA
 <213> Artificial Sequence

<400> 33
 tgacatcact ggatgaactt ga 22

<210> 34
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<400> 34
 tgctgcacaa gtttgaacat 20

<210> 35
<211> 22
<212> DNA
<213> Artificial Sequence

<400> 35
tgacatcact ggatgaactt ga 22

<210> 36
<211> 20
<212> DNA
<213> Artificial Sequence

<400> 36
tgcttgcaaa gtttgaacat 20

<210> 37
<211> 20
<212> DNA
<213> Artificial Sequence

<400> 37
acctgggtgg atggaagcat 20

<210> 38
<211> 19
<212> DNA
<213> Artificial Sequence

<400> 38
tttctctgg cctctaccc 19

<210> 39
<211> 19
<212> DNA
<213> Artificial Sequence

<400> 39
tccctcttgg gtgaccttc 19

<210> 40
<211> 20
<212> DNA
<213> Artificial Sequence

<400> 40
atctttgtca gccaccagct 20

<210> 41
<211> 24
<212> DNA
<213> Artificial Sequence

<400> 41
agggtgtgctg ccatctgctg ttcg 24

<210> 42
<211> 24
<212> DNA
<213> Artificial Sequence

<400> 42	
agcctatcct ctctgagagt cagg	24
<210> 43	
<211> 21	
<212> DNA	
<213> Artificial Sequence	
<400> 43	
aagcagagta ctcgatgatgc c	21
<210> 44	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<400> 44	
tctggtagac agtacagtgg	20
<210> 45	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<400> 45	
catttggtg gtccaagatg	20
<210> 46	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<400> 46	
agtcattggt agggaggtac	20
<210> 47	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<400> 47	
catgcttcta cagtccagcc	20
<210> 48	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<400> 48	
ggtcctcagt tgcagaaatc	20
<210> 49	
<211> 45	
<212> DNA	
<213> Artificial Sequence	
<400> 49	
tggtgggctg tggtgaccat gacaactgtg ggctatgggg acatg	45
<210> 50	

<211> 45
<212> DNA
<213> Artificial Sequence

<400> 50
tgggtgggcag tggtcacccat gaccactgtg ggctacgggg acatg 45

<210> 51
<211> 45
<212> DNA
<213> Artificial Sequence

<400> 51
tgggtgggcag tcgtctccat gacaactgta ggctatggag acatg 45

<210> 52
<211> 45
<212> DNA
<213> Artificial Sequence

<400> 52
tgggtgggcag tggtaacccat gacaacagtg gggtacggcg atatg 45

<210> 53
<211> 45
<212> DNA
<213> Artificial Sequence

<400> 53
tgggtgggctg tggtcacccat gacgaccctg ggctatggag acatg 45

<210> 54
<211> 45
<212> DNA
<213> Artificial Sequence

<400> 54
tgggtgggggg tggtcacagt caccaccatc ggctatgggg acaag 45

<210> 55
<211> 45
<212> DNA
<213> Artificial Sequence

<400> 55
tgggtgggcag tggtcacccat gaccacggtt ggctatgggg acatg 45

<210> 56
<211> 45
<212> DNA
<213> Artificial Sequence

<400> 56
tgggtgggccc tggtcacccat gacgaccctg ggctatggag acatg 45

<210> 57
<211> 45
<212> DNA
<213> Artificial Sequence

<400> 57

tggtgggctg tggtcaccat gacgacactg ggctacggag acatg 45
<210> 58
<211> 45
<212> DNA
<213> Artificial Sequence

<400> 58
tggtgggctg tggtgacat gacaactgtg ggctatgggg acatg 45
<210> 59
<211> 47
<212> DNA
<213> Artificial Sequence

<400> 59
ttcctgttct ccattgagac cgaaacaacc attgggtatg gcttccg 47
<210> 60
<211> 47
<212> DNA
<213> Artificial Sequence

<400> 60
tttttattct caatagagac agaaaccacc attgggtatg gctaccg 47
<210> 61
<211> 47
<212> DNA
<213> Artificial Sequence

<400> 61
ttcctcttct ccattgagac ccagacaacc ataggctatg gtttcag 47
<210> 62
<211> 47
<212> DNA
<213> Artificial Sequence

<400> 62
ttcctgttct cggaggagac gcagacgacc atcggctatg gggtccg 47
<210> 63
<211> 47
<212> DNA
<213> Artificial Sequence

<400> 63
ttcctcttct cccttgaatc ccaaaccacc attggctatg gcttccg 47
<210> 64
<211> 47
<212> DNA
<213> Artificial Sequence

<400> 64
tttctctttt cccttgaatc ccagacaacc attggctatg gagtccg 47
<210> 65
<211> 47
<212> DNA

<213> Artificial Sequence

<400> 65

ttccttttct ccattgaggt ccaagtgact attggctttg gggggcg 47

<210> 66

<211> 47

<212> DNA

<213> Artificial Sequence

<400> 66

tttctcttct ccattgaagt tcaagttacc attgggtttg gagggag 47

<210> 67

<211> 50

<212> DNA

<213> Artificial Sequence

<400> 67

gcgctctact tcaccttcag cagcctcacc agtgtgggct tcggcaacgt 50

<210> 68

<211> 15

<212> PRT

<213> Artificial Sequence

<220>

<223> consensus sequences

<400> 68

Trp	Trp	Ala	Val	Val	Ser	Met	Thr	Thr	Val	Gly	Tyr	Gly	Asp	Met
1				5					10				15	

<210> 69

<211> 15

<212> PRT

<213> Artificial Sequence

<400> 69

Trp	Trp	Ala	Val	Val	Thr	Met	Thr	Thr	Leu	Gly	Tyr	Gly	Asp	Met
1				5					10				15	

<210> 70

<211> 15

<212> PRT

<213> Artificial Sequence

<400> 70

Trp	Trp	Gly	Val	Val	Thr	Val	Thr	Thr	Ile	Gly	Tyr	Gly	Asp	Lys
1				5					10				15	

<210> 71

<211> 15

<212> PRT

<213> Artificial Sequence

<400> 71

Trp	Trp	Ala	Val	Val	Thr	Met	Thr	Thr	Val	Gly	Tyr	Gly	Asp	Met
1				5					10				15	

<210> 72

<211> 15
 <212> PRT
 <213> Artificial Sequence

<400> 72
 Phe Leu Phe Ser Ile Glu Val Gln Val Thr Ile Gly Phe Gly Gly
 1 5 10 15

<210> 73
 <211> 15
 <212> PRT
 <213> Artificial Sequence

<400> 73
 Phe Leu Phe Ser Leu Glu Ser Gln Thr Thr Ile Gly Tyr Gly Val
 1 5 10 15

<210> 74
 <211> 15
 <212> PRT
 <213> Artificial Sequence

<400> 74
 Phe Leu Phe Ser Ile Glu Thr Glu Thr Thr Ile Gly Tyr Gly Tyr
 1 5 10 15

<210> 75
 <211> 15
 <212> PRT
 <213> Artificial Sequence

<400> 75
 Phe Leu Phe Ser Ile Glu Thr Gln Thr Thr Ile Gly Tyr Gly Phe
 1 5 10 15

<210> 76
 <211> 15
 <212> PRT
 <213> Artificial Sequence

<400> 76
 Phe Leu Phe Ser Val Glu Thr Gln Thr Thr Ile Gly Tyr Gly Phe
 1 5 10 15

<210> 77
 <211> 15
 <212> PRT
 <213> Artificial Sequence

<400> 77
 Phe Leu Phe Ser Leu Glu Ser Gln Thr Thr Ile Gly Tyr Gly Phe
 1 5 10 15

<210> 78
 <211> 15
 <212> PRT
 <213> Artificial Sequence

<400> 78
 Phe Leu Phe Ser Ile Glu Thr Glu Thr Thr Ile Gly Tyr Gly Phe
 1 5 10 15

<210> 79
 <211> 16
 <212> PRT
 <213> Artificial Sequence

<400> 79
 Ala Leu Tyr Phe Thr Phe Ser Ser Leu Thr Ser Val Gly Phe Gly Asn
 1 5 10 15

<210> 80
 <211> 2571
 <212> DNA
 <213> H. sapiens

<220>
 <221> CDS
 <222> (110)...(1285)

<400> 80
 gctgccgcgc ctgtagcact cccggaactg gaactaggtg ccagacggtc cggaggcgagg 60
 ggccacgtca gcgggggccac ccaggggctcg cggggtcccgtggtgtgcc atg cgg agg 118
 Met Arg Arg
 1
 ggc gcg ctt ctg gcg ggc gcc ttg gcc gcg tac gcc gcg tac ctg gtg 166
 Gly Ala Leu Leu Ala Gly Ala Leu Ala Ala Tyr Ala Ala Tyr Leu Val
 5 10 15
 ctg ggc gcg ctg ttg gtg gcg cgg ctg gag ggg ccg cac gaa gcc agg 214
 Leu Gly Ala Leu Leu Val Ala Arg Leu Glu Gly Pro His Glu Ala Arg
 20 25 30 35
 ctc cga gcc gag ctg gag acg ctg cgg gcg cag ctg ctt cag cgc agc 262
 Leu Arg Ala Glu Leu Glu Thr Leu Arg Ala Gln Leu Leu Gln Arg Ser
 40 45 50
 ccg tgt gtg gct gcc ccc gcc ctg gac gcc ttc gtg gag cga gtg ctg 310
 Pro Cys Val Ala Ala Pro Ala Leu Asp Ala Phe Val Glu Arg Val Leu
 55 60 65
 gcg gcc gga cgg ctg ggg cgg gtc gtg ctt gct aac gct tcg ggg tcc 358
 Ala Ala Gly Arg Leu Gly Arg Val Val Leu Ala Asn Ala Ser Gly Ser
 70 75 80
 gcc aac gcc tcg gac ccc gcc tgg gac ttc gcc tct gct ctc ttc ttc 406
 Ala Asn Ala Ser Asp Pro Ala Trp Asp Phe Ala Ser Ala Leu Phe Phe
 85 90 95
 gcc agc acg ctg atc acc acc gtg ggc tat ggg tac aca acg cca ctg 454
 Ala Ser Thr Leu Ile Thr Thr Val Gly Tyr Gly Tyr Thr Thr Pro Leu
 100 105 110 115
 act gat gcg ggc aag gcc ttc tcc atc gcc ttt gcg ctc ctg ggc gtg 502
 Thr Asp Ala Gly Lys Ala Phe Ser Ile Ala Phe Ala Leu Leu Gly Val
 120 125 130
 ccg acc acc atg ctg ctg ctg acc gcc tca gcc cag cgc ctg tca ctg 550
 Pro Thr Thr Met Leu Leu Leu Thr Ala Ser Ala Gln Arg Leu Ser Leu
 135 140 145

ctg ctg act cac gtg ccc ctg tct tgg ctg agc atg cgt tgg ggc tgg Leu Leu Thr His Val Pro Leu Ser Trp Leu Ser Met Arg Trp Gly Trp 150 155 160	598
gac ccc cgg cgg gcg gcc tgc tgg cac ttg gtg gcc ctg ttg ggg gtc Asp Pro Arg Arg Ala Ala Cys Trp His Leu Val Ala Leu Leu Gly Val 165 170 175	646
gta gtg acc gtc tgc ttt ctg gtg ccg gct gtg atc ttt gcc cac ctc Val Val Thr Val Cys Phe Leu Val Pro Ala Val Ile Phe Ala His Leu 180 185 190 195	694
gag gag gcc tgg agc ttc ttg gat gcc ttc tac ttc tgc ttt atc tct Glu Glu Ala Trp Ser Phe Leu Asp Ala Phe Tyr Phe Cys Phe Ile Ser 200 205 210	742
ctg tcc acc atc ggc ctg ggc gac tac gtg ccc ggg gag gcc cct ggc Leu Ser Thr Ile Gly Leu Gly Asp Tyr Val Pro Gly Glu Ala Pro Gly 215 220 225	790
cag ccc tac cgg gcc ctc tac aag gtg ctg gtc aca gtc tac ctc ttc Gln Pro Tyr Arg Ala Leu Tyr Lys Val Leu Val Thr Val Tyr Leu Phe 230 235 240	838
ctg ggc ctg gtg gcc atg gtg ctg gtg ctg cag acc ttc cgc cac gtg Leu Gly Leu Val Ala Met Val Leu Val Leu Gln Thr Phe Arg His Val 245 250 255	886
tcc gac ctc cac ggc ctc acg gag ctc atc ctg ctg ccc cct ccg tgc Ser Asp Leu His Gly Leu Thr Glu Leu Ile Leu Leu Pro Pro Pro Cys 260 265 270 275	934
cct gcc agt ttc aat gcg gat gag gac gat cgg gtg gac atc ctg ggc Pro Ala Ser Phe Asn Ala Asp Glu Asp Asp Arg Val Asp Ile Leu Gly 280 285 290	982
ccc cag ccg gag tgc cac cag caa ctc tct gcc agc tcc cac acc gac Pro Gln Pro Glu Ser His Gln Gln Leu Ser Ala Ser Ser His Thr Asp 295 300 305	1030
tac gct tcc atc ccc agg tag ctg ggg cag cct ctg cca ggc ttg ggt Tyr Ala Ser Ile Pro Arg * Leu Gly Gln Pro Leu Pro Gly Leu Gly 310 315 320	1078
gtg cct ggc ctg gga ctg agg ggt cca ggc gac cag agc tgg ctg tac Val Pro Gly Leu Gly Leu Arg Gly Pro Gly Asp Gln Ser Trp Leu Tyr 325 330 335	1126
agg aat gtc cac gag cac agc agg tga tct tga ggc ctt gcc gtc cac Arg Asn Val His Glu His Ser Arg * Ser * Gly Leu Ala Val His 340 345 350	1174
cgt ctc tcc ttt gtt tcc cag cat ctg gct ggg atg tga agg gca gca Arg Leu Ser Phe Val Ser Gln His Leu Ala Gly Met * Arg Ala Ala 355 360 365	1222
ctc cct gtc ccc atg tcc cgg gct cca ctg ggc acc aac ata acc ttg Leu Pro Val Pro Met Ser Arg Ala Pro Leu Gly Thr Asn Ile Thr Leu 370 375 380	1270
ttc tct gtc ctt tct ctcatcctct ttacactgtg tctctctggc tctctggcat	1325

Phe Ser Val Leu Ser
385

tctcgtgcc	tctgtctttc	cctcttgcgtg	tctctgtttc	tcattctctt	tcattgttccg	1385
tctgtgtctc	tcaattaacc	actcgtcaac	tgctgattct	actgggctgt	gggctcagac	1445
ctcatttcag	gcaccagatt	ggtcgctaca	ccctggacaa	gtgactgcc	gtctctgagc	1505
cttgatttcc	tcagctgcc	aatgggaaga	atagaagaat	ttgcccctaa	acccctcctg	1565
tgtgtctggc	ctgtgctaga	cagtgtctga	gacatagttg	ggggtggaga	actgccctta	1625
tggagcttgc	agtccagtga	ggtggacaga	cctgtcccca	gacagtgatg	gccccaaatg	1685
gtcaggactt	taatggagga	ggtgaggtgt	tgaaagcaca	ggcagagtgg	tcagggtctga	1745
agtcggagaa	gcatagggac	taggcccaat	ccagcctgga	aagtcaggga	ggacttccta	1805
gaggaaggga	catcgaaacta	agacctgaac	tatgagaaat	aggcaggaag	aagttgtacc	1865
tgactcattt	ttctcaggtg	tctccaggga	gcaggaccca	tggagggacc	cctgggtgtag	1925
gcctgggcga	tagactcttc	ctcagcagcc	tggcaggcag	gaaacagaca	taggacccca	1985
gcccagatct	gaatggcatg	ggaggtgctg	cccttaacca	tgacaccatt	gtaagagctg	2045
tccacatttg	tatgttgtgc	cctggaatca	gcctgggtga	gctcaaattcc	caacttagcc	2105
acgtctggcc	tgtgtccttg	ggcagtcaca	ctacctctct	gattttgttt	ccttatctgt	2165
aaaatggtga	tcatacataat	acaacttcaa	aaggatttca	ggctgagtgt	ggtggctcac	2225
gcctatacac	ccagcacttt	ggaaggctga	ggaaggagga	tcgcttgagg	ccaggagtgt	2285
gagactagcc	taggcaacac	agtgaggcct	tatctcaaca	acaaccacaa	aatctaaaaa	2345
ttagctgggt	gtggtggtgc	atgcctgtga	tcctggctac	ttcagaggct	gaggtggaag	2405
gatcacttga	ggccaggagt	ttgaggctgc	agtgagttat	gatggcactg	ctgcactcca	2465
gcctgcggga	cagagtgaga	ccctgtctga	aagaaagaga	gaaagaaaga	aagaaagaga	2525
gagaaagaaa	gaaagaaaga	aagggaagaa	tggaagggaag	gaagga		2571

<210> 81

<211> 388

<212> PRT

<213> H. sapiens

<400> 81

Met	Arg	Arg	Gly	Ala	Leu	Leu	Ala	Gly	Ala	Leu	Ala	Ala	Tyr	Ala	Ala
1			5					10					15		
Tyr	Leu	Val	Leu	Gly	Ala	Leu	Leu	Val	Ala	Arg	Leu	Glu	Gly	Pro	His
			20					25					30		
Glu	Ala	Arg	Leu	Arg	Ala	Glu	Leu	Glu	Thr	Leu	Arg	Ala	Gln	Leu	Leu
			35					40					45		
Gln	Arg	Ser	Pro	Cys	Val	Ala	Ala	Pro	Ala	Leu	Asp	Ala	Phe	Val	Glu
			50					55				60			
Arg	Val	Leu	Ala	Ala	Gly	Arg	Leu	Gly	Arg	Val	Val	Leu	Ala	Asn	Ala
65					70					75				80	
Ser	Gly	Ser	Ala	Asn	Ala	Ser	Asp	Pro	Ala	Trp	Asp	Phe	Ala	Ser	Ala
				85					90					95	
Leu	Phe	Phe	Ala	Ser	Thr	Leu	Ile	Thr	Thr	Val	Gly	Tyr	Gly	Tyr	Thr
			100					105					110		
Thr	Pro	Leu	Thr	Asp	Ala	Gly	Lys	Ala	Phe	Ser	Ile	Ala	Phe	Ala	Leu
			115					120					125		
Leu	Gly	Val	Pro	Thr	Thr	Met	Leu	Leu	Leu	Thr	Ala	Ser	Ala	Gln	Arg
			130			135					140				
Leu	Ser	Leu	Leu	Leu	Thr	His	Val	Pro	Leu	Ser	Trp	Leu	Ser	Met	Arg
145					150					155				160	
Trp	Gly	Trp	Asp	Pro	Arg	Arg	Ala	Ala	Cys	Trp	His	Leu	Val	Ala	Leu
				165					170					175	
Leu	Gly	Val	Val	Val	Thr	Val	Cys	Phe	Leu	Val	Pro	Ala	Val	Ile	Phe
			180					185					190		
Ala	His	Leu	Glu	Glu	Ala	Trp	Ser	Phe	Leu	Asp	Ala	Phe	Tyr	Phe	Cys
			195				200					205			
Phe	Ile	Ser	Leu	Ser	Thr	Ile	Gly	Leu	Gly	Asp	Tyr	Val	Pro	Gly	Glu
			210				215				220				
Ala	Pro	Gly	Gln	Pro	Tyr	Arg	Ala	Leu	Tyr	Lys	Val	Leu	Val	Thr	Val
225					230					235				240	

Tyr Leu Phe Leu Gly Leu Val Ala Met Val Leu Val Leu Gln Thr Phe
 245 250 255
 Arg His Val Ser Asp Leu His Gly Leu Thr Glu Leu Ile Leu Leu Pro
 260 265 270
 Pro Pro Cys Pro Ala Ser Phe Asn Ala Asp Glu Asp Asp Arg Val Asp
 275 280 285
 Ile Leu Gly Pro Gln Pro Glu Ser His Gln Gln Leu Ser Ala Ser Ser
 290 295 300
 His Thr Asp Tyr Ala Ser Ile Pro Arg Leu Gly Gln Pro Leu Pro Gly
 305 310 315 320
 Leu Gly Val Pro Gly Leu Gly Leu Arg Gly Pro Gly Asp Gln Ser Trp
 325 330 335
 Leu Tyr Arg Asn Val His Glu His Ser Arg Ser Gly Leu Ala Val His
 340 345 350
 Arg Leu Ser Phe Val Ser Gln His Leu Ala Gly Met Arg Ala Ala Leu
 355 360 365
 Pro Val Pro Met Ser Arg Ala Pro Leu Gly Thr Asn Ile Thr Leu Phe
 370 375 380
 Ser Val Leu Ser
 385

<210> 82

<211> 3300

<212> DNA

<213> H. sapiens

<220>

<221> CDS

<222> (50)...(1285)

<400> 82

aaatgcctgc ccgtgcagct cggagcgcgc agcccgctctc tgaataaga atg gcg gca 58
 Met Ala Ala
 1

 cct gac ttg ctg gat cct aaa tct gcc gct cag aac tcc aaa ccg agg 106
 Pro Asp Leu Leu Asp Pro Lys Ser Ala Ala Gln Asn Ser Lys Pro Arg
 5 10 15

 ctc tcg ttt tcc acg aaa ccc aca gtg ctt gct tcc cgg gtg gag agt 154
 Leu Ser Phe Ser Thr Lys Pro Thr Val Leu Ala Ser Arg Val Glu Ser
 20 25 30 35

 gac acg acc att aat gtt atg aaa tgg aag acg gtc tcc acg ata ttc 202
 Asp Thr Thr Ile Asn Val Met Lys Trp Lys Thr Val Ser Thr Ile Phe
 40 45 50

 ctg gtg gtt gtc ctc tat ctg atc atc gga gcc acc gtg ttc aaa gca 250
 Leu Val Val Val Leu Tyr Leu Ile Ile Gly Ala Thr Val Phe Lys Ala
 55 60 65

 ttg gag cag cct cat gag att tca cag agg acc acc att gtg atc cag 298
 Leu Glu Gln Pro His Glu Ile Ser Gln Arg Thr Thr Ile Val Ile Gln
 70 75 80

 aag caa aca ttc ata tcc caa cat tcc tgt gtc aat tcg acg gag ctg 346
 Lys Gln Thr Phe Ile Ser Gln His Ser Cys Val Asn Ser Thr Glu Leu
 85 90 95

 gat gaa ctc att cag caa ata gtg gca gca ata aat gca ggg att ata 394
 Asp Glu Leu Ile Gln Gln Ile Val Ala Ala Ile Asn Ala Gly Ile Ile

100		105		110		115	
ccg tta gga aac acc tcc aat caa atc agt cac tgg gat ttg gga agt							442
Pro Leu Gly Asn Thr Ser Asn Gln Ile Ser His Trp Asp Leu Gly Ser							
		120		125		130	
tcc ttc ttc ttt gct ggc act gtt att aca acc ata gga ttt gga aac							490
Ser Phe Phe Phe Ala Gly Thr Val Ile Thr Thr Ile Gly Phe Gly Asn							
		135		140		145	
atc tca cca cgc aca gaa ggc ggc aaa ata ttc tgt atc atc tat gcc							538
Ile Ser Pro Arg Thr Glu Gly Gly Lys Ile Phe Cys Ile Ile Tyr Ala							
		150		155		160	
tta ctg gga att ccc ctc ttt ggt ttt ctc ttg gct gga gtt gga gat							586
Leu Leu Gly Ile Pro Leu Phe Gly Phe Leu Leu Ala Gly Val Gly Asp							
		165		170		175	
cag cta ggc acc ata ttt gga aaa gga att gcc aaa gtg gaa gat acg							634
Gln Leu Gly Thr Ile Phe Gly Lys Gly Ile Ala Lys Val Glu Asp Thr							
		180		185		190	195
ttt att aag tgg aat gtt agt cag acc aag att cgc atc atc tca aca							682
Phe Ile Lys Trp Asn Val Ser Gln Thr Lys Ile Arg Ile Ile Ser Thr							
		200		205		210	
atc ata ttt ata cta ttt ggc tgt gta ctc ttt gtg gct ctg cct gcg							730
Ile Ile Phe Ile Leu Phe Gly Cys Val Leu Phe Val Ala Leu Pro Ala							
		215		220		225	
atc ata ttc aaa cac ata gaa ggc tgg agt gcc ctg gac gcc att tat							778
Ile Ile Phe Lys His Ile Glu Gly Trp Ser Ala Leu Asp Ala Ile Tyr							
		230		235		240	
ttt gtg gtt atc act cta aca act att gga ttt ggt gac tac gtt gca							826
Phe Val Val Ile Thr Leu Thr Thr Ile Gly Phe Gly Asp Tyr Val Ala							
		245		250		255	
ggt gga tcc gat att gaa tat ctg gac ttc tat aag cct gtc gtg tgg							874
Gly Gly Ser Asp Ile Glu Tyr Leu Asp Phe Tyr Lys Pro Val Val Trp							
		260		265		270	275
ttc tgg atc ctt gta ggg ctt gct tac ttt gct gct gtc ctg agc atg							922
Phe Trp Ile Leu Val Gly Leu Ala Tyr Phe Ala Ala Val Leu Ser Met							
		280		285		290	
att gga gat tgg ctc cga gtg ata tct aaa aag aca aaa gaa gag gtg							970
Ile Gly Asp Trp Leu Arg Val Ile Ser Lys Lys Thr Lys Glu Glu Val							
		295		300		305	
gga gag ttc aga gca cac gct gct gag tgg aca gcc aac gtc aca gcc							1018
Gly Glu Phe Arg Ala His Ala Ala Glu Trp Thr Ala Asn Val Thr Ala							
		310		315		320	
gaa ttc aaa gaa acc agg agg cga ctg agt gtg gag att tat gac aag							1066
Glu Phe Lys Glu Thr Arg Arg Arg Leu Ser Val Glu Ile Tyr Asp Lys							
		325		330		335	
ttc cag cgg gcc acc tcc atc aag cgg aag ctc tcg gca gaa ctg gct							1114
Phe Gln Arg Ala Thr Ser Ile Lys Arg Lys Leu Ser Ala Glu Leu Ala							
		340		345		350	355

```

gga aac cac aat cag gag ctg act cct tgt agg agg acc ctg tca gtg      1162
Gly Asn His Asn Gln Glu Leu Thr Pro Cys Arg Arg Thr Leu Ser Val
          360                      365                      370

aac cac ctg acc agc gag agg gat gtc ttg cct ccc tta ctg aag act      1210
Asn His Leu Thr Ser Glu Arg Asp Val Leu Pro Pro Leu Leu Lys Thr
          375                      380                      385

gag agt atc tat ctg aat ggt ttg acg cca cac tgt gct ggt gaa gag      1258
Glu Ser Ile Tyr Leu Asn Gly Leu Thr Pro His Cys Ala Gly Glu Glu
          390                      395                      400

att gct gtg att gag aac atc aaa tag ccctctctctt aaataacctt      1305
Ile Ala Val Ile Glu Asn Ile Lys *
          405                      410

aggcatagcc ataggtgagg acttctctat gctctttatg actggtgctg gtagcatttt      1365
ttaaattgtg catgagctca aagggggaac aaaatagata caccatcat ggtcatctat      1425
catcaagaga atttgaatt ctgagccagc actttctttc tgatgatgct tgttgaacgg      1485
tccactttct ttgatgagt gaatgacaag caatgtctga tgcctttttg tgcccagact      1545
gttttctctc ctctttccct aatgtgccat aaggcctcag aatgaatgag aattgtttct      1605
ggtaacaatg tagctttgag ggatcagttc ttaacttttc aggggtctacc taactgagcc      1665
tagatatgga ccatttatgg atgacaacaa tttttttttt gtaaatagaca agaaattctt      1725
atgcagcctt ttacctaaga aattttctgt cagtgcctta tcttatgaag aaacagaacc      1785
tctctagcta atgtgtggtt tctccttccc tgccccacc cctaggctca cctctgcagt      1845
cttttaccct agttctccca tttgaatacc ataccttgct ggaaacagtg tgtaaaatga      1905
ctgaagtgat gatgcccga gatgaaatag atgccaaatt agatggacat tgaagcaaca      1965
ctcagcgttg cctagcgtaa aaggcactgc agagaaatga ggtgcagagg tggccctctc      2025
gagtatttat ttgactcagg taccagtggt acatatatac agtgtaatta tgaccaggct      2085
ggtaaaattg gctgctcgca aacaatcccc ttttttctg gcagtatttg gaatttatca      2145
tttattaata actatacatt tttaaaggca gaagaagaaa atctatctat catctatcta      2205
tctatctatc tatctatcta tctatctatc tatctatcta tctatctaaa tgacctgaca      2265
gaagaaaact gttaaaaatg gatattattg gaggggattt aaaacagtgg gtgtgaatta      2325
tcattctgat ggaaagaaaa tagcaaaaca atgtgttaca agtatttgct aataaacagt      2385
atactgccag cttctaattg ctttttgatg tatgaaaggc ttatataatt ttcttttctg      2445
tgggtgactt ttgccagatg agaggagggt gcacagtggg gagtgcaggg cacagtccta      2505
gccttctgtg ggtatacttt tggagtgtg acttggtgtg gagggcagaa gttgaagttg      2565
ggatcactgt gactttgcac atggaaaaat gcagattgca ggcataattc atctctgaca      2625
ttagagaaaa agctgttata gcacaattta aattttgaga gtttgctgtg tttttttttc      2685
acataaaaga ggctgattat tctttttagt ttaattttat atcctgtaat tctttggatg      2745
gttccaagat tcagaaaaaa ttcagtaaat gcaccccgta aattgctacc ctttctttta      2805
ttttcatact tagatctgct gtacattgta tatatatata atttttaaaa tgcagaaaga      2865
aaataatttc cctaaatata attgcaaacg gatttctttt acttttttgt gtctgggggt      2925
gggagctgta tctgaataag tggcattcag attagggtct tgaaaaataa acccagaatc      2985
tttaaaagaa gcaataaac taatagacgc ttattttcca aaatttaaat ttaagctaga      3045
aatgtaaata ttcaattaat ttgttaaaag tacttttata aagttaaaaa aaatccaacc      3105
aaaattttag aaagtcaggc tcttttagaa agaaagctac acccatttcc tcaataaact      3165
gttccgaaaa tttatatggt ggaatgcgcc atgtataaac tgtgaattgt attgacaaat      3225
aaagtttgta attaaagtca aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa      3285
aaaaaaaaaa aaaaaa
          3300

```

<210> 83

<211> 411

<212> PRT

<213> H. sapiens

<400> 83

```

Met Ala Ala Pro Asp Leu Leu Asp Pro Lys Ser Ala Ala Gln Asn Ser
  1           5           10          15
Lys Pro Arg Leu Ser Phe Ser Thr Lys Pro Thr Val Leu Ala Ser Arg

```

20								25				30			
Val	Glu	Ser	Asp	Thr	Thr	Ile	Asn	Val	Met	Lys	Trp	Lys	Thr	Val	Ser
		35					40					45			
Thr	Ile	Phe	Leu	Val	Val	Val	Leu	Tyr	Leu	Ile	Ile	Gly	Ala	Thr	Val
	50					55					60				
Phe	Lys	Ala	Leu	Glu	Gln	Pro	His	Glu	Ile	Ser	Gln	Arg	Thr	Thr	Ile
65					70					75					80
Val	Ile	Gln	Lys	Gln	Thr	Phe	Ile	Ser	Gln	His	Ser	Cys	Val	Asn	Ser
				85					90					95	
Thr	Glu	Leu	Asp	Glu	Leu	Ile	Gln	Gln	Ile	Val	Ala	Ala	Ile	Asn	Ala
			100				105						110		
Gly	Ile	Ile	Pro	Leu	Gly	Asn	Thr	Ser	Asn	Gln	Ile	Ser	His	Trp	Asp
		115					120					125			
Leu	Gly	Ser	Ser	Phe	Phe	Phe	Ala	Gly	Thr	Val	Ile	Thr	Thr	Ile	Gly
		130				135					140				
Phe	Gly	Asn	Ile	Ser	Pro	Arg	Thr	Glu	Gly	Gly	Lys	Ile	Phe	Cys	Ile
145					150					155					160
Ile	Tyr	Ala	Leu	Leu	Gly	Ile	Pro	Leu	Phe	Gly	Phe	Leu	Leu	Ala	Gly
			165						170					175	
Val	Gly	Asp	Gln	Leu	Gly	Thr	Ile	Phe	Gly	Lys	Gly	Ile	Ala	Lys	Val
			180				185						190		
Glu	Asp	Thr	Phe	Ile	Lys	Trp	Asn	Val	Ser	Gln	Thr	Lys	Ile	Arg	Ile
		195					200					205			
Ile	Ser	Thr	Ile	Ile	Phe	Ile	Leu	Phe	Gly	Cys	Val	Leu	Phe	Val	Ala
		210				215					220				
Leu	Pro	Ala	Ile	Ile	Phe	Lys	His	Ile	Glu	Gly	Trp	Ser	Ala	Leu	Asp
225					230					235					240
Ala	Ile	Tyr	Phe	Val	Val	Ile	Thr	Leu	Thr	Thr	Ile	Gly	Phe	Gly	Asp
			245						250					255	
Tyr	Val	Ala	Gly	Gly	Ser	Asp	Ile	Glu	Tyr	Leu	Asp	Phe	Tyr	Lys	Pro
			260						265				270		
Val	Val	Trp	Phe	Trp	Ile	Leu	Val	Gly	Leu	Ala	Tyr	Phe	Ala	Ala	Val
		275					280					285			
Leu	Ser	Met	Ile	Gly	Asp	Trp	Leu	Arg	Val	Ile	Ser	Lys	Lys	Thr	Lys
		290				295					300				
Glu	Glu	Val	Gly	Glu	Phe	Arg	Ala	His	Ala	Ala	Glu	Trp	Thr	Ala	Asn
305					310					315					320
Val	Thr	Ala	Glu	Phe	Lys	Glu	Thr	Arg	Arg	Arg	Leu	Ser	Val	Glu	Ile
			325						330					335	
Tyr	Asp	Lys	Phe	Gln	Arg	Ala	Thr	Ser	Ile	Lys	Arg	Lys	Leu	Ser	Ala
			340						345				350		
Glu	Leu	Ala	Gly	Asn	His	Asn	Gln	Glu	Leu	Thr	Pro	Cys	Arg	Arg	Thr
		355					360		</						

```
<210> 84
<211> 20
<212> DNA
<213> H. sapiens
```

<400> 84
catagccata ggtgaggact

20

<210> 85
<211> 20
<212> DNA

<213> H. sapiens
<400> 85
gagaggaaaa cagtctgggc 20
<210> 86
<211> 20
<212> DNA
<213> H. sapiens
<400> 86
ggacatcgaa ctaagacctg 20
<210> 87
<211> 20
<212> DNA
<213> H. sapiens
<400> 87
tcccatgcca ttcagatctg 20

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US99/03826**A. CLASSIFICATION OF SUBJECT MATTER**

IPC(6) : C07H 21/04; C07K 14/705; C12N 15/09, 15/63; C12Q 1/68

US CL : 636/23.1, 24.3; 435/7.2, 69.1, 320.1; 530/350

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 636/23.1, 24.3; 435/7.2, 69.1, 320.1; 530/350

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

Please See Extra Sheet.

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X,P	PARTISETI, M. et al. Cloning and Characterization of a Novel Human Inward Rectifying Potassium Channel Predominantly Expressed in Small Intestine. FEBS Lett. 1998, Vol. 434, pages 171-176, see entire document.	1-9

☐ Further documents are listed in the continuation of Box C. ☐ See patent family annex.

* Special categories of cited documents:	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
A document defining the general state of the art which is not considered to be of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
B earlier document published on or after the international filing date	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*A* document member of the same patent family
O document referring to an oral disclosure, use, exhibition or other means	
P document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

28 MAY 1999

Date of mailing of the international search report

07 JUL 1999

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

NIRMAL S. BASI

Telephone No. (703) 308-0196

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US99/03826

B. FIELDS SEARCHED

Electronic data bases consulted (Name of data base and where practicable terms used):

APS, MEDLINE, JAPIO, BIOSIS, SCISEARCH, WPIDS, GENEMBL, NGENSEQ 34, EST, A-GENESEQ 32, PIR 58, SWISS-PROT 35, SPTREMBL 16.

search terms: potassium channel, K+hnov

BOX II. OBSERVATIONS WHERE UNITY OF INVENTION WAS LACKING

This ISA found multiple inventions as follows:

This application contains the following inventions or groups of inventions which are not so linked as to form a single inventive concept under PCT Rule 13.1. In order for all inventions to be searched, the appropriate additional search fees must be paid.

Group I, claim(s)1-9, drawn to nucleic acids encoding K+Hnov protein having the amino acid sequence of SEQ ID NO:2, the nucleic acid having the sequence of SEQ ID NO:1, nucleic acids hybridizing to said nucleic acids, expression cassette comprising said nucleic acids, cell comprising said expression cassette, method for producing K+Hnov protein of SEQ ID NO:2 and K+Hnov protein of SEQ ID NO:2.

Group II, claim(s)1-9, drawn to nucleic acids encoding K+Hnov protein having the amino acid sequence of SEQ ID NO:4, the nucleic acid having the sequence of SEQ ID NO:3, nucleic acids hybridizing to said nucleic acids, expression cassette comprising said nucleic acids, cell comprising said expression cassette, method for producing K+Hnov protein of SEQ ID NO:4 and K+Hnov protein of SEQ ID NO:4.

Group III, claim(s)1-9, drawn to nucleic acids encoding K+Hnov protein having the amino acid sequence of SEQ ID NO:6, the nucleic acid having the sequence of SEQ ID NO:5, nucleic acids hybridizing to said nucleic acids, expression cassette comprising said nucleic acids, cell comprising said expression cassette, method for producing K+Hnov protein of SEQ ID NO:6 and K+Hnov protein of SEQ ID NO:6.

Group IV, claim(s)1-9, drawn to nucleic acids encoding K+Hnov protein having the amino acid sequence of SEQ ID NO:8, the nucleic acid having the sequence of SEQ ID NO:7, nucleic acids hybridizing to said nucleic acids, expression cassette comprising said nucleic acids, cell comprising said expression cassette, method for producing K+Hnov protein of SEQ ID NO:8 and K+Hnov protein of SEQ ID NO:8.

Group V, claim(s)1-9, drawn to nucleic acids encoding K+Hnov protein having the amino acid sequence of SEQ ID NO:10, the nucleic acid having the sequence of SEQ ID NO:9, nucleic acids hybridizing to said nucleic acids, expression cassette comprising said nucleic acids, cell comprising said expression cassette, method for producing K+Hnov protein of SEQ ID NO:10 and K+Hnov protein of SEQ ID NO:10.

Group VI, claim(s)1-9, drawn to nucleic acids encoding K+Hnov protein having the amino acid sequence of SEQ ID NO:12, the nucleic acid having the sequence of SEQ ID NO:11, nucleic acids hybridizing to said nucleic acids, expression cassette comprising said nucleic acids, cell comprising said expression cassette, method for producing K+Hnov protein of SEQ ID NO:12 and K+Hnov protein of SEQ ID NO:12.

Group VII, claim(s)1-9, drawn to nucleic acids encoding K+Hnov protein having the amino acid sequence of SEQ ID NO:14, the nucleic acid having the sequence of SEQ ID NO:13, nucleic acids hybridizing to said nucleic acids, expression cassette comprising said nucleic acids, cell comprising said expression cassette, method for producing K+Hnov protein of SEQ ID NO:14 and K+Hnov protein of SEQ ID NO:14.

Group VIII, claim(s)1-9, drawn to nucleic acids encoding K+Hnov protein having the amino acid sequence of SEQ ID NO:16, the nucleic acid having the sequence of SEQ ID NO:15, nucleic acids hybridizing to said nucleic acids, expression cassette comprising said nucleic acids, cell comprising said expression cassette, method for producing K+Hnov protein of SEQ ID NO:16 and K+Hnov protein of SEQ ID NO:16.

Group IX, claim(s)1-9, drawn to nucleic acids encoding K+Hnov protein having the amino acid sequence of SEQ ID NO:18, the nucleic acid having the sequence of SEQ ID NO:17, nucleic acids hybridizing to said nucleic acids, expression cassette comprising said nucleic acids, cell comprising said expression cassette, method for producing K+Hnov protein of SEQ ID NO:18 and K+Hnov protein of SEQ ID NO:18.

Group X, claim(s)1-9, drawn to nucleic acids encoding K+Hnov protein having the amino acid sequence of SEQ ID NO:20, the nucleic acid having the sequence of SEQ ID NO:19, nucleic acids hybridizing to said nucleic acids, expression cassette comprising said nucleic acids, cell comprising said expression cassette, method for producing K+Hnov protein of SEQ ID NO:20 and K+Hnov protein of SEQ ID NO:20.

Group XI, claim(s)1-9, drawn to nucleic acids encoding K+Hnov protein having the amino acid sequence of SEQ ID NO:25, the nucleic acid having the sequence of SEQ ID NO:21-25, nucleic acids hybridizing to said nucleic acids, expression cassette comprising said nucleic acids, cell comprising said expression cassette, method for producing K+Hnov protein of SEQ ID NO:25 and K+Hnov protein of SEQ ID NO:25.

Group XII, claim(s)1-9, drawn to nucleic acids encoding K+Hnov protein having the amino acid sequence of SEQ ID NO:27, the nucleic acid having the sequence of SEQ ID NO:26, nucleic acids hybridizing to said nucleic acids, expression cassette comprising said nucleic acids, cell comprising said expression cassette, method for producing

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US99/03826

K+Hnov protein of SEQ ID NO:27 and K+Hnov protein of SEQ ID NO:27.

Group XIII, claim(s)1-9, drawn to nucleic acids encoding K+Hnov protein having the amino acid sequence of SEQ ID NO:30, the nucleic acid having the sequence of SEQ ID NO:28-29, nucleic acids hybridizing to said nucleic acids, expression cassette comprising said nucleic acids, cell comprising said expression cassette, method for producing K+Hnov protein of SEQ ID NO:30 and K+Hnov protein of SEQ ID NO:30.

Group XIV, claim(s)1-9, drawn to nucleic acids encoding K+Hnov protein having the amino acid sequence of SEQ ID NO:81, the nucleic acid having the sequence of SEQ ID NO:80, nucleic acids hybridizing to said nucleic acids, expression cassette comprising said nucleic acids, cell comprising said expression cassette, method for producing K+Hnov protein of SEQ ID NO:81 and K+Hnov protein of SEQ ID NO:81.

Group XV, claim(s)1-9, drawn to nucleic acids encoding K+Hnov protein having the amino acid sequence of SEQ ID NO:83, the nucleic acid having the sequence of SEQ ID NO:82, nucleic acids hybridizing to said nucleic acids, expression cassette comprising said nucleic acids, cell comprising said expression cassette, method for producing K+Hnov protein of SEQ ID NO:83 and K+Hnov protein of SEQ ID NO:83.

Group XVI, claim(s)10, drawn to monoclonal antibody that binds to K+Hnov.

Group XVII, claim(s)11-14, drawn to non-human transgenic animal model for K+Hnov.

The inventions listed as Groups I-XVII do not relate to a single inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons: Group I is directed to nucleic acid (SEQ ID NO:1) encoding the K+Hnov protein of SEQ ID NO:2, nucleic acids hybridizing to said nucleic acid, expression cassette comprising said nucleic acid, cell comprising said cassette, method of producing the K+Hnov of SEQ ID NO:2 and the protein of SEQ ID NO:2. The special technical feature is the disclosed nucleic acid of SEQ ID NO:1 encoding the K+Hnov protein of SEQ ID NO:2. The nucleic acids, proteins, antibody and transgenic animal model of Groups II-XVII do not share the special technical feature of Group I wherein the products of said Groups are structurally and functionally different. As shown in Table 1, pages 8-9, the H+Nov proteins of SEQ ID NO: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 25, 27, 30, 81 and 83 are all structurally and functionally different, the nucleic acids encoding said proteins having different chromosome positions.

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US99/03826

Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)

This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:

2. ☐ Claims Nos.:
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:

3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

Please See Extra Sheet.

1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:

4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
1-9, SEQ ID NO:1 and 2

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
☐ No protest accompanied the payment of additional search fees.